

VEEDER-ROOT

Hubodometers



- Models
- Accessories
- Specifications
- Tire Selection Guide



DANAHER SPECIALTY PRODUCTS

+1.800.390.6405 • www.vr-hubodometer.com

Series RT1000 RITE-TRAK Electronic Hubodometer	3
Series 7777 Mechanical Hubodometer	4
Series RT1100 RITE-TRAK Electronic Land Meter	5
Tire Listing (by Manufacturer then Style)	6
Accessories	78
Installation and Dimensions	79
Contact Information	Back Cover



VEEDER-ROOT

RITE-TRAK
"THE ONE FOR THE ROAD"

Model RT1000-000 Electronic Hubodometer

**One Model For Any Tire
Ever Made... Or Ever
Will Be Made!**

- ▶ **Truck-Axle Tough**
- ▶ **Digital-Data Accurate**

**The Rite-Trak gives you all
of the benefits that matter...
Here are just a few:**

Drop your Inventory

- Replace your bloated inventory with just one standard unit to handle all of your tire sizes.
- Digital electronic circuitry allows rapid and easy configuration anywhere, without need for a specialized programming instrument. You can count on its single, standard model for a perfect match to virtually any tire size.

Error Free Display

- Large, high-contrast display always remains in upright position providing easy, reliable and highly accurate data collection.

Extended Record Keeping

- Separate Trip and Lifetime totals permit specialized record keeping methods.
- Rite-Trak's setup features include capturing distance data as miles or kilometers.

Secure, Reliable Operation

- 5-Year Warranty – no mileage limitation.
- Security features include serial number viewing via the display as well as tamperproof setup scheme.
- Only one moving part for increased reliability.
- New** • Secure lockout feature. Changes to the unit's set-up can be permanently disabled to prevent tampering.
- New** • May be preset to any starting value.

Specifications

Display: LCD, 7 digits,
0.45" high (11.43mm)

Housing: Zinc, diecast

Programming: Simple procedure
using only the tool included with
the hubodometer



To determine the number of revolutions per mile/kilometer use the tables beginning on page 6. The number of revolutions in the table are approximations and may contain a small percentage of error. Please refer to your tire manufacturer's data sheet or website. If your tire is not listed and data is not available, you may use the formula on page 79 to calculate the revolutions per mile/kilometer.

**V
R** **VEEDER-ROOT**

Series 7777 Hubodometer



Features

- Records every revolution in both directions
- Hermetically sealed with inert gas and double O-ring protection
- Precision shaft supported front and rear with needle bearings
- Specified by revolution per mile/kilometer - not just tire size
- 300,000 mile/500,000 kilometer warranty (no time limit)
- Unique counterbalance design prevents orbiting - even on rough roads
- Magnifying crystal enlarges digits and angles up for easier reading

To select the proper part number, use the tables beginning on page 6. If your tire is not listed, use the formula on page 79 to calculate the number of revolutions per mile/kilometer. Find the closest number of revolutions per mile/kilometer anywhere on the table and the Series 7777 part number will be listed in the column to its right.



Specifications

Speed: 1000 RPM, maximum

Warranty: 300,000 miles or 500,000 kilometers

Size of Figures: 0.187 in. high by 0.125 in. wide (4.75mm x 3.18mm)

Color of Figures: Tenths wheel is red on white; other wheels are white on black

Mounting: 0.500-20 UNF 2A threaded integral mounting stud

Construction: Case: die-cast zinc; Figure wheel, pinions and gears: acetal resin; Crystal: polycarbonate resin; Needle Bearings: steel; Main Shaft: hardened steel



One Model For Any Machine Ever Made... Or Ever Will Be Made!

- ▶ **Truck-Axle Tough**
- ▶ **Digital-Data Accurate**

The Rite-Trak gives you all of the benefits that matter... Here are just a few:

Drop your Inventory

- Replace your bloated inventory with just one standard unit to handle all of your machine sizes. Simply program in the number of revolutions per acre/hectare.
- Digital electronic circuitry allows rapid and easy configuration anywhere, without need for a specialized programming instrument. You can count on its single, standard model for a perfect match to virtually any machine.

Specifications

Display: LCD, 7 digits,
0.45" high (11.43mm)

Housing: Zinc, diecast

Programming: Simple procedure using only the tool included with the Landmeter

Error Free Display

- Large, high-contrast display always remains in upright position providing easy, reliable and highly accurate data collection.

Extended Record Keeping

- Separate Trip and Lifetime totals permit specialized record keeping methods.
- Rite-Trak's setup features include capturing distance data as acres or hectares.

Secure, Reliable Operation

- 5-Year Warranty – no acre/hectare limitation.
- Security features include serial number viewing via the display as well as tamperproof setup scheme.
- Only one moving part for increased reliability.
- New** • Secure lockout feature. Changes to the unit's set-up can be permanently disabled to prevent tampering.
- New** • May be preset to any starting value.





VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Armstrong

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
DuraTrac	1100R20	483	0777717-484	300	0777727-300
DuraTrac	900R20	500	0777717-500	311	0777727-311
DuraTrac LP	285/75R24.5	500	0777717-500	311	0777727-311
DuraTrac LP	295/75R22.5	518	0777717-520	322	0777727-326
DuraTrac LP Drive	285/75R24.5	500	0777717-500	311	0777727-311
DuraTrac LP Drive	295/75R22.5	518	0777717-520	322	0777727-326
HD Trailer	8-14.5	680	0777717-676	423	0777727-424
Low Platform Trailer	1000-15	566	0777717-572	352	0777727-350
Low Platform Trailer	750-15	680	0777717-676	423	0777727-424
Low Platform Trailer	825-15	618	0777717-612	384	0777727-381
Low Platform Trailer	900-15	590	0777717-588	367	0777727-366
Miracle Extra Traction	1000-20	483	0777717-484	300	0777727-300
Miracle Extra Traction	750-20	545	0777717-546	339	0777727-343
Miracle Extra Traction	825-20	520	0777717-520	323	0777727-326
Miracle Extra Traction	900-20	500	0777717-500	311	0777727-311
Norseman All Season	215/85R16	686	0777717-686	426	0777727-424
Norseman All Season	235/75R15	680	0777717-676	423	0777727-424
Norseman All Season	235/85R16	658	0777717-650	409	0777727-416
Norseman All Season	750R16	655	0777717-650	407	0777727-400
Norseman All Season	875R16.5	686	0777717-686	426	0777727-424
Norseman All Season	950R16.5	680	0777717-676	423	0777727-424
Premium Silent Lug	1000-20	489	0777717-490	304	0777727-306
Premium Silent Lug	1000-22	467	0777717-465	290	0777727-294
Premium Silent Lug	11-22.5	483	0777717-484	300	0777727-300
Premium Silent Lug	11-24.5	460	0777717-465	286	0777727-294
Premium Silent Lug	900-20	500	0777717-500	311	0777727-311
RTX	1000R20	500	0777717-500	311	0777727-311
RTX	1000R22	475	0777717-475	295	0777727-294
RTX	11R22.5	500	0777717-500	311	0777727-311
RTX	11R24.5	475	0777717-475	295	0777727-294
SD100	1000-20	489	0777717-490	304	0777727-306
SD100	1000-22	470	0777717-468	292	0777727-294
STR Traction 11	1000R20	489	0777717-490	304	0777727-306
STR Traction 11	1000R22	475	0777717-475	295	0777727-294
STR Traction 11	11R22.5	489	0777717-490	304	0777727-306
STR Traction 11	11R24.5	475	0777717-475	295	0777727-294
STR200	1000R20	500	0777717-500	311	0777727-311
STR200	1000R22	475	0777717-475	295	0777727-294
STR200	11R22.5	500	0777717-500	311	0777727-311
STR200	11R24.5	475	0777717-475	295	0777727-294
Super Heatmaster	1000-20	489	0777717-490	304	0777727-306
Super Heatmaster	1000-22	470	0777717-468	292	0777727-294
Super Heatmaster	1100-20	479	0777717-475	298	0777727-294
Super Heatmaster	11-22.5	489	0777717-490	304	0777727-306
Super Heatmaster	11-24.5	470	0777717-468	292	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Armstrong (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Super Heatmaster	750-20	551	0777717-550	342	0777727-343
Super Heatmaster	825-20	537	0777717-539	334	0777727-333
Super Heatmaster	900-20	514	0777717-514	319	0777727-316
Trailer Service Special	1000-20	489	0777717-490	304	0777727-306
Trailer Service Special	11-22.5	489	0777717-490	304	0777727-306
TransMiler	1000-20	489	0777717-490	304	0777727-306
TransMiler	1000-22	467	0777717-465	290	0777727-294
TransMiler	11-22.5	489	0777717-490	304	0777727-306
TransMiler	11-24.5	460	0777717-465	286	0777727-294
TransMiler	825-20	520	0777717-520	323	0777727-326
TransMiler	900-20	505	0777717-510	314	0777727-316

B.F. Goodrich

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
DR434	10R22.5	514	0777717-514	319	0777727-316
DR434	11R22.5	500	0777717-500	311	0777727-311
DR434	11R24.5	475	0777717-475	295	0777727-294
DR434	275/80R22.5	518	0777717-520	322	0777727-326
DR434	275/80R24.5	500	0777717-500	311	0777727-311
Regional Lug	11R22.5	500	0777717-500	311	0777727-311
Regional Lug	11R24.5	479	0777717-475	298	0777727-294
Regional Rib	10R22.5	518	0777717-520	322	0777727-326
Regional Rib	11R22.5	500	0777717-500	311	0777727-311
Regional Rib	11R24.5	479	0777717-475	298	0777727-294
ST220	11R22.5	500	0777717-500	311	0777727-311
ST220	11R24.5	479	0777717-475	298	0777727-294
ST230	10R22.5	518	0777717-520	322	0777727-326
ST230	11R22.5	500	0777717-500	311	0777727-311
ST230	12R22.5	567	0777717-572	352	0777727-350
ST230	255/70R22.5	567	0777717-572	352	0777727-350
ST230	315/80R22.5	489	0777717-490	304	0777727-306
ST234	11R22.5	500	0777717-500	311	0777727-311
ST234	11R24.5	479	0777717-475	298	0777727-294
ST234	275/80R22.5	518	0777717-520	322	0777727-326
ST234	275/80R24.5	500	0777717-500	311	0777727-311
ST565	11R22.5	500	0777717-500	311	0777727-311
TR134	11R22.5	505	0777717-510	314	0777727-316
TR134	11R24.5	483	0777717-484	300	0777727-300
TR134	275/80R22.5	520	0777717-520	323	0777727-326
TR134	275/80R24.5	505	0777717-510	314	0777727-316
Trailer	11R22.5	505	0777717-510	314	0777727-316
Trailer	11R24.5	483	0777717-484	300	0777727-300
Trailer	275/80R22.5	520	0777717-520	323	0777727-326
Trailer	275/80R24.5	505	0777717-510	314	0777727-316



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
AMR	1000-20	500	0777717-500	311	0777727-311
AMR	900-20	518	0777717-520	322	0777727-326
GG	900-20	518	0777717-520	322	0777727-326
K Miler	1000-20	500	0777717-500	311	0777727-311
K Miler	1000-22	479	0777717-475	298	0777727-294
K Miler	1100-22	467	0777717-465	290	0777727-294
K Miler	11-22.5	500	0777717-500	311	0777727-311
K Miler	11-24.5	475	0777717-475	295	0777727-294
K Miler	825-20	545	0777717-546	339	0777727-343
K Miler	900-20	518	0777717-520	322	0777727-326
L Miler	1000-20	500	0777717-500	311	0777727-311
L Miler	1000-22	475	0777717-475	295	0777727-294
L Miler	11-22.5	500	0777717-500	311	0777727-311
L Miler	11-24.5	475	0777717-475	295	0777727-294
L Miler	825-20	545	0777717-546	339	0777727-343
L Miler	900-20	514	0777717-514	319	0777727-316
L301	1000R20	500	0777717-500	311	0777727-311
L301	11R22.5	500	0777717-500	311	0777727-311
L301	11R24.5	475	0777717-475	295	0777727-294
L301	900R20	514	0777717-514	319	0777727-316
L312	445/65R22.5	457	0777717-450	284	0777727-294
L317	1000R20	489	0777717-490	304	0777727-306
L317	1000R22	470	0777717-468	292	0777727-294
L317	1100R20	479	0777717-475	298	0777727-294
L317	1100R22	457	0777717-450	284	0777727-294
L317	1100R24	440	0777717-441	273	None
L317	11R22.5	489	0777717-490	304	0777727-306
L317	11R24.5	467	0777717-465	290	0777727-294
L317	1200R24	422	0777717-424	262	None
L317	12R22.5	475	0777717-475	295	0777727-294
LM	750-20	561	0777717-572	349	0777727-350
M711	1000R20	489	0777717-490	304	0777727-306
M711	1000R22	475	0777717-475	295	0777727-294
M711	1100R22	489	0777717-490	304	0777727-306
M711	11R22.5	489	0777717-490	304	0777727-306
M711	11R24.5	475	0777717-475	295	0777727-294
M711	12R22.5	479	0777717-475	298	0777727-294
M711	255/70R22.5	561	0777717-572	349	0777727-350
M711	275/70R22.5	540	0777717-539	336	0777727-333
M711	285/75R24.5	489	0777717-490	304	0777727-306
M711	295/75R22.5	514	0777717-514	319	0777727-316
M711	385/65R22.5	483	0777717-484	300	0777727-300
M711	425/65R22.5	467	0777717-465	290	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M716	1000R22	475	0777717-475	295	0777727-294
M716	1100R20	483	0777717-484	300	0777727-300
M716	1100R22	467	0777717-465	290	0777727-294
M716	11R24.5	475	0777717-475	295	0777727-294
M716	12R22.5	483	0777717-484	300	0777727-300
M716	215/70R17.5	686	0777717-686	426	0777727-424
M716	255/70R22.5	561	0777717-572	349	0777727-350
M716F	1000R20	500	0777717-500	311	0777727-311
M716F	10R22.5	518	0777717-520	322	0777727-326
M716F	11R22.5	500	0777717-500	311	0777727-311
M716F	215/75R17.5	686	0777717-686	426	0777727-424
M716F	245/75R22.5	557	0777717-550	346	0777727-343
M716F	265/75R22.5	540	0777717-539	336	0777727-333
M716F	295/75R22.5	514	0777717-514	319	0777727-316
M716F	900R20	518	0777717-520	322	0777727-326
M716F	9R22.5	540	0777717-539	336	0777727-333
M716V	285/75R24.5	500	0777717-500	311	0777727-311
M716V	295/75R22.5	514	0777717-514	319	0777727-316
M720FE	285/75R24.5	489	0777717-490	304	0777727-306
M720FE	295/75R22.5	514	0777717-514	319	0777727-316
M722	1000R20	489	0777717-490	304	0777727-306
M722	11R22.5	489	0777717-490	304	0777727-306
M722	295/80R22.5	489	0777717-490	304	0777727-306
M724	8R19.5	611	0777717-612	380	0777727-381
M724F	225/70R19.5	642	0777717-637	399	0777727-400
M724F	245/70R19.5	618	0777717-612	384	0777727-381
M724F	8R19.5	611	0777717-612	380	0777727-381
M725	11R22.5	489	0777717-490	304	0777727-306
M725	11R24.5	470	0777717-468	292	0777727-294
M726	11R22.5	489	0777717-490	304	0777727-306
M726	11R24.5	470	0777717-468	292	0777727-294
M726	285/75R24.5	489	0777717-490	304	0777727-306
M726	295/75R22.5	505	0777717-510	314	0777727-316
M727	825R16	611	0777717-612	380	0777727-381
M741	11R24.5	467	0777717-465	290	0777727-294
M741	9R22.5	537	0777717-539	334	0777727-333
M747	18R19.5	489	0777717-490	304	0777727-306
M747	385/65R22.5	489	0777717-490	304	0777727-306
M747	425/65R22.5	470	0777717-468	292	0777727-294
M747	445/65R22.5	460	0777717-465	286	0777727-294
M747	445/75R19.5	489	0777717-490	304	0777727-306
M748	385/65R22.5	489	0777717-490	304	0777727-306
M748	425/65R22.5	467	0777717-465	290	0777727-294
M748	445/65R22.5	457	0777717-450	284	0777727-294
M757	1000R20	500	0777717-500	311	0777727-311

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M757	1000R22	475	0777717-475	295	0777727-294
M757	10R22.5	518	0777717-520	322	0777727-326
M757	1100R20	483	0777717-484	300	0777727-300
M757	1100R22	467	0777717-465	290	0777727-294
M757	1100R24	443	0777717-441	275	None
M757	11R22.5	500	0777717-500	311	0777727-311
M757	11R24.5	475	0777717-475	295	0777727-294
M757	1200R20	470	0777717-468	292	0777727-294
M757	1200R24	440	0777717-441	273	None
M757	12R22.5	483	0777717-484	300	0777727-300
M757	315/80R22.5	489	0777717-490	304	0777727-306
M757	900R20	518	0777717-520	322	0777727-326
M767	1000R20	500	0777717-500	311	0777727-311
M767	11R22.5	500	0777717-500	311	0777727-311
M774	11R22.5	483	0777717-484	300	0777727-300
M774	11R24.5	467	0777717-465	290	0777727-294
M774	12R22.5	475	0777717-475	295	0777727-294
M810	11R22.5	489	0777717-490	304	0777727-306
M822	11R22.5	489	0777717-490	304	0777727-306
M840	1000R20	489	0777717-490	304	0777727-306
M840	1100R20	475	0777717-475	295	0777727-294
M840	1100R22	460	0777717-465	286	0777727-294
M840	11R22.5	489	0777717-490	304	0777727-306
M840	1200R20	467	0777717-465	290	0777727-294
M840	275/70R22.5	540	0777717-539	336	0777727-333
M840	295/80R22.5	500	0777717-500	311	0777727-311
M840	9R22.5	537	0777717-539	334	0777727-333
M843	11R22.5	489	0777717-490	304	0777727-306
M843	11R24.5	467	0777717-465	290	0777727-294
M843	12R22.5	479	0777717-475	298	0777727-294
M843	12R24.5	460	0777717-465	286	0777727-294
M843	315/80R22.5	479	0777717-475	298	0777727-294
M843	9R22.5	537	0777717-539	334	0777727-333
M844(F)	385/65R22.5	483	0777717-484	300	0777727-300
M844(F)	425/65R22.5	467	0777717-465	290	0777727-294
M844(F)	445/65R22.5	457	0777717-450	284	0777727-294
M847	18R19.5	489	0777717-490	304	0777727-306
M857	1000R20	500	0777717-500	311	0777727-311
M857	1000R22	475	0777717-475	295	0777727-294
M857	10R22.5	518	0777717-520	322	0777727-326
M857	1100R20	483	0777717-484	300	0777727-300
M857	1100R22	467	0777717-465	290	0777727-294
M857	1100R24	443	0777717-441	275	None
M857	11R22.5	500	0777717-500	311	0777727-311
M857	11R24.5	475	0777717-475	295	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M857	1200R20	470	0777717-468	292	0777727-294
M857	1200R24	440	0777717-441	273	None
M857	12R22.5	483	0777717-484	300	0777727-300
M857	18R19.5	489	0777717-490	304	0777727-306
M857	255/70R22.5	566	0777717-572	352	0777727-350
M857	275/70R22.5	540	0777717-539	336	0777727-333
M857	315/80R22.5	489	0777717-490	304	0777727-306
M857	385/65R22.5	489	0777717-490	304	0777727-306
M857	425/65R22.5	470	0777717-468	292	0777727-294
M857	445/65R19.5	489	0777717-490	304	0777727-306
M857	445/65R22.5	460	0777717-465	286	0777727-294
M857	825R15	618	0777717-612	384	0777727-381
M857	825R20	540	0777717-539	336	0777727-333
M857	900R20	518	0777717-520	322	0777727-326
Metro R187F	10R22.5	518	0777717-520	322	0777727-326
Metro R187F	11R22.5	500	0777717-500	311	0777727-311
Metro R187F	225/70R19.5	642	0777717-637	399	0777727-400
Metro R187F	245/75R22.5	557	0777717-550	346	0777727-343
Metro R187F	265/75R22.5	540	0777717-539	336	0777727-333
Metro R187F	295/75R22.5	518	0777717-520	322	0777727-326
Metro R187F	8R19.5	618	0777717-612	384	0777727-381
Metro R187F	900R20	520	0777717-520	323	0777727-326
Metro R187F	9R22.5	540	0777717-539	336	0777727-333
MR	825-16	618	0777717-612	384	0777727-381
R160	385/65R22.5	489	0777717-490	304	0777727-306
R160	425/65R22.5	470	0777717-468	292	0777727-294
R164	385/65R22.5	483	0777717-484	300	0777727-300
R164	425/65R22.5	467	0777717-465	290	0777727-294
R164	445/65R22.5	457	0777717-450	284	0777727-294
R180	1000R15	571	0777717-572	355	0777727-359
R180	10R17.5	611	0777717-612	380	0777727-381
R180	10R22.5	518	0777717-520	322	0777727-326
R180	11R22.5	500	0777717-500	311	0777727-311
R180	13/80R20	500	0777717-500	311	0777727-311
R180	14/80R20	483	0777717-484	300	0777727-300
R180	825R15	627	0777717-624	390	0777727-392
R180	825R16	611	0777717-612	380	0777727-381
R180	825R20	545	0777717-546	339	0777727-343
R180	900R15	590	0777717-588	367	0777727-366
R180	900R20	518	0777717-520	322	0777727-326
R180	9R17.5	627	0777717-624	390	0777727-392
R180	9R22.5	545	0777717-546	339	0777727-343
R184	215/70R17.5	621	0777717-624	386	0777727-381
R184	215/75R17.5	686	0777717-686	426	0777727-424
R184	235/75R17.5	658	0777717-650	409	0777727-416

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
R184	255/70R22.5	567	0777717-572	352	0777727-350
R184	275/70R22.5	545	0777717-546	339	0777727-343
R184	315/70R22.5	518	0777717-520	322	0777727-326
R184	315/75R22.5	500	0777717-500	311	0777727-311
R184	315/80R22.5	518	0777717-520	322	0777727-326
R184	9.5R17.5	618	0777717-612	384	0777727-381
R184LP	315/80R22.5	518	0777717-520	322	0777727-326
R187	1000R20	500	0777717-500	311	0777727-311
R187	10R22.5	518	0777717-520	322	0777727-326
R187	11R22.5	500	0777717-500	311	0777727-311
R187	11R24.5	479	0777717-475	298	0777727-294
R187	245/75R22.5	557	0777717-550	346	0777727-343
R187	295/75R22.5	518	0777717-520	322	0777727-326
R187	825R15TR	618	0777717-612	384	0777727-381
R187	900R20	518	0777717-520	322	0777727-326
R187	9R22.5	540	0777717-539	336	0777727-333
R187(F)	245/70R19.5	618	0777717-612	384	0777727-381
R187(F)	825R15	618	0777717-612	384	0777727-381
R192	275/70R22.5	545	0777717-546	339	0777727-343
R192	305/70R22.5	520	0777717-520	323	0777727-326
R194	1000R20	505	0777717-510	314	0777727-316
R194	11R22.5	505	0777717-510	314	0777727-316
R194	11R24.5	483	0777717-484	300	0777727-300
R194	255/70R22.5	571	0777717-572	355	0777727-359
R194	385/65R22.5	483	0777717-484	300	0777727-300
R194	425/65R22.5	467	0777717-465	290	0777727-294
R194F(FE)	285/75R24.5	505	0777717-510	314	0777727-316
R194F(FE)	295/75R22.5	520	0777717-520	323	0777727-326
R196	11R22.5	500	0777717-500	311	0777727-311
R196	11R24.5	479	0777717-475	298	0777727-294
R196	285/75R24.5	500	0777717-500	311	0777727-311
R196	295/75R22.5	518	0777717-520	322	0777727-326
R196	295/75R24.5	518	0777717-520	322	0777727-326
R220	750R16	658	0777717-650	409	0777727-416
R226	11R22.5	500	0777717-500	311	0777727-311
R226	11R24.5	475	0777717-475	295	0777727-294
R226	285/75R24.5	500	0777717-500	311	0777727-311
R226	295/75R22.5	518	0777717-520	322	0777727-326
R227	11R22.5	500	0777717-500	311	0777727-311
R227	11R24.5	479	0777717-475	298	0777727-294
R227	285/75R24.5	500	0777717-500	311	0777727-311
R227	295/75R22.5	518	0777717-520	322	0777727-326
R230	700R15	686	0777717-686	426	0777727-424
R230	750R16	658	0777717-650	409	0777727-416
R250	11R22.5	500	0777717-500	311	0777727-311



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
R250	11R24.5	479	0777717-475	298	0777727-294
R250F	1000R20	500	0777717-500	311	0777727-311
R250F	1000R20	500	0777717-500	311	0777727-311
R250F	10R22.5	518	0777717-520	322	0777727-326
R250F	10R22.5	518	0777717-520	322	0777727-326
R250F	1100R20	489	0777717-490	304	0777727-306
R250F	1100R20	489	0777717-490	304	0777727-306
R250F	1100R22	467	0777717-465	290	0777727-294
R250F	1100R22	467	0777717-465	290	0777727-294
R250F	1200R20	467	0777717-465	290	0777727-294
R250F	1200R20	467	0777717-465	290	0777727-294
R250F	12R22.5	483	0777717-484	300	0777727-300
R250F	245/75R22.5	557	0777717-550	346	0777727-343
R250F	265/75R22.5	540	0777717-539	336	0777727-333
R250F	275/75R22.5	518	0777717-520	322	0777727-326
R250F	285/75R24.5	500	0777717-500	311	0777727-311
R250F	295/75R22.5	518	0777717-520	322	0777727-326
R250F	295/80R22.5	500	0777717-500	311	0777727-311
R250F	295/80R22.5	500	0777717-500	311	0777727-311
R250F	900R20	518	0777717-520	322	0777727-326
R250F	900R20	518	0777717-520	322	0777727-326
R250F	9R22.5	540	0777717-539	336	0777727-333
R251	1000R20	500	0777717-500	311	0777727-311
R251	11R22.5	500	0777717-500	311	0777727-311
R251	11R24.5	479	0777717-475	298	0777727-294
R260	875R16.5	621	0777717-624	386	0777727-381
R260	950R16.5	686	0777717-686	426	0777727-424
R260	9R16.5	686	0777717-686	426	0777727-424
R265	215/85R16	686	0777717-686	426	0777727-424
R265	225/75R16	621	0777717-624	386	0777727-381
R265	235/85R16	658	0777717-650	409	0777727-416
R265	245/75R16	686	0777717-686	426	0777727-424
R265	8R17.5	680	0777717-676	423	0777727-424
R285	1000R20	500	0777717-500	311	0777727-311
R285	11R22.5	500	0777717-500	311	0777727-311
R290	1000R20	500	0777717-500	311	0777727-311
R290	1000R22	479	0777717-475	298	0777727-294
R290	10R22.5	518	0777717-520	322	0777727-326
R290	1100R20	489	0777717-490	304	0777727-306
R290	1100R22	467	0777717-465	290	0777727-294
R290	1200R20	467	0777717-465	290	0777727-294
R290	12R22.5	483	0777717-484	300	0777727-300
R290	900R20	518	0777717-520	322	0777727-326
R290	9R22.5	540	0777717-539	336	0777727-333
R293	11R22.5	500	0777717-500	311	0777727-311

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
R293	11R24.5	479	0777717-475	298	0777727-294
R294	215/75R17.5	686	0777717-686	426	0777727-424
R294	225/75R17.5	680	0777717-676	423	0777727-424
R294	255/70R22.5	566	0777717-572	352	0777727-350
R294	275/70R22.5	545	0777717-546	339	0777727-343
R294	275/80R22.5	518	0777717-520	322	0777727-326
R294	295/80R22.5	500	0777717-500	311	0777727-311
R294	305/70R22.5	520	0777717-520	323	0777727-326
R294	315/80R22.5	489	0777717-490	304	0777727-306
R295	900R20	518	0777717-520	322	0777727-326
R296	11R22.5	505	0777717-510	314	0777727-316
R299	11R22.5	500	0777717-500	311	0777727-311
R299	11R24.5	479	0777717-475	298	0777727-294
R299	275/80R22.5	518	0777717-520	322	0777727-326
R299	295/75R22.5	518	0777717-520	322	0777727-326
R299(FE)	285/75R24.5	500	0777717-500	311	0777727-311
R716	11R22.5	500	0777717-500	311	0777727-311
S740	11R22.5	489	0777717-490	304	0777727-306
S764	11R24.5	467	0777717-465	290	0777727-294
S764	1200R24	422	0777717-424	262	None
SLM	1000-20	500	0777717-500	311	0777727-311
SLM	1000-22	475	0777717-475	295	0777727-294
SLM	11-22.5	489	0777717-490	304	0777727-306
SLM	11-24.5	470	0777717-468	292	0777727-294
SLM	825-20	545	0777717-546	339	0777727-343
SLM	900-20	518	0777717-520	322	0777727-326
U Traction	1000-20	489	0777717-490	304	0777727-306
U Traction	1000-22	470	0777717-468	292	0777727-294
U Traction	11-22.5	489	0777717-490	304	0777727-306
U Traction	11-24.5	467	0777717-465	290	0777727-294
U Traction	900-20	518	0777717-520	322	0777727-326
ULX	1000-20	500	0777717-500	311	0777727-311
ULX	825-20	540	0777717-539	336	0777727-333
ULX	900-20	518	0777717-520	322	0777727-326
VSS	1000R20	489	0777717-490	304	0777727-306
VSS	1100R20	483	0777717-484	300	0777727-300
VSS	11R22.5	489	0777717-490	304	0777727-306
VSS	11R24.5	470	0777717-468	292	0777727-294
VSS	12R22.5	483	0777717-484	300	0777727-300
VSS	825R20	540	0777717-539	336	0777727-333
VSXA	750R16	655	0777717-650	407	0777727-400
VSXA	8R17.5	680	0777717-676	423	0777727-424
VSXC	700R15	686	0777717-686	426	0777727-424
VSXC	750R16	655	0777717-650	407	0777727-400
Z Lug	1000-20	489	0777717-490	304	0777727-306



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Bridgestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Z Lug	1000-22	483	0777717-484	300	0777727-300
Z Lug	1100-22	457	0777717-450	284	0777727-294
Z Lug	1200-24	470	0777717-468	292	0777727-294
Z Rib	1000-20	489	0777717-490	304	0777727-306
Z Rib	1000-22	470	0777717-468	292	0777727-294

Continental

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
HC51	1100R20	483	0777717-484	300	0777727-300
HC51	11R22.5	500	0777717-500	311	0777727-311
HC51	11R24.5	479	0777717-475	298	0777727-294
HC51	1200R20	467	0777717-465	290	0777727-294
HC51	12R22.5	467	0777717-465	290	0777727-294
HC51	315/80R22.5	489	0777717-490	304	0777727-306
HC53	1000R20	500	0777717-500	311	0777727-311
HC53	1100R20	483	0777717-484	300	0777727-300
HC53	1100R22	467	0777717-465	290	0777727-294
HC53	1200R24	440	0777717-441	273	None
HC65	425/65R22.5	467	0777717-465	290	0777727-294
HC65	445/65R22.5	460	0777717-465	286	0777727-294
HC65	465/65R22.5	467	0777717-465	290	0777727-294
HD70	11R22.5	500	0777717-500	311	0777727-311
HD70	11R24.5	479	0777717-475	298	0777727-294
HD70	245/70R19.5	618	0777717-612	384	0777727-381
HD70	255/70R22.5	566	0777717-572	352	0777727-350
HD70	265/70R19.5	611	0777717-612	380	0777727-381
HD70	275/80R22.5	514	0777717-514	319	0777727-316
HD70	285/75R24.5	500	0777717-500	311	0777727-311
HD70	315/80R22.5	489	0777717-490	304	0777727-306
HD75	11R22.5	500	0777717-500	311	0777727-311
HD75	11R24.5	475	0777717-475	295	0777727-294
HD75	275/80R22.5	514	0777717-514	319	0777727-316
HD75	285/75R24.5	500	0777717-500	311	0777727-311
HD75	315/80R22.5	489	0777717-490	304	0777727-306
HD82	285/75R24.5	489	0777717-490	304	0777727-306
HD84/EOT	275/80R22.5	514	0777717-514	319	0777727-316
HD84/EOT	285/75R24.5	500	0777717-500	311	0777727-311
HMS45	315/80R22.5	489	0777717-490	304	0777727-306
HMS90	11R22.5	505	0777717-510	314	0777727-316
HMS90	245/70R19.5	618	0777717-612	384	0777727-381
HS41	1100R22	467	0777717-465	290	0777727-294
HS41	11R22.5	500	0777717-500	311	0777727-311
HS41	11R24.5	479	0777717-475	298	0777727-294
HS41	12R22.5	483	0777717-484	300	0777727-300
HS41	245/70R19.5	627	0777717-624	390	0777727-392

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Continental (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
HS41	275/80R22.5	518	0777717-520	322	0777727-326
HS41	285/75R24.5	500	0777717-500	311	0777727-311
HS41	295/80R22.5	500	0777717-500	311	0777727-311
HS41	315/80R22.5	489	0777717-490	304	0777727-306
HS41	365/70R22.5	483	0777717-484	300	0777727-300
HS45	315/80R22.5	489	0777717-490	304	0777727-306
HS62	11R22.5	500	0777717-500	311	0777727-311
HS62	11R24.5	479	0777717-475	298	0777727-294
HS62	215/75R17.5	684	0777717-686	425	0777727-424
HS62	235/75R17.5	661	0777717-676	411	0777727-416
HS62	255/70R22.5	567	0777717-572	352	0777727-350
HS62	265/70R19.5	611	0777717-612	380	0777727-381
HS62	285/75R24.5	500	0777717-500	311	0777727-311
HS62	295/75R22.5	500	0777717-500	311	0777727-311
HS62	365/80R20	483	0777717-484	300	0777727-300
HS62	385/65R19.5	537	0777717-539	334	0777727-333
HS62	385/65R22.5	489	0777717-490	304	0777727-306
HS62	825R15	627	0777717-624	390	0777727-392
HS65	385/65R22.5	489	0777717-490	304	0777727-306
HS80/EOT	275/80R22.5	514	0777717-514	319	0777727-316
HS80/EOT	285/75R24.5	500	0777717-500	311	0777727-311
HS81	365/70R22.5	483	0777717-484	300	0777727-300
HS81/EOT	365/70R22.5	483	0777717-484	300	0777727-300
HT63	385/65R22.5	489	0777717-490	304	0777727-306
HT63	425/65R22.5	460	0777717-465	286	0777727-294
HT63	445/65R22.5	460	0777717-465	286	0777727-294
LS45	215/75R17.5	684	0777717-686	425	0777727-424
OS12	1000R15	571	0777717-572	355	0777727-359
RS415	10R17.5	607	0777717-612	377	0777727-381
RS415	10R22.5	518	0777717-520	322	0777727-326
RS415	205/75R17.5	686	0777717-686	426	0777727-424
RS415	215/75R17.5	680	0777717-676	423	0777727-424
RS415	8.5R17.5	658	0777717-650	409	0777727-416
RS415	8R17.5	680	0777717-676	423	0777727-424
RS415	900R20	518	0777717-520	322	0777727-326
RS415	9R22.5	545	0777717-546	339	0777727-343
RS415N	1100R20	483	0777717-484	300	0777727-300
RS415N	1200R20	467	0777717-465	290	0777727-294
RS415N	245/70R19.5	627	0777717-624	390	0777727-392
RS416	1000R20	500	0777717-500	311	0777727-311
RS416	10R22.5	518	0777717-520	322	0777727-326
RS416	1100R20	489	0777717-490	304	0777727-306
RS416	11R22.5	500	0777717-500	311	0777727-311
RS416	11R24.5	479	0777717-475	298	0777727-294
RS416	12R22.5	489	0777717-490	304	0777727-306



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Continental (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
RS416	900R20	518	0777717-520	322	0777727-326
RS74	13/80R20	500	0777717-500	311	0777727-311
RT4	1000R20	500	0777717-500	311	0777727-311
RT4	1100R20	483	0777717-484	300	0777727-300
RT4	11R22.5	500	0777717-500	311	0777727-311
RT4	900R20	518	0777717-520	322	0777727-326
RT6	1000R20	500	0777717-500	311	0777727-311
RT6	11R22.5	500	0777717-500	311	0777727-311
RT6	900R20	518	0777717-520	322	0777727-326
RT8	1000R20	500	0777717-500	311	0777727-311
RT8	1100R20	483	0777717-484	300	0777727-300
RT8	11R22.5	500	0777717-500	311	0777727-311

Cooper

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
ASR932	1000R20	500	0777717-500	311	0777727-311
ASR932	1000R22	475	0777717-475	295	0777727-294
ASR932	11R22.5	500	0777717-500	311	0777727-311
ASR932	11R24.5	475	0777717-475	295	0777727-294
ASR956	1000R20	500	0777717-500	311	0777727-311
ASR956	1000R22	479	0777717-475	298	0777727-294
ASR956	11R22.5	500	0777717-500	311	0777727-311
ASR956	11R24.5	479	0777717-475	298	0777727-294
ASR956	900R20	518	0777717-520	322	0777727-326
C120	215/85R16	684	0777717-686	425	0777727-424
C120	235/85R16	658	0777717-650	409	0777727-416
C120	875R16.5	621	0777717-624	386	0777727-381
C120	8R19.5	611	0777717-612	380	0777727-381
C120	950R16.5	686	0777717-686	426	0777727-424
C140	215/85R16	686	0777717-686	426	0777727-424
C140	235/85R16	655	0777717-650	407	0777727-400
C140	875R16.5	686	0777717-686	426	0777727-424
C140	8R19.5	611	0777717-612	380	0777727-381
C140	950R16.5	680	0777717-676	423	0777727-424
CT240	11R22.5	505	0777717-510	314	0777727-316
CT240	11R24.5	483	0777717-484	300	0777727-300
CT240	285/75R24.5	500	0777717-500	311	0777727-311
CT240	295/75R22.5	518	0777717-520	322	0777727-326
CXML440	11R22.5	489	0777717-490	304	0777727-306
CXML440	11R24.5	475	0777717-475	295	0777727-294
CXML440	285/75R24.5	489	0777717-490	304	0777727-306
CXML440	295/75R22.5	505	0777717-510	314	0777727-316
CXMT340	1000R20	500	0777717-500	311	0777727-311
CXMT340	10R22.5	518	0777717-520	322	0777727-326
CXMT340	11R22.5	500	0777717-500	311	0777727-311

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Cooper (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
CXMT340	11R24.5	479	0777717-475	298	0777727-294
CXMT340	285/75R24.5	500	0777717-500	311	0777727-311
CXMT340	295/75R22.5	518	0777717-520	322	0777727-326
CXMT340	900R20	518	0777717-520	322	0777727-326
HiWay Service	1000-20	500	0777717-500	311	0777727-311
HiWay Service	1000-22	475	0777717-475	295	0777727-294
HiWay Service	11-22.5	489	0777717-490	304	0777727-306
HiWay Service	11-24.5	470	0777717-468	292	0777727-294
Low Platform Trailer	1000-15	561	0777717-572	349	0777727-350
Low Platform Trailer	750-15	642	0777717-637	399	0777727-400
Low Platform Trailer	825-15	611	0777717-612	380	0777727-381
Mastercraft H/T	1000-20	489	0777717-490	304	0777727-306
Mastercraft H/T	1000-22	470	0777717-468	292	0777727-294
Mastercraft H/T	1100-20	483	0777717-484	300	0777727-300
Mastercraft H/T	11-22.5	489	0777717-490	304	0777727-306
Mastercraft H/T	11-24.5	467	0777717-465	290	0777727-294
Mastercraft H/T	825-20	537	0777717-539	334	0777727-333
Mastercraft H/T	900-20	505	0777717-510	314	0777727-316
RoadGrip ST	1000-20	489	0777717-490	304	0777727-306
RoadGrip ST	1000-22	467	0777717-465	290	0777727-294
RoadGrip ST	1100-20	475	0777717-475	295	0777727-294
RoadGrip ST	11-22.5	483	0777717-484	300	0777727-300
RoadGrip ST	11-24.5	460	0777717-465	286	0777727-294
RoadGrip ST	825-20	520	0777717-520	323	0777727-326
RoadGrip ST	900-20	489	0777717-490	304	0777727-306
RoadMaster	1000-20	489	0777717-490	304	0777727-306
RoadMaster	1000-22	470	0777717-468	292	0777727-294
RoadMaster	1100-20	483	0777717-484	300	0777727-300
RoadMaster	11-22.5	489	0777717-490	304	0777727-306
RoadMaster	11-24.5	467	0777717-465	290	0777727-294
RoadMaster	700-15	686	0777717-686	426	0777727-424
RoadMaster	750-16	655	0777717-650	407	0777727-400
RoadMaster	825-20	537	0777717-539	334	0777727-333
RoadMaster	900-20	505	0777717-510	314	0777727-316
RoadMaster PV	1000-20	500	0777717-500	311	0777727-311
RoadMaster PV	1000-22	475	0777717-475	295	0777727-294
RoadMaster PV	11-22.5	489	0777717-490	304	0777727-306
RoadMaster PV	11-24.5	470	0777717-468	292	0777727-294
RoadMaster Trailer	1000-20	489	0777717-490	304	0777727-306
RoadMaster Trailer	11-22.5	489	0777717-490	304	0777727-306
RoadMaster Trailer	11-24.5	470	0777717-468	292	0777727-294
RoadMaster XML	1000-20	489	0777717-490	304	0777727-306
RoadMaster XML	1000-22	467	0777717-465	290	0777727-294
RoadMaster XML	1100-20	475	0777717-475	295	0777727-294
RoadMaster XML	11-22.5	483	0777717-484	300	0777727-300



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Cooper (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
RoadMaster XML	11-24.5	460	0777717-465	286	0777727-294
RoadMaster XML	825-20	520	0777717-520	323	0777727-326
RoadMaster XML	900-20	489	0777717-490	304	0777727-306
RoadMaster XMT	1000-20	489	0777717-490	304	0777727-306
RoadMaster XMT	10-22.5	500	0777717-500	311	0777727-311
RoadMaster XMT	11-22.5	489	0777717-490	304	0777727-306
RoadMaster XMT	11-24.5	470	0777717-468	292	0777727-294
RoadMaster XMT	1200-20	470	0777717-468	292	0777727-294
RoadMaster XMT	750-20	557	0777717-550	346	0777727-343
RoadMaster XMT	825-20	537	0777717-539	334	0777727-333
RoadMaster XMT	900-20	505	0777717-510	314	0777727-316
RoadMaster XMT	9-22.5	520	0777717-520	323	0777727-326
Super Road Master	245/75R16	686	0777717-686	426	0777727-424
Super Road Master	8-17.5	680	0777717-676	423	0777727-424
Super Road Master	8-19.5	611	0777717-612	380	0777727-381
Super Road Master	875-16.5	621	0777717-624	386	0777727-381
Super Road Service	1000-20	489	0777717-490	304	0777727-306
Super Road Service	10-22.5	500	0777717-500	311	0777727-311
Super Road Service	11-22.5	489	0777717-490	304	0777727-306
Super Road Service	11-24.5	470	0777717-468	292	0777727-294
Super Road Service	1200-20	470	0777717-468	292	0777727-294
Super Road Service	750-20	557	0777717-550	346	0777727-343
Super Road Service	825-20	537	0777717-539	334	0777727-333
Super Road Service	900-20	505	0777717-510	314	0777727-316
Super Road Service	9-22.5	520	0777717-520	323	0777727-326
Super Traction	1000-20	483	0777717-484	300	0777727-300
Super Traction	750-20	540	0777717-539	336	0777727-333
Super Traction	825-20	520	0777717-520	323	0777727-326
Super Traction	900-20	500	0777717-500	311	0777727-311
Trailer Service	1000-20	489	0777717-490	304	0777727-306
Trailer Service	11-22.5	489	0777717-490	304	0777727-306
Trailer Service	11-24.5	470	0777717-468	292	0777727-294
Truck Mud & Snow	1000-20	483	0777717-484	300	0777727-300
Truck Mud & Snow	750-20	540	0777717-539	336	0777727-333
Truck Mud & Snow	825-20	520	0777717-520	323	0777727-326
Truck Mud & Snow	900-20	500	0777717-500	311	0777727-311

Dayton

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Extra Traction Lug	1000-20	483	0777717-484	300	0777727-300
Extra Traction Lug	825-20	518	0777717-520	322	0777727-326
Extra Traction Lug	900-20	505	0777717-510	314	0777727-316
Premium ESD	1000-20	489	0777717-490	304	0777727-306
Premium ESD	1000-22	470	0777717-468	292	0777727-294
Premium ESD	1100-20	483	0777717-484	300	0777727-300

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Dayton (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Premium ESD	11-22.5	489	0777717-490	304	0777727-306
Premium ESD	11-24.5	470	0777717-468	292	0777727-294
Super EMT 11	1000-20	500	0777717-500	311	0777727-311
Super EMT 11	1000-22	475	0777717-475	295	0777727-294
Super EMT 11	1100-20	483	0777717-484	300	0777727-300
Super EMT 11	11-22.5	500	0777717-500	311	0777727-311
Super EMT 11	11-24.5	475	0777717-475	295	0777727-294
Super EMT 11	825-20	537	0777717-539	334	0777727-333
Super EMT 11	900-20	514	0777717-514	319	0777727-316
Super Highway	1000-15	567	0777717-572	352	0777727-350
Super Highway	750-15	655	0777717-650	407	0777727-400
Super Highway	825-15	618	0777717-612	384	0777727-381
Super Highway	900-15	590	0777717-588	367	0777727-366
Thorobred	1000R20	500	0777717-500	311	0777727-311
Thorobred	1000R22	479	0777717-475	298	0777727-294
Thorobred	11R22.5	500	0777717-500	311	0777727-311
Thorobred	11R24.5	479	0777717-475	298	0777727-294
Traction Drive	1000R20	500	0777717-500	311	0777727-311
Traction Drive	1000R22	479	0777717-475	298	0777727-294
Traction Drive	11R24.5	500	0777717-500	311	0777727-311
Wide Track Rib L/P	285/75R24.5	500	0777717-500	311	0777727-311
Wide Track Rib L/P	295/75R22.5	518	0777717-520	322	0777727-326

Dunlop

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
3 Rib HiWay	1000-20	500	0777717-500	311	0777727-311
3 Rib HiWay	1000-22	475	0777717-475	295	0777727-294
3 Rib HiWay	11-22.5	489	0777717-490	304	0777727-306
3 Rib HiWay	11-24.5	470	0777717-468	292	0777727-294
3 Rib HiWay	825-20	537	0777717-539	334	0777727-333
3 Rib HiWay	900-20	514	0777717-514	319	0777727-316
A/P RadialRover	750R16	658	0777717-650	409	0777727-416
Gold Seal HT + Bar	1000-20	483	0777717-484	300	0777727-300
Gold Seal HT + Bar	900-20	500	0777717-500	311	0777727-311
Grandtrek	265/70R16	686	0777717-686	426	0777727-424
Grandtrek	275/70R16	680	0777717-676	423	0777727-424
HiWay Rib	1000-20	489	0777717-490	304	0777727-306
HiWay Rib	1000-22	470	0777717-468	292	0777727-294
HiWay Rib	11-22.5	489	0777717-490	304	0777727-306
HiWay Rib	11-24.5	470	0777717-468	292	0777727-294
HiWay Rib	900-20	514	0777717-514	319	0777727-316
Radial Rover A/T	215/85R16	686	0777717-686	426	0777727-424
Radial Rover A/T	225/75R16	621	0777717-624	386	0777727-381
Radial Rover A/T	235/85R16	658	0777717-650	409	0777727-416
Radial Rover A/T	245/75R16	686	0777717-686	426	0777727-424
Radial Rover A/T	33x1250R16.5	642	0777717-637	399	0777727-400
Radial Rover A/T	750R16	658	0777717-650	409	0777727-416
Radial Rover A/T	875R16.5	686	0777717-686	426	0777727-424

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer.
 If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Dunlop (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Radial Rover A/T	950R16.5	680	0777717-676	423	0777727-424
Radial Rover HLT	215/85R16	686	0777717-686	426	0777727-424
Radial Rover HLT	225/75R16	621	0777717-624	386	0777727-381
Radial Rover HLT	235/85R16	658	0777717-650	409	0777727-416
Radial Rover HLT	750R16	658	0777717-650	409	0777727-416
Radial Rover HLT	875R16.5	686	0777717-686	426	0777727-424
Radial Rover HLT	950R16.5	680	0777717-676	423	0777727-424
SP131	11R22.5	505	0777717-510	314	0777727-316
SP131	11R24.5	483	0777717-484	300	0777727-300
SP131	285/75R24.5	505	0777717-510	314	0777727-316
SP131	295/75R22.5	520	0777717-520	323	0777727-326
SP150	10R17.5	611	0777717-612	380	0777727-381
SP150	12R22.5	489	0777717-490	304	0777727-306
SP150	13/80R20	500	0777717-500	311	0777727-311
SP150	14/80R20	483	0777717-484	300	0777727-300
SP150	255/70R22.5	571	0777717-572	355	0777727-359
SP156	1000R20	500	0777717-500	311	0777727-311
SP156	1000R22	479	0777717-475	298	0777727-294
SP156	10R22.5	518	0777717-520	322	0777727-326
SP156	1100R20	489	0777717-490	304	0777727-306
SP156	11R22.5	500	0777717-500	311	0777727-311
SP156	11R24.5	479	0777717-475	298	0777727-294
SP156	900R20	518	0777717-520	322	0777727-326
SP156	9R22.5	545	0777717-546	339	0777727-343
SP160	1000R15	571	0777717-572	355	0777727-359
SP160	1000R20	505	0777717-510	314	0777727-316
SP160	10R22.5	518	0777717-520	322	0777727-326
SP160	1100R20	489	0777717-490	304	0777727-306
SP160	11R22.5	505	0777717-510	314	0777727-316
SP160	11R24.5	483	0777717-484	300	0777727-300
SP160	12R22.5	489	0777717-490	304	0777727-306
SP160	255/70R22.5	567	0777717-572	352	0777727-350
SP160	285/75R24.5	500	0777717-500	311	0777727-311
SP160	295/75R22.5	518	0777717-520	322	0777727-326
SP160	315/80R22.5	489	0777717-490	304	0777727-306
SP160	900R20	518	0777717-520	322	0777727-326
SP160	9R22.5	545	0777717-546	339	0777727-343
SP163	1000R15	571	0777717-572	355	0777727-359
SP163	825R15	618	0777717-612	384	0777727-381
SP163LPT	10R17.5	611	0777717-612	380	0777727-381
SP163LPT	11R17.5	571	0777717-572	355	0777727-359
SP221	385/65R22.5	489	0777717-490	304	0777727-306
SP221	385/75R22.5	489	0777717-490	304	0777727-306
SP221	425/65R22.5	470	0777717-468	292	0777727-294
SP221	445/65R22.5	457	0777717-450	284	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Dunlop (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
SP225	1000R20	500	0777717-500	311	0777727-311
SP225	11R22.5	500	0777717-500	311	0777727-311
SP231	255/70R22.5	567	0777717-572	352	0777727-350
SP231	385/65R22.5	489	0777717-490	304	0777727-306
SP231	425/65R22.5	470	0777717-468	292	0777727-294
SP231	445/65R22.5	460	0777717-465	286	0777727-294
SP280	1000R20	489	0777717-490	304	0777727-306
SP280	11R22.5	489	0777717-490	304	0777727-306
SP311	1100R22	467	0777717-465	290	0777727-294
SP321	10R22.5	518	0777717-520	322	0777727-326
SP321	1100R20	489	0777717-490	304	0777727-306
SP321	12R22.5	489	0777717-490	304	0777727-306
SP331	11R22.5	500	0777717-500	311	0777727-311
SP331	285/75R24.5	500	0777717-500	311	0777727-311
SP331	295/75R22.5	518	0777717-520	322	0777727-326
SP351	1000R20	500	0777717-500	311	0777727-311
SP351	11R22.5	500	0777717-500	311	0777727-311
SP351	11R24.5	479	0777717-475	298	0777727-294
SP360	11R22.5	505	0777717-510	314	0777727-316
SP361	11R22.5	500	0777717-500	311	0777727-311
SP361	11R24.5	479	0777717-475	298	0777727-294
SP361	285/75R24.5	500	0777717-500	311	0777727-311
SP361	295/75R22.5	518	0777717-520	322	0777727-326
SP370	1000R20	505	0777717-510	314	0777727-316
SP370	11R22.5	505	0777717-510	314	0777727-316
SP370	900R20	518	0777717-520	322	0777727-326
SP407	1000R20	500	0777717-500	311	0777727-311
SP407	11R22.5	500	0777717-500	311	0777727-311
SP431	1000R20	500	0777717-500	311	0777727-311
SP431	1000R22	475	0777717-475	295	0777727-294
SP431	10R22.5	518	0777717-520	322	0777727-326
SP431	1100R20	483	0777717-484	300	0777727-300
SP431	11R22.5	500	0777717-500	311	0777727-311
SP431A	11R24.5	475	0777717-475	295	0777727-294
SP431A	12R22.5	483	0777717-484	300	0777727-300
SP431A	255/70R22.5	566	0777717-572	352	0777727-350
SP431A	285/75R24.5	489	0777717-490	304	0777727-306
SP431A	295/75R22.5	505	0777717-510	314	0777727-316
SP431A	900R20	518	0777717-520	322	0777727-326
SP777	1100R22	467	0777717-465	290	0777727-294
SP779	8R17.5	655	0777717-650	407	0777727-400
SP781	1000R20	500	0777717-500	311	0777727-311
SP781	11R22.5	500	0777717-500	311	0777727-311
SP781	11R24.5	475	0777717-475	295	0777727-294
SP811	1000R20	500	0777717-500	311	0777727-311



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Dunlop (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
SP811	1000R22	479	0777717-475	298	0777727-294
SP811	1100R20	489	0777717-490	304	0777727-306
SP811	1100R22	467	0777717-465	290	0777727-294
SP811	1100R24	443	0777717-441	275	None
SP811	11R22.5	500	0777717-500	311	0777727-311
SP811	11R24.5	479	0777717-475	298	0777727-294
SP811	1200R20	470	0777717-468	292	0777727-294
SP811	12R22.5	457	0777717-450	284	0777727-294
SP811	900R20	518	0777717-520	322	0777727-326
SP831	1000R20	500	0777717-500	311	0777727-311
SP831	1100R20	483	0777717-484	300	0777727-300
SP831	1100R22	467	0777717-465	290	0777727-294
SP831	11R22.5	500	0777717-500	311	0777727-311
SP831	11R24.5	479	0777717-475	298	0777727-294
SP831	12R22.5	483	0777717-484	300	0777727-300
SP880	11R22.5	489	0777717-490	304	0777727-306
SP880	12R22.5	483	0777717-484	300	0777727-300
SP889	11R22.5	489	0777717-490	304	0777727-306
SP889	11R24.5	475	0777717-475	295	0777727-294
SP889	12R22.5	483	0777717-484	300	0777727-300
SP931	1000R20	489	0777717-490	304	0777727-306
SP931	11R22.5	489	0777717-490	304	0777727-306
SP931	11R24.5	467	0777717-465	290	0777727-294
SP931	12R22.5	479	0777717-475	298	0777727-294
SPLT3	8R17.5	680	0777717-676	423	0777727-424
Triple Traction	1000-20	489	0777717-490	304	0777727-306
Triple Traction	825-20	520	0777717-520	323	0777727-326
Triple Traction	900-20	505	0777717-510	314	0777727-316

Firestone

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
ATX	225/75R15	621	0777717-624	386	0777727-381
ATX	235/75R15	680	0777717-676	423	0777727-424
City Transport	12.5-22.5	483	0777717-484	300	0777727-300
City Transport Radial	12R22.5	483	0777717-484	300	0777727-300
Duplex 2000	15R22.5	489	0777717-490	304	0777727-306
Duplex 2000	16.5R22.5	470	0777717-468	292	0777727-294
Duplex 2000	18R22.5	460	0777717-465	286	0777727-294
FD663	10R22.5	514	0777717-514	319	0777727-316
FD663	11R22.5	500	0777717-500	311	0777727-311
FD663	11R24.5	475	0777717-475	295	0777727-294
FD663	285/75R24.5	500	0777717-500	311	0777727-311
FD663	295/75R22.5	514	0777717-514	319	0777727-316
FS507	11R22.5	500	0777717-500	311	0777727-311
FS507	11R24.5	489	0777717-490	304	0777727-306

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Firestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
FS507	285/75R24.5	500	0777717-500	311	0777727-311
FS507	295/75R22.5	518	0777717-520	322	0777727-326
FT455	11R22.5	505	0777717-510	314	0777727-316
FT455	11R24.5	483	0777717-484	300	0777727-300
FT455	285/75R24.5	500	0777717-500	311	0777727-311
FT455	295/75R22.5	520	0777717-520	323	0777727-326
Heavy Duty Transport	1000-15	567	0777717-572	352	0777727-350
Heavy Duty Transport	750-15	655	0777717-650	407	0777727-400
Heavy Duty Transport	825-15	618	0777717-612	384	0777727-381
Heavy Duty Transport	900-15	590	0777717-588	367	0777727-366
HP 2000	1000R20	500	0777717-500	311	0777727-311
HP 2000	1100R20	489	0777717-490	304	0777727-306
HP 2000	14/80R20	483	0777717-484	300	0777727-300
HP 2000	255/70R22.5	566	0777717-572	352	0777727-350
HP 2000	255/75R22.5	518	0777717-520	322	0777727-326
HP 2000	285/75R24.5	500	0777717-500	311	0777727-311
HP 2000	295/75R22.5	518	0777717-520	322	0777727-326
HP 2000	315/80R22.5	489	0777717-490	304	0777727-306
HP 2000	365/80R20	483	0777717-484	300	0777727-300
HP 3000	1100R20	489	0777717-490	304	0777727-306
HP 3000	1200R20	475	0777717-475	295	0777727-294
HP 3000	12R22.5	489	0777717-490	304	0777727-306
HP 3000	315/80R22.5	489	0777717-490	304	0777727-306
HP 3000	385/65R22.5	489	0777717-490	304	0777727-306
HS45	315/80R22.5	489	0777717-490	304	0777727-306
Longhauler	1100-20	483	0777717-484	300	0777727-300
Longhauler	750-20	545	0777717-546	339	0777727-343
PowerDrive	1000-20	489	0777717-490	304	0777727-306
PowerDrive	1000-22	467	0777717-465	290	0777727-294
PowerDrive	10-22.5	489	0777717-490	304	0777727-306
PowerDrive	1100-20	470	0777717-468	292	0777727-294
PowerDrive	1100-22	443	0777717-441	275	None
PowerDrive	11-22.5	489	0777717-490	304	0777727-306
PowerDrive	11-24.5	467	0777717-465	290	0777727-294
PowerDrive	825-20	520	0777717-520	323	0777727-326
PowerDrive	900-20	500	0777717-500	311	0777727-311
PowerDrive	9-22.5	518	0777717-520	322	0777727-326
PSD3000	1200R20	467	0777717-465	290	0777727-294
PSD3000	12R22.5	483	0777717-484	300	0777727-300
PSD3000	315/80R22.5	483	0777717-484	300	0777727-300
Rib Duplex	15-22.5	489	0777717-490	304	0777727-306
Rib Duplex	16.5-22.5	483	0777717-484	300	0777727-300
Rib Duplex	18-19.5	489	0777717-490	304	0777727-306
Rib Duplex	18-22.5	467	0777717-465	290	0777727-294
Super All Traction	750-20	540	0777717-539	336	0777727-333



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Firestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Super All Traction	8-19.5	590	0777717-588	367	0777727-366
Super All Traction Duplex	14-17.5	571	0777717-572	355	0777727-359
Super All Traction Duplex	15-19.5	520	0777717-520	323	0777727-326
Super All Traction Duplex	15-22.5	489	0777717-490	304	0777727-306
Super All Traction Duplex	18-19.5	489	0777717-490	304	0777727-306
Super All Traction Duplex	18-22.5	460	0777717-465	286	0777727-294
Super All Traction ND	1000-20	489	0777717-490	304	0777727-306
Super All Traction ND	1100-20	483	0777717-484	300	0777727-300
Super All Traction ND	825-20	518	0777717-520	322	0777727-326
Super All Traction ND	900-20	505	0777717-510	314	0777727-316
T506	1000R20	489	0777717-490	304	0777727-306
T506	1000R22	475	0777717-475	295	0777727-294
T506	1100R20	483	0777717-484	300	0777727-300
T506	11R22.5	489	0777717-490	304	0777727-306
T506	11R24.5	475	0777717-475	295	0777727-294
T520	1000R20	500	0777717-500	311	0777727-311
T520	1000R22	479	0777717-475	298	0777727-294
T520	1100R22	467	0777717-465	290	0777727-294
T520	11R22.5	500	0777717-500	311	0777727-311
T520	11R24.5	479	0777717-475	298	0777727-294
T520	900R20	518	0777717-520	322	0777727-326
T545	11R22.5	505	0777717-510	314	0777727-316
T545	11R24.5	483	0777717-484	300	0777727-300
T545	285/75R24.5	505	0777717-510	314	0777727-316
T545	295/75R22.5	483	0777717-484	300	0777727-300
T546	1000R20	500	0777717-500	311	0777727-311
T546	1000R22	479	0777717-475	298	0777727-294
T546	10R22.5	514	0777717-514	319	0777727-316
T546	11R22.5	500	0777717-500	311	0777727-311
T546	11R24.5	479	0777717-475	298	0777727-294
T546	285/75R24.5	500	0777717-500	311	0777727-311
T546	295/75R22.5	505	0777717-510	314	0777727-316
T546	900R20	518	0777717-520	322	0777727-326
T559	1000R20	500	0777717-500	311	0777727-311
T559	10R22.5	520	0777717-520	323	0777727-326
T559	11R22.5	500	0777717-500	311	0777727-311
T559	11R24.5	483	0777717-484	300	0777727-300
T559	285/75R24.5	500	0777717-500	311	0777727-311
T559	295/75R22.5	518	0777717-520	322	0777727-326
T559	900R20	520	0777717-520	323	0777727-326
T574A	12.5-22.5	483	0777717-484	300	0777727-300
T574A	13-22.5	470	0777717-468	292	0777727-294
T575	1100R20	489	0777717-490	304	0777727-306
T575	1100R22	467	0777717-465	290	0777727-294
T575	12R22.5	489	0777717-490	304	0777727-306

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Firestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
T575	255/70R22.5	566	0777717-572	352	0777727-350
T588	285/75R24.5	500	0777717-500	311	0777727-311
T588	295/75R22.5	518	0777717-520	322	0777727-326
T589	11R22.5	500	0777717-500	311	0777727-311
T589	11R24.5	479	0777717-475	298	0777727-294
T589	255/70R22.5	566	0777717-572	352	0777727-350
T589	285/75R24.5	500	0777717-500	311	0777727-311
T589	295/75R22.5	518	0777717-520	322	0777727-326
T617	12.5-22.5	483	0777717-484	300	0777727-300
T663	10R22.5	514	0777717-514	319	0777727-316
T663	11R22.5	489	0777717-490	304	0777727-306
T663	11R24.5	475	0777717-475	295	0777727-294
T663	285/75R24.5	500	0777717-500	311	0777727-311
T663	295/75R22.5	514	0777717-514	319	0777727-316
T819	1000R20	500	0777717-500	311	0777727-311
T819	1100R20	489	0777717-490	304	0777727-306
T819	1100R22	467	0777717-465	290	0777727-294
T819	11R22.5	500	0777717-500	311	0777727-311
T819	11R24.5	475	0777717-475	295	0777727-294
T819	1200R20	467	0777717-465	290	0777727-294
T819	12R22.5	483	0777717-484	300	0777727-300
T823	1000R20	489	0777717-490	304	0777727-306
T823	1100R20	483	0777717-484	300	0777727-300
T823	11R22.5	489	0777717-490	304	0777727-306
T823	11R24.5	475	0777717-475	295	0777727-294
T831	1000R20	489	0777717-490	304	0777727-306
T831	1100R20	479	0777717-475	298	0777727-294
T831	11R22.5	489	0777717-490	304	0777727-306
T831	11R24.5	467	0777717-465	290	0777727-294
T831	12R22.5	475	0777717-475	295	0777727-294
T839	385/65R22.5	489	0777717-490	304	0777727-306
T839	425/65R22.5	467	0777717-465	290	0777727-294
T839	445/65R22.5	457	0777717-450	284	0777727-294
Traction Drive Radial	1000R20	500	0777717-500	311	0777727-311
Traction Drive Radial	1000R22	475	0777717-475	295	0777727-294
Traction Drive Radial	11R22.5	500	0777717-500	311	0777727-311
Traction Drive Radial	11R24.5	475	0777717-475	295	0777727-294
Transport	1200-20	467	0777717-465	290	0777727-294
Transport	700-15	621	0777717-624	386	0777727-381
Transport 1	1000-20	489	0777717-490	304	0777727-306
Transport 1	1000-22	467	0777717-465	290	0777727-294
Transport 1	10-22.5	514	0777717-514	319	0777727-316
Transport 1	1100-20	479	0777717-475	298	0777727-294
Transport 1	1100-22	460	0777717-465	286	0777727-294
Transport 1	11-22.5	489	0777717-490	304	0777727-306



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Firestone (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Transport 1	11-24.5	467	0777717-465	290	0777727-294
Transport 1	12-22.5	475	0777717-475	295	0777727-294
Transport 1	750-20	551	0777717-550	342	0777727-343
Transport 1	8-19.5	607	0777717-612	377	0777727-381
Transport 1	825-20	537	0777717-539	334	0777727-333
Transport 1	900-20	505	0777717-510	314	0777727-316
Transport 1	9-22.5	520	0777717-520	323	0777727-326
Transport 1	950-16.5	686	0777717-686	426	0777727-424
Transport 110	8-19.5	607	0777717-612	377	0777727-381
Transport All Traction	1000-20	489	0777717-490	304	0777727-306
Transport All Traction	1000-22	467	0777717-465	290	0777727-294
Transport All Traction	1100-20	475	0777717-475	295	0777727-294
Transport All Traction	1100-22	457	0777717-450	284	0777727-294
Transport All Traction	825-20	520	0777717-520	323	0777727-326
Transport All Traction	900-20	500	0777717-500	311	0777727-311
Transport APS	1000-20	500	0777717-500	311	0777727-311
Transport APS	1000-22	475	0777717-475	295	0777727-294
Transport APS	11-22.5	489	0777717-490	304	0777727-306
Transport APS	11-24.5	470	0777717-468	292	0777727-294
Transport APS	825-20	537	0777717-539	334	0777727-333
Transport APS	900-20	505	0777717-510	314	0777727-316
Transport Duplex	15-19.5	537	0777717-539	334	0777727-333
UT2000	1000R20	500	0777717-500	311	0777727-311
UT2000	1000R22	479	0777717-475	298	0777727-294
UT2000	1100R20	483	0777717-484	300	0777727-300
UT2000	1100R22	467	0777717-465	290	0777727-294
UT2000	11R22.5	500	0777717-500	311	0777727-311
UT2000	11R24.5	479	0777717-475	298	0777727-294
UT2000	1200R20	470	0777717-468	292	0777727-294
UT2000	1200R24	428	0777717-433	266	None
UT2000	12R22.5	483	0777717-484	300	0777727-300
UT2000	315/80R22.5	489	0777717-490	304	0777727-306
WAT2000	10R22.5	518	0777717-520	322	0777727-326
WAT2000	1100R22	467	0777717-465	290	0777727-294
WAT2000	11R22.5	500	0777717-500	311	0777727-311
XR4	1000R15	571	0777717-572	355	0777727-359
XR4	1000R20	500	0777717-500	311	0777727-311
XR4	1000R22	479	0777717-475	298	0777727-294
XR4	10R17.5	607	0777717-612	377	0777727-381
XR4	11R22.5	500	0777717-500	311	0777727-311
XR4	11R24.5	479	0777717-475	298	0777727-294
XR4	825R15	627	0777717-624	390	0777727-392
XR4	900R15	590	0777717-588	367	0777727-366

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

General

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Ameri 550AS	215/85R16	686	0777717-686	426	0777727-424
Ameri 550AS	225/75R16	621	0777717-624	386	0777727-381
Ameri 550AS	235/85R16	658	0777717-650	409	0777727-416
Ameri 550AS	235/85R16	658	0777717-650	409	0777727-416
Ameri 550AS	245/75R16	684	0777717-686	425	0777727-424
Ameri 550AS	25/75R16	621	0777717-624	386	0777727-381
Ameri 550AS	875R16.5	621	0777717-624	386	0777727-381
Ameri 550AS	950R16.5	686	0777717-686	426	0777727-424
Ameri 550TR	235/85R16	642	0777717-637	399	0777727-400
Ameri 550TR	245/75R16	686	0777717-686	426	0777727-424
Ameri DCL	1000-20	489	0777717-490	304	0777727-306
Ameri LP70	255/70R22.5	567	0777717-572	352	0777727-350
Ameri MSL	1000R20	500	0777717-500	311	0777727-311
Ameri MSL	1000R22	475	0777717-475	295	0777727-294
Ameri MSL	10R22.5	518	0777717-520	322	0777727-326
Ameri MSL	1100R20	483	0777717-484	300	0777727-300
Ameri MSL	1100R22	467	0777717-465	290	0777727-294
Ameri MSL	1100R24	443	0777717-441	275	None
Ameri MSL	11R22.5	500	0777717-500	311	0777727-311
Ameri MSL	11R24.5	475	0777717-475	295	0777727-294
Ameri MSL	1200R20	470	0777717-468	292	0777727-294
Ameri MSL	12R22.5	489	0777717-490	304	0777727-306
Ameri MSL	12R24.5	467	0777717-465	290	0777727-294
Ameri MSL	315/80R22.5	489	0777717-490	304	0777727-306
Ameri MSL	385/65R22.5	489	0777717-490	304	0777727-306
Ameri MSL	900R20	518	0777717-520	322	0777727-326
Ameri S350LP	285/75R24.5	500	0777717-500	311	0777727-311
Ameri S380	285/75R24.5	500	0777717-500	311	0777727-311
Ameri SRF	825.2	537	0777717-539	334	0777727-333
Ameri SRF	1000-20	505	0777717-510	314	0777727-316
Ameri SRF	1000-22	470	0777717-468	292	0777727-294
Ameri SRF	10-22.5	505	0777717-510	314	0777727-316
Ameri SRF	1100-20	483	0777717-484	300	0777727-300
Ameri SRF	11-22.5	514	0777717-514	319	0777727-316
Ameri SRF	11-24.5	489	0777717-490	304	0777727-306
Ameri SRF	1200-20	475	0777717-475	295	0777727-294
Ameri SRF	12-24.5	483	0777717-484	300	0777727-300
Ameri SRF	900-20	518	0777717-520	322	0777727-326
Ameri SRF	9-22.5	537	0777717-539	334	0777727-333
AmeriFreight	1000-20	505	0777717-510	314	0777727-316
AmeriFreight	1100-20	483	0777717-484	300	0777727-300
AmeriFreight	11-22.5	489	0777717-490	304	0777727-306
AmeriFreight	11-24.5	479	0777717-475	298	0777727-294
AmeriFreight	825-20	537	0777717-539	334	0777727-333



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

General (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
AmeriFreight	900-20	518	0777717-520	322	0777727-326
AmeriGrip	215/85R16	686	0777717-686	426	0777727-424
AmeriJumbo JC	15-19.5	537	0777717-539	334	0777727-333
AmeriJumbo JC	15-22.5	489	0777717-490	304	0777727-306
AmeriJumbo JC	16.5-22.5	470	0777717-468	292	0777727-294
AmeriJumbo JC	18-22.5	467	0777717-465	290	0777727-294
AmeriJumbo SAG	15-19.5	520	0777717-520	323	0777727-326
AmeriJumbo SAG	15-22.5	489	0777717-490	304	0777727-306
AmeriJumbo SAG	18-19.5	489	0777717-490	304	0777727-306
AmeriJumbo SAG	18-22.5	460	0777717-465	286	0777727-294
AmeriLug	1000R20	500	0777717-500	311	0777727-311
AmeriLug	1000R22	475	0777717-475	295	0777727-294
AmeriLug	10R22.5	514	0777717-514	319	0777727-316
AmeriLug	1100R20	483	0777717-484	300	0777727-300
AmeriLug	12R22.5	479	0777717-475	298	0777727-294
AmeriLug	215/75R17.5	680	0777717-676	423	0777727-424
AmeriLug	245/70R19.5	618	0777717-612	384	0777727-381
AmeriLug	900R20	518	0777717-520	322	0777727-326
AmeriLug DT	1000R20	489	0777717-490	304	0777727-306
AmeriLug DT	1000R22	467	0777717-465	290	0777727-294
AmeriLug DT	1100R20	479	0777717-475	298	0777727-294
AmeriLug DT	1100R22	460	0777717-465	286	0777727-294
AmeriLug DT	1100R24	440	0777717-441	273	None
AmeriLug DT	11R22.5	489	0777717-490	304	0777727-306
AmeriLug DT	11R24.5	467	0777717-465	290	0777727-294
AmeriLug MS	1000R20	500	0777717-500	311	0777727-311
AmeriLug MS	11R22.5	500	0777717-500	311	0777727-311
AmeriLug MS	11R24.5	475	0777717-475	295	0777727-294
AmeriRib LP	285/75R24.5	505	0777717-510	314	0777727-316
AmeriRib LP	295/75R22.5	518	0777717-520	322	0777727-326
AmeriRib ST	11R22.5	500	0777717-500	311	0777727-311
AmeriRib ST	11R24.5	479	0777717-475	298	0777727-294
AmeriSteel	1000R20	500	0777717-500	311	0777727-311
AmeriSteel	1000R22	479	0777717-475	298	0777727-294
AmeriSteel	10R22.5	518	0777717-520	322	0777727-326
AmeriSteel	1100R20	489	0777717-490	304	0777727-306
AmeriSteel	11R22.5	500	0777717-500	311	0777727-311
AmeriSteel	11R24.5	479	0777717-475	298	0777727-294
AmeriSteel	1200R20	470	0777717-468	292	0777727-294
AmeriSteel	12R22.5	489	0777717-490	304	0777727-306
AmeriSteel	215/85R16	686	0777717-686	426	0777727-424
AmeriSteel	245/70R19.5	618	0777717-612	384	0777727-381
AmeriSteel	315/80R22.5	489	0777717-490	304	0777727-306
AmeriSteel	365/80R20	483	0777717-484	300	0777727-300
AmeriSteel	385/65R22.5	489	0777717-490	304	0777727-306

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer.
 If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

General

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
AmeriSteel	825R20	545	0777717-546	339	0777727-343
AmeriSteel	900R20	520	0777717-520	323	0777727-326
AmeriSteel	9R22.5	545	0777717-546	339	0777727-343
AmeriSteel LPT	215/75R17.5	686	0777717-686	426	0777727-424
AmeriSteel LPT	235/75R17.5	658	0777717-650	409	0777727-416
AmeriSteel LPT	825R15	627	0777717-624	390	0777727-392
AmeriSteel LT	235/85R16	658	0777717-650	409	0777727-416
AmeriSteel LT	750R16	658	0777717-650	409	0777727-416
Big Foot	225/75R16	621	0777717-624	386	0777727-381
D400	285/75R24.5	500	0777717-500	311	0777727-311
D440	11R22.5	500	0777717-500	311	0777727-311
D440	11R24.5	475	0777717-475	295	0777727-294
D440	295/75R22.5	505	0777717-510	314	0777727-316
D450	11R22.5	500	0777717-500	311	0777727-311
D450	11R24.5	475	0777717-475	295	0777727-294
D450	285/75R24.5	500	0777717-500	311	0777727-311
D450	295/75R22.5	514	0777717-514	319	0777727-316
D450	295/75R24.5	500	0777717-500	311	0777727-311
D460	11R22.5	500	0777717-500	311	0777727-311
D460	11R24.5	475	0777717-475	295	0777727-294
D460	285/75R24.5	500	0777717-500	311	0777727-311
D460	295/75R22.5	514	0777717-514	319	0777727-316
GCS	12.5-22.5	483	0777717-484	300	0777727-300
GeneralRib ST	11R22.5	505	0777717-510	314	0777727-316
GeneralRib ST	11R24.5	483	0777717-484	300	0777727-300
Grabber AP	265/75R16	658	0777717-650	409	0777727-416
LP70	295/75R22.5	518	0777717-520	322	0777727-326
M87	11R22.5	500	0777717-500	311	0777727-311
M87	9R22.5	545	0777717-546	339	0777727-343
M94	11R22.5	500	0777717-500	311	0777727-311
M97	950R16LT	658	0777717-650	409	0777727-416
ND Waste Hauler	1000-20	475	0777717-475	295	0777727-294
ND Waste Hauler	1100-20	470	0777717-468	292	0777727-294
S330	11R22.5	500	0777717-500	311	0777727-311
S330	11R24.5	479	0777717-475	298	0777727-294
S350	295/75R22.5	518	0777717-520	322	0777727-326
S370	11R22.5	500	0777717-500	311	0777727-311
S370	11R24.5	479	0777717-475	298	0777727-294
S370	285/75R24.5	500	0777717-500	311	0777727-311
S370	295/75R22.5	518	0777717-520	322	0777727-326
S380	295/75R22.5	518	0777717-520	322	0777727-326
S380A	11R22.5	500	0777717-500	311	0777727-311
S380A	11R24.5	479	0777717-475	298	0777727-294
S380A	285/75R24.5	500	0777717-500	311	0777727-311
S380A	295-75R22.5	518	0777717-520	322	0777727-326



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

General (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
SD400	245/75R22.5	557	0777717-550	346	0777727-343
SD400	265/75R22.5	540	0777717-539	336	0777727-333
Super All Grip	1000-20	489	0777717-490	304	0777727-306
Super All Grip	1100-20	483	0777717-484	300	0777727-300
Super All Grip	825-20	520	0777717-520	323	0777727-326
Super All Grip	900-20	505	0777717-510	314	0777727-316
VersaTrac LT	235/85R16	655	0777717-650	407	0777727-400
XP2000 ST	225/75R16	621	0777717-624	386	0777727-381

Goodyear

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
4R	11.00-16SL	557	0777717-550	346	0777727-343
4R	11L-15SL	680	0777717-676	423	0777727-424
4R	9.5L-15SL	686	0777717-686	426	0777727-424
AT	7.50-16	686	0777717-686	426	0777727-424
AWT	12.4-16	607	0777717-612	377	0777727-381
AWT	13.6-16.1	557	0777717-550	346	0777727-343
AWT	13.6-28	422	0777717-424	262	None
AWT	14.9-24	443	0777717-441	275	None
AWT	16.5L-16.1SL	567	0777717-572	352	0777727-350
AWT	16.9-24	428	0777717-433	266	None
AWT	18.4-16.1	505	0777717-510	314	0777727-316
AWT	9.5-16	661	0777717-676	411	0777727-416
AWT	9.5-24	537	0777717-539	334	0777727-333
City Cruiser XT	12.5-22.5	483	0777717-484	300	0777727-300
City Cruiser XT	1200-20	470	0777717-468	292	0777727-294
City Cruiser XT	13-22.5	467	0777717-465	290	0777727-294
Cross Rib HiMiler	1100-22	457	0777717-450	284	0777727-294
Cross Rib HiMiler	11-22.5	483	0777717-484	300	0777727-300
Cross Rib HiMiler	900-20	505	0777717-510	314	0777727-316
Custom Cross Rib	1000-20	489	0777717-490	304	0777727-306
Custom Cruiser	11.50-20	483	0777717-484	300	0777727-300
Custom Cruiser	12.5-22.5	479	0777717-475	298	0777727-294
Custom HiMiler	1200-20	475	0777717-475	295	0777727-294
Custom HiMiler	12-16.5	642	0777717-637	399	0777727-400
Custom HiMiler	18-19.5	489	0777717-490	304	0777727-306
Custom HiMiler	825-16	611	0777717-612	380	0777727-381
Custom HiMiler SS	15-22.5	483	0777717-484	300	0777727-300
Custom HiMiler SS	16.5-22.5	467	0777717-465	290	0777727-294
Custom HiMiler SS	18-22.5	489	0777717-490	304	0777727-306
D205	295/75R22.5	505	0777717-510	314	0777727-316
D805	11R22.5	489	0777717-490	304	0777727-306

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
DR	11.00-16SL	557	0777717-550	346	0777727-343
DR	11.00-24SL	457	0777717-450	284	0777727-294
DR	11L-15SL	661	0777717-676	411	0777727-416
DR	14L-16.1SL	545	0777717-546	339	0777727-343
DR	16.5L-16.1SL	500	0777717-500	311	0777727-311
Extra Grip HiMiler	1000-20	489	0777717-490	304	0777727-306
Extra Grip HiMiler	1100-20	475	0777717-475	295	0777727-294
Extra Grip HiMiler	750-20	545	0777717-546	339	0777727-343
Extra Grip HiMiler	825-20	520	0777717-520	323	0777727-326
Extra Grip HiMiler	900-20	505	0777717-510	314	0777727-316
Farms	12.5L-16SL	655	0777717-650	407	0777727-400
Farms	14L-16.1SL	607	0777717-612	377	0777727-381
Farms	16.5L-16.1SL	566	0777717-572	352	0777727-350
Farms	19L-16.1SL	557	0777717-550	346	0777727-343
Farms	21.5L-16.1SL	537	0777717-539	334	0777727-333
FARMU	12.5L-15SL	680	0777717-676	423	0777727-424
FHWYSER	12.5L-15FI	680	0777717-676	423	0777727-424
FHWYSER	9.5L-15FI	680	0777717-676	423	0777727-424
G152 Metro Miler	12.5R22.5	483	0777717-484	300	0777727-300
G22	825R16	611	0777717-612	380	0777727-381
HiMiler CS2	1000-20	500	0777717-500	311	0777727-311
HiMiler CS2	1000-22	475	0777717-475	295	0777727-294
HiMiler CS2	11-22.5	500	0777717-500	311	0777727-311
HiMiler CS2	11-24.5	475	0777717-475	295	0777727-294
HiMiler CS2	825-20	545	0777717-546	339	0777727-343
HiMiler CS2	900-20	518	0777717-520	322	0777727-326
HiMiler LPT	1000-15	571	0777717-572	355	0777727-359
HiMiler LPT	750-15	655	0777717-650	407	0777727-400
HiMiler LPT	825-15	618	0777717-612	384	0777727-381
HiMiler LPT	900-15	590	0777717-588	367	0777727-366
HiWay Workhorse	950-16.5	684	0777717-686	425	0777727-424
MetroMiler	308/85R22.5	479	0777717-475	298	0777727-294
OHTSU	295/75R22.5	518	0777717-520	322	0777727-326
RT/S	255/70R16	684	0777717-686	425	0777727-424
SGI	10.5/80-18	607	0777717-612	377	0777727-381
SGI	12.5/80-18	567	0777717-572	352	0777727-350
SGTR	12.5L-15SL	658	0777717-650	409	0777727-416
SGTR	13.50-16.1	540	0777717-539	336	0777727-333
SGTR	16.5L-16.1SL	551	0777717-550	342	0777727-343
SGTR	21.5L-16.1SL	520	0777717-520	323	0777727-326
SGTR	7.50-16SL	686	0777717-686	426	0777727-424
SGTR	7.50-18SL	642	0777717-637	399	0777727-400
SGTR	7.50-20SL	611	0777717-612	380	0777727-381
SGTR	7.60-15SL	680	0777717-676	423	0777727-424
SR	9.5L-15SL	684	0777717-686	425	0777727-424



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
ST 11	21.5L-16.1SL	518	0777717-520	322	0777727-326
Super HiMiler	1000-20	500	0777717-500	311	0777727-311
Super HiMiler	1000-22	470	0777717-468	292	0777727-294
Super HiMiler	1000R20	500	0777717-500	311	0777727-311
Super HiMiler	10-22.5	505	0777717-510	314	0777727-316
Super HiMiler	1100-20	483	0777717-484	300	0777727-300
Super HiMiler	1100-22	467	0777717-465	290	0777727-294
Super HiMiler	11-22.5	489	0777717-490	304	0777727-306
Super HiMiler	11-24.5	475	0777717-475	295	0777727-294
Super HiMiler	750-20	557	0777717-550	346	0777727-343
Super HiMiler	825-20	537	0777717-539	334	0777727-333
Super HiMiler	900-20	514	0777717-514	319	0777727-316
Super HiMiler 11	1000-20	489	0777717-490	304	0777727-306
Super HiMiler 11	11-22.5	489	0777717-490	304	0777727-306
Super HiMiler TR	1000R20	500	0777717-500	311	0777727-311
Super HiMiler TR	11R22.5	500	0777717-500	311	0777727-311
Super HiMiler TR	11R24.5	479	0777717-475	298	0777727-294
Super Sure Grip	48x31x20	428	0777717-433	266	None
SureGrip (G2)	15.5 x 25	440	0777717-441	273	None
SureGrip (L2)	15.5 x 25	457	0777717-450	284	0777727-294
Traction HiMiler	8-22.5	561	0777717-572	349	0777727-350
Traction Road Lug SS	15-22.5	489	0777717-490	304	0777727-306
Traction Road Lug SS	18-22.5	443	0777717-441	275	None
Trailer Special	1000-20	500	0777717-500	311	0777727-311
Trailer Special	11-22.5	500	0777717-500	311	0777727-311
Trailer Special	8-22.5	545	0777717-546	339	0777727-343
Unisteel 11	1000R20	500	0777717-500	311	0777727-311
Unisteel 11	1000R22	479	0777717-475	298	0777727-294
Unisteel 11	10R22.5	518	0777717-520	322	0777727-326
Unisteel 11	1100R20	489	0777717-490	304	0777727-306
Unisteel 11	11R22.5	500	0777717-500	311	0777727-311
Unisteel 11	11R24.5	479	0777717-475	298	0777727-294
Unisteel 11	12.75R22.5	483	0777717-484	300	0777727-300
Unisteel 11	12R22.5	489	0777717-490	304	0777727-306
Unisteel 11	825R20	540	0777717-539	336	0777727-333
Unisteel 11	900R20	518	0777717-520	322	0777727-326
Unisteel 11	9R22.5	540	0777717-539	336	0777727-333
Unisteel AT2A	1100R20	483	0777717-484	300	0777727-300
Unisteel AT2A	1400R20	422	0777717-424	262	None
Unisteel G114	1000R15	571	0777717-572	355	0777727-359
Unisteel G114	1000R20	500	0777717-500	311	0777727-311
Unisteel G114	10R17.5	611	0777717-612	380	0777727-381
Unisteel G114	10R22.5	520	0777717-520	323	0777727-326
Unisteel G114	11R17.5 HC	571	0777717-572	355	0777727-359
Unisteel G114	11R22.5	500	0777717-500	311	0777727-311

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer.
 If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Unisteel G114	11R24.5	479	0777717-475	298	0777727-294
Unisteel G114	215/75R17.5	686	0777717-686	426	0777727-424
Unisteel G114	255/70R22.5	571	0777717-572	355	0777727-359
Unisteel G114	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel G114	295/75R22.5	518	0777717-520	322	0777727-326
Unisteel G114	825R15TR	618	0777717-612	384	0777727-381
Unisteel G114	9R17.5 HC	618	0777717-612	384	0777727-381
Unisteel G124	1000R20	500	0777717-500	311	0777727-311
Unisteel G124	1000R22	475	0777717-475	295	0777727-294
Unisteel G124	10R22.5	514	0777717-514	319	0777727-316
Unisteel G124	1100R20	483	0777717-484	300	0777727-300
Unisteel G124	11R22.5	500	0777717-500	311	0777727-311
Unisteel G124	12R22.5	483	0777717-484	300	0777727-300
Unisteel G124	215/75R17.5	684	0777717-686	425	0777727-424
Unisteel G124	225/70R19.5	642	0777717-637	399	0777727-400
Unisteel G124	245/70R19.5	618	0777717-612	384	0777727-381
Unisteel G124	245/75R22.5	557	0777717-550	346	0777727-343
Unisteel G124	255/70R22.5	566	0777717-572	352	0777727-350
Unisteel G124	265/70R19.5	607	0777717-612	377	0777727-381
Unisteel G124	265/75R22.5	537	0777717-539	334	0777727-333
Unisteel G124	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel G124	295/75R22.5	514	0777717-514	319	0777727-316
Unisteel G124	315/80R22.5	483	0777717-484	300	0777727-300
Unisteel G124	825R20	540	0777717-539	336	0777727-333
Unisteel G124	900R20	518	0777717-520	322	0777727-326
Unisteel G124	9R22.5	540	0777717-539	336	0777727-333
Unisteel G124LP	11R22.5	500	0777717-500	311	0777727-311
Unisteel G124LP	11R24.5	475	0777717-475	295	0777727-294
Unisteel G124LP	11R24.5	475	0777717-475	295	0777727-294
Unisteel G124LP	225/70R19.5	642	0777717-637	399	0777727-400
Unisteel G124LP	245/70R19.5	618	0777717-612	384	0777727-381
Unisteel G124LP	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel G124LP	295/75R22.5	514	0777717-514	319	0777727-316
Unisteel G132	11R22.5	500	0777717-500	311	0777727-311
Unisteel G132	11R24.5	479	0777717-475	298	0777727-294
Unisteel G132	255/70R22.5	571	0777717-572	355	0777727-359
Unisteel G132	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel G132	295/75R22.5	518	0777717-520	322	0777727-326
Unisteel G133	750R16	680	0777717-676	423	0777727-424
Unisteel G133	875R16.5	680	0777717-676	423	0777727-424
Unisteel G133	950R16.5	686	0777717-686	426	0777727-424
Unisteel G133LT	215/85R16	686	0777717-686	426	0777727-424
Unisteel G133LT	235/85R16	680	0777717-676	423	0777727-424
Unisteel G133LT	8R19.5	618	0777717-612	384	0777727-381
Unisteel G143	11R22.5	489	0777717-490	304	0777727-306



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Unisteel G143	11R24.5	470	0777717-468	292	0777727-294
Unisteel G143	12R22.5	483	0777717-484	300	0777727-300
Unisteel G144	1000R20	489	0777717-490	304	0777727-306
Unisteel G144	1000R22	475	0777717-475	295	0777727-294
Unisteel G144	1100R20	483	0777717-484	300	0777727-300
Unisteel G144	1100R22	460	0777717-465	286	0777727-294
Unisteel G144	1100R24	443	0777717-441	275	None
Unisteel G144	11R22.5	489	0777717-490	304	0777727-306
Unisteel G144	11R24.5	470	0777717-468	292	0777727-294
Unisteel G144	12R22.5	483	0777717-484	300	0777727-300
Unisteel G144	12R24.5	467	0777717-465	290	0777727-294
Unisteel G152	275/70R22.5	545	0777717-546	339	0777727-343
Unisteel G159	10R22.5	518	0777717-520	322	0777727-326
Unisteel G159	1100R20	483	0777717-484	300	0777727-300
Unisteel G159	12R22.5	483	0777717-484	300	0777727-300
Unisteel G159	225/70R19.5	642	0777717-637	399	0777727-400
Unisteel G159	245/70R19.5	627	0777717-624	390	0777727-392
Unisteel G159	245/75R22.5	561	0777717-572	349	0777727-350
Unisteel G159	265/75R22.5	537	0777717-539	334	0777727-333
Unisteel G159	275/70R22.5	545	0777717-546	339	0777727-343
Unisteel G159	295/80R22.5	500	0777717-500	311	0777727-311
Unisteel G159	365/80R20	483	0777717-484	300	0777727-300
Unisteel G159	385/65R22.5	489	0777717-490	304	0777727-306
Unisteel G159	825R20	540	0777717-539	336	0777727-333
Unisteel G159	900R20	518	0777717-520	322	0777727-326
Unisteel G159	9R22.5	540	0777717-539	336	0777727-333
Unisteel G159A	1000R20	500	0777717-500	311	0777727-311
Unisteel G159A	1000R22	479	0777717-475	298	0777727-294
Unisteel G159A	11R22.5	500	0777717-500	311	0777727-311
Unisteel G159A	11R24.5	479	0777717-475	298	0777727-294
Unisteel G159A	225/70R19.5	642	0777717-637	399	0777727-400
Unisteel G159A	255/70R22.5	567	0777717-572	352	0777727-350
Unisteel G159A	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel G159A	295/75R22.5	514	0777717-514	319	0777727-316
Unisteel G159C	295/75R22.5	514	0777717-514	319	0777727-316
Unisteel G159LT	215/85R16	686	0777717-686	426	0777727-424
Unisteel G159LT	225/75R16	621	0777717-624	386	0777727-381
Unisteel G159LT	235/85R16	680	0777717-676	423	0777727-424
Unisteel G159LT	245/75R16	680	0777717-676	423	0777727-424
Unisteel G159LT	750R16	680	0777717-676	423	0777727-424
Unisteel G159LT	8R19.5	627	0777717-624	390	0777727-392
Unisteel G159LT	950R16.5	686	0777717-686	426	0777727-424
Unisteel G165	385/65R22.5	489	0777717-490	304	0777727-306
Unisteel G165	425/65R22.5	470	0777717-468	292	0777727-294
Unisteel G165	445/65R22.5	460	0777717-465	286	0777727-294

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Unisteel G167	1000R22	470	0777717-468	292	0777727-294
Unisteel G167	10R22.5	505	0777717-510	314	0777727-316
Unisteel G167	1100R20	483	0777717-484	300	0777727-300
Unisteel G167	12R22.5	483	0777717-484	300	0777727-300
Unisteel G167	900R20	505	0777717-510	314	0777727-316
Unisteel G167A	1000R20	489	0777717-490	304	0777727-306
Unisteel G167A	11R22.5	489	0777717-490	304	0777727-306
Unisteel G167A	11R24.5	470	0777717-468	292	0777727-294
Unisteel G167A	285/75R24.5	489	0777717-490	304	0777727-306
Unisteel G167A	295/75R22.5	505	0777717-510	314	0777727-316
Unisteel G171LT	215/85R16	680	0777717-676	423	0777727-424
Unisteel G171LT	235/85R16	680	0777717-676	423	0777727-424
Unisteel G171LT	750R16	661	0777717-676	411	0777727-416
Unisteel G171LT	875R16.5	621	0777717-624	386	0777727-381
Unisteel G171LT	8R19.5	618	0777717-612	384	0777727-381
Unisteel G171LT	950R16.5	686	0777717-686	426	0777727-424
Unisteel G177	1000R20	489	0777717-490	304	0777727-306
Unisteel G177	1100R20	475	0777717-475	295	0777727-294
Unisteel G177	1100R22	457	0777717-450	284	0777727-294
Unisteel G177	11R22.5	489	0777717-490	304	0777727-306
Unisteel G177	11R24.5	470	0777717-468	292	0777727-294
Unisteel G177	1200R24	422	0777717-424	262	None
Unisteel G177	12R22.5	475	0777717-475	295	0777727-294
Unisteel G177	12R24.5	457	0777717-450	284	0777727-294
Unisteel G178SS	385/65R22.5	483	0777717-484	300	0777727-300
Unisteel G178SS	425/65R22.5	467	0777717-465	290	0777727-294
Unisteel G178SS	445/65R22.5	443	0777717-441	275	None
Unisteel G18	10R17.5	611	0777717-612	380	0777727-381
Unisteel G18	825R15	627	0777717-624	390	0777727-392
Unisteel G180	14/80R20	483	0777717-484	300	0777727-300
Unisteel G181LT	215/85R16	686	0777717-686	426	0777727-424
Unisteel G181LT	235/85R16	680	0777717-676	423	0777727-424
Unisteel G181LT	750R16	680	0777717-676	423	0777727-424
Unisteel G181LT	875R16.5	680	0777717-676	423	0777727-424
Unisteel G181LT	8R19.5	618	0777717-612	384	0777727-381
Unisteel G181LT	950R16.5	686	0777717-686	426	0777727-424
Unisteel G186	1000R20	500	0777717-500	311	0777727-311
Unisteel G186	1000R22	475	0777717-475	295	0777727-294
Unisteel G186	10R22.5	514	0777717-514	319	0777727-316
Unisteel G186	11R22.5	500	0777717-500	311	0777727-311
Unisteel G186	11R24.5	475	0777717-475	295	0777727-294
Unisteel G186	1200R20	470	0777717-468	292	0777727-294
Unisteel G186	1200R24	440	0777717-441	273	None
Unisteel G186	13/80R20	500	0777717-500	311	0777727-311
Unisteel G186	13R22.5	467	0777717-465	290	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Unisteel G186	14/80R20	483	0777717-484	300	0777727-300
Unisteel G186	215/75R17.5	680	0777717-676	423	0777727-424
Unisteel G186	315/80R22.5	489	0777717-490	304	0777727-306
Unisteel G186	385/65R22.5	489	0777717-490	304	0777727-306
Unisteel G186	425/65R22.5	470	0777717-468	292	0777727-294
Unisteel G186	445/65R22.5	460	0777717-465	286	0777727-294
Unisteel G186	825R20	540	0777717-539	336	0777727-333
Unisteel G186	900R20	514	0777717-514	319	0777727-316
Unisteel G188	1000R20	489	0777717-490	304	0777727-306
Unisteel G188	1000R22	467	0777717-465	290	0777727-294
Unisteel G188	1100R20	479	0777717-475	298	0777727-294
Unisteel G188	1100R22	460	0777717-465	286	0777727-294
Unisteel G188	1100R24	440	0777717-441	273	None
Unisteel G188	11R22.5	489	0777717-490	304	0777727-306
Unisteel G188	11R24.5	467	0777717-465	290	0777727-294
Unisteel G188	1200R20	467	0777717-465	290	0777727-294
Unisteel G188	1200R24	428	0777717-433	266	None
Unisteel G188	12R22.5	479	0777717-475	298	0777727-294
Unisteel G188	12R24.5	460	0777717-465	286	0777727-294
Unisteel G188	1400R20	422	0777717-424	262	None
Unisteel G188	445/65R22.5	443	0777717-441	275	None
Unisteel G218	11R22.5	500	0777717-500	311	0777727-311
Unisteel G244 (MSD)	1100R22	467	0777717-465	290	0777727-294
Unisteel G244 (MSD)	11R22.5	489	0777717-490	304	0777727-306
Unisteel G244 (MSD)	11R24.5	470	0777717-468	292	0777727-294
Unisteel G244 (MSD)	12R22.5	479	0777717-475	298	0777727-294
Unisteel G259	1000R20	500	0777717-500	311	0777727-311
Unisteel G259	1000R22	479	0777717-475	298	0777727-294
Unisteel G259	1100R20	483	0777717-484	300	0777727-300
Unisteel G259	11R22.5	500	0777717-500	311	0777727-311
Unisteel G259	11R24.5	479	0777717-475	298	0777727-294
Unisteel G259	12R22.5	483	0777717-484	300	0777727-300
Unisteel G259	245/75R22.5	561	0777717-572	349	0777727-350
Unisteel G259	255/70R22.5	571	0777717-572	355	0777727-359
Unisteel G259	265/75R22.5	537	0777717-539	334	0777727-333
Unisteel G259	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel G259	295/75R22.5	514	0777717-514	319	0777727-316
Unisteel G286	1000R20	489	0777717-490	304	0777727-306
Unisteel G286	1000R22	470	0777717-468	292	0777727-294
Unisteel G286	1100R20	483	0777717-484	300	0777727-300
Unisteel G286	1100R22	467	0777717-465	290	0777727-294
Unisteel G286	1100R24	443	0777717-441	275	None
Unisteel G286	11R22.5	489	0777717-490	304	0777727-306
Unisteel G286	11R24.5	475	0777717-475	295	0777727-294
Unisteel G286	1200R24	428	0777717-433	266	None

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Unisteel G286	12R22.5	483	0777717-484	300	0777727-300
Unisteel G286	12R24.5	467	0777717-465	290	0777727-294
Unisteel G286	1400R20	428	0777717-433	266	None
Unisteel G286	315/80R22.5	483	0777717-484	300	0777727-300
Unisteel G286SS	385/65R22.5	489	0777717-490	304	0777727-306
Unisteel G286SS	425/65R22.5	470	0777717-468	292	0777727-294
Unisteel G286SS	445/65R22.5	457	0777717-450	284	0777727-294
Unisteel G291	1000R20	500	0777717-500	311	0777727-311
Unisteel G291	11R22.5	500	0777717-500	311	0777727-311
Unisteel G291	215/75R17.5	684	0777717-686	425	0777727-424
Unisteel G291	225/70R19.5	655	0777717-650	407	0777727-400
Unisteel G291	245/70R19.5	627	0777717-624	390	0777727-392
Unisteel G291	265/70R19.5	611	0777717-612	380	0777727-381
Unisteel G291	275/70R22.5	545	0777717-546	339	0777727-343
Unisteel G291	285/70R19.5	590	0777717-588	367	0777727-366
Unisteel G291	295/80R22.5	500	0777717-500	311	0777727-311
Unisteel G291	305/75R24.5	489	0777717-490	304	0777727-306
Unisteel G291	315/80R22.5	489	0777717-490	304	0777727-306
Unisteel G291	8.5R17.5	658	0777717-650	409	0777727-416
Unisteel G291	8R17.5	680	0777717-676	423	0777727-424
Unisteel G291	900R20	518	0777717-520	322	0777727-326
Unisteel G302	11R22.5	489	0777717-490	304	0777727-306
Unisteel G302	295/75R22.5	514	0777717-514	319	0777727-316
Unisteel G314	11R22.5	505	0777717-510	314	0777727-316
Unisteel G314	11R24.5	483	0777717-484	300	0777727-300
Unisteel G314	285/75R24.5	505	0777717-510	314	0777727-316
Unisteel G314	295/75R22.5	520	0777717-520	323	0777727-326
Unisteel G328	11R22.5	489	0777717-490	304	0777727-306
Unisteel G328	11R24.5	470	0777717-468	292	0777727-294
Unisteel G328	285/75R24.5	489	0777717-490	304	0777727-306
Unisteel G328	295/75R22.5	505	0777717-510	314	0777727-316
Unisteel G357	11R22.5	500	0777717-500	311	0777727-311
Unisteel G357	11R24.5	479	0777717-475	298	0777727-294
Unisteel G357	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel G357	295/75R22.5	518	0777717-520	322	0777727-326
Unisteel G362	11R22.5	489	0777717-490	304	0777727-306
Unisteel G362	11R24.5	470	0777717-468	292	0777727-294
Unisteel G362	285/75R24.5	489	0777717-490	304	0777727-306
Unisteel G362	295/75R22.5	505	0777717-510	314	0777727-316
Unisteel G386	1000R20	500	0777717-500	311	0777727-311
Unisteel G386	1100R20	489	0777717-490	304	0777727-306
Unisteel G386	11R22.5	500	0777717-500	311	0777727-311
Unisteel G386	1200R20	470	0777717-468	292	0777727-294
Unisteel G386	1200R24	428	0777717-433	266	None
Unisteel G386	12R22.5	483	0777717-484	300	0777727-300



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Unisteel G386	13R22.5	470	0777717-468	292	0777727-294
Unisteel G386	315/80R22.5	489	0777717-490	304	0777727-306
Unisteel G386	315/80R22.5	489	0777717-490	304	0777727-306
Unisteel G391	11R22.5	500	0777717-500	311	0777727-311
Unisteel G391	12R22.5	483	0777717-484	300	0777727-300
Unisteel G391	13R22.5	470	0777717-468	292	0777727-294
Unisteel G391	275/70R22.5	551	0777717-550	342	0777727-343
Unisteel G391	275/80R22.5	520	0777717-520	323	0777727-326
Unisteel G391	295/60R22.5	518	0777717-520	322	0777727-326
Unisteel G391	295/80R22.5	500	0777717-500	311	0777727-311
Unisteel G391	295/80R22.5	505	0777717-510	314	0777727-316
Unisteel G391	305/70R22.5	520	0777717-520	323	0777727-326
Unisteel G391	315/70R22.5	518	0777717-520	322	0777727-326
Unisteel G391	315/80R22.5	489	0777717-490	304	0777727-306
Unisteel G800A	12.5R20	505	0777717-510	314	0777727-316
Unisteel LP	285/75R24.5	500	0777717-500	311	0777727-311
Unisteel LP	295/75R22.5	518	0777717-520	322	0777727-326
Unisteel MVT	395/85R20	443	0777717-441	275	None
Unisteel TD	1000R20	500	0777717-500	311	0777727-311
Unisteel TD	1000R22	475	0777717-475	295	0777727-294
Unisteel TD	10R22.5	514	0777717-514	319	0777727-316
Unisteel TD	1100R20	483	0777717-484	300	0777727-300
Unisteel TD	11R22.5	500	0777717-500	311	0777727-311
Unisteel TD	11R24.5	475	0777717-475	295	0777727-294
Unisteel TD	12R22.5	483	0777717-484	300	0777727-300
Unisteel TD	825R20	540	0777717-539	336	0777727-333
Unisteel TD	900R20	514	0777717-514	319	0777727-316
Unisteel TD	9R22.5	540	0777717-539	336	0777727-333
Unisteel TDA	11R22.5	489	0777717-490	304	0777727-306
Unisteel TDA	11R24.5	470	0777717-468	292	0777727-294
Workhorse	235/85R16	658	0777717-650	409	0777727-416
Workhorse	750-16	642	0777717-637	399	0777727-400
Workhorse	875-16	680	0777717-676	423	0777727-424
Workhorse	950-16.5	684	0777717-686	425	0777727-424
Workhorse EG	235/85R16	655	0777717-650	407	0777727-400
Workhorse Rib	700-15	686	0777717-686	426	0777727-424
Wrangler	225/75R16	680	0777717-676	423	0777727-424
Wrangler	235/75R15	680	0777717-676	423	0777727-424
Wrangler Aquatred	235/85R16	658	0777717-650	409	0777727-416
Wrangler Aquatred	245/75R16	686	0777717-686	426	0777727-424
Wrangler Aquatred	265/75R16	658	0777717-650	409	0777727-416
Wrangler AT	245/75R16	680	0777717-676	423	0777727-424
Wrangler AT	255/85R16	627	0777717-624	390	0777727-392
Wrangler AT	265/75R16	680	0777717-676	423	0777727-424
Wrangler AT	31x1250R16.5	686	0777717-686	426	0777727-424

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Goodyear (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Wrangler AT	33x1250R16.5	642	0777717-637	399	0777727-400
Wrangler GSA	235/75R15	680	0777717-676	423	0777727-424
Wrangler GSA	235/85R16	658	0777717-650	409	0777727-416
Wrangler GSA	245/75R16	686	0777717-686	426	0777727-424
Wrangler GSA	265/75R16	658	0777717-650	409	0777727-416
Wrangler GSA	37x12.50R16.5	566	0777717-572	352	0777727-350
Wrangler HT	235/85R16	658	0777717-650	409	0777727-416
Wrangler HT	245/75R16	686	0777717-686	426	0777727-424
Wrangler LT	875R16.5	621	0777717-624	386	0777727-381
Wrangler LT	8R19.5	618	0777717-612	384	0777727-381
Wrangler LT	950R16.5	686	0777717-686	426	0777727-424
Wrangler Rib	8R19.5	611	0777717-612	380	0777727-381
Wrangler TD	265/75R16	661	0777717-676	411	0777727-416

Hankook

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
AH06	245/70R19.5	618	0777717-612	384	0777727-381
AH06	265/70R19.5	607	0777717-612	377	0777727-381
AH06	8R19.5	618	0777717-612	384	0777727-381
AM01	1000R20	500	0777717-500	311	0777727-311
AM01	1000R22	479	0777717-475	298	0777727-294
AM01	1100R20	483	0777717-484	300	0777727-300
AM01	11R22.5	500	0777717-500	311	0777727-311
AM01	11R24.5	479	0777717-475	298	0777727-294
AM01	1200R20	467	0777717-465	290	0777727-294
AM01	1200R24	428	0777717-433	266	None
AM01	12R22.5	483	0777717-484	300	0777727-300
AM01	315/80R22.5	489	0777717-490	304	0777727-306
DH01	245/70R19.5	618	0777717-612	384	0777727-381
DM02	1000R20	500	0777717-500	311	0777727-311
DM02	1100R20	483	0777717-484	300	0777727-300
DM02	11R22.5	500	0777717-500	311	0777727-311
DM02	12R22.5	483	0777717-484	300	0777727-300
DW01	11R22.5	489	0777717-490	304	0777727-306
DW01	11R24.5	470	0777717-468	292	0777727-294
F17A	10R22.5	518	0777717-520	322	0777727-326
F17A	900R20	518	0777717-520	322	0777727-326
F19	1000R20	500	0777717-500	311	0777727-311
F19	1000R22	479	0777717-475	298	0777727-294
F19	11R22.5	500	0777717-500	311	0777727-311
F19	11R24.5	479	0777717-475	298	0777727-294
F19	265/75R22.5	540	0777717-539	336	0777727-333
F19	275/80R22.5	518	0777717-520	322	0777727-326
F19	275/80R24.5	500	0777717-500	311	0777727-311
F19	285/75R24.5	500	0777717-500	311	0777727-311



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Hankook (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
F19	295/75R22.5	518	0777717-520	322	0777727-326
F19	295/80R22.5	500	0777717-500	311	0777727-311
F19	315/80R22.5	489	0777717-490	304	0777727-306
F20	1000R20	500	0777717-500	311	0777727-311
F20	1000R22	479	0777717-475	298	0777727-294
F20	1100R20	489	0777717-490	304	0777727-306
F20	11R22.5	500	0777717-500	311	0777727-311
F20	11R24.5	479	0777717-475	298	0777727-294
F20	12R22.5	489	0777717-490	304	0777727-306
F22	1000R20	500	0777717-500	311	0777727-311
F22	1000R22	479	0777717-475	298	0777727-294
F22	1100R20	489	0777717-490	304	0777727-306
F22	1100R22	467	0777717-465	290	0777727-294
F22	11R22.5	500	0777717-500	311	0777727-311
F22	11R24.5	479	0777717-475	298	0777727-294
F22	12R22.5	489	0777717-490	304	0777727-306
F22	255/70R22.5	567	0777717-572	352	0777727-350
F22	285/75R24.5	500	0777717-500	311	0777727-311
F22	295/75R22.5	518	0777717-520	322	0777727-326
F22	295/80R22.5	500	0777717-500	311	0777727-311
F22	315/80R22.5	489	0777717-490	304	0777727-306
F23	1000R20	500	0777717-500	311	0777727-311
F23	1000R22	479	0777717-475	298	0777727-294
F23	11R22.5	500	0777717-500	311	0777727-311
F23	11R24.5	479	0777717-475	298	0777727-294
F23	285/75R24.5	500	0777717-500	311	0777727-311
F23	295/75R22.5	518	0777717-520	322	0777727-326
F25	1000R20	500	0777717-500	311	0777727-311
F25	1000R22	479	0777717-475	298	0777727-294
F25	1100R20	489	0777717-490	304	0777727-306
F25	11R22.5	500	0777717-500	311	0777727-311
F25	11R24.5	479	0777717-475	298	0777727-294
F25	285/75R24.5	500	0777717-500	311	0777727-311
F25	295/75R22.5	518	0777717-520	322	0777727-326
F26	1000R20	500	0777717-500	311	0777727-311
F26	1000R22	479	0777717-475	298	0777727-294
F26	1100R20	483	0777717-484	300	0777727-300
F26	11R22.5	500	0777717-500	311	0777727-311
F26	11R24.5	479	0777717-475	298	0777727-294
F26	12R22.5	483	0777717-484	300	0777727-300
F26	275/70R22.5	545	0777717-546	339	0777727-343
F26	285/75R24.5	500	0777717-500	311	0777727-311
F26	295/75R22.5	514	0777717-514	319	0777727-316
F26	295/80R22.5	500	0777717-500	311	0777727-311
F26	315/70R22.5	518	0777717-520	322	0777727-326

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer.
 If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Hankook (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
F26	315/80R22.5	489	0777717-490	304	0777727-306
F4	825-20	540	0777717-539	336	0777727-333
F40	14/80R20	483	0777717-484	300	0777727-300
F40	15R22.5	489	0777717-490	304	0777727-306
F40	16.5R22.5	470	0777717-468	292	0777727-294
F40	365/80R20	483	0777717-484	300	0777727-300
F40	385/65R22.5	489	0777717-490	304	0777727-306
F40	425/65R22.5	470	0777717-468	292	0777727-294
F5	1000-20	489	0777717-490	304	0777727-306
F5	900-20	500	0777717-500	311	0777727-311
F70	1000R20	505	0777717-510	314	0777727-316
F70	11R22.5	505	0777717-510	314	0777727-316
F70	11R24.5	483	0777717-484	300	0777727-300
F70	285/75R24.5	500	0777717-500	311	0777727-311
F70	295/75R22.5	518	0777717-520	322	0777727-326
F8	1000-20	489	0777717-490	304	0777727-306
F80	1000R20	505	0777717-510	314	0777727-316
F80	1000R22	483	0777717-484	300	0777727-300
F80	11R22.5	505	0777717-510	314	0777727-316
F80	11R24.5	483	0777717-484	300	0777727-300
F80	285/75R24.5	505	0777717-510	314	0777727-316
F80	295/75R22.5	520	0777717-520	323	0777727-326
S51	1000R20	489	0777717-490	304	0777727-306
S51	1100R20	483	0777717-484	300	0777727-300
S51	11R22.5	489	0777717-490	304	0777727-306
S51	12R22.5	483	0777717-484	300	0777727-300
S51A	1000R22	475	0777717-475	295	0777727-294
S51A	11R24.5	475	0777717-475	295	0777727-294
S52	12R22.5	483	0777717-484	300	0777727-300
T25	1000R20	489	0777717-490	304	0777727-306
T25	1000R22	470	0777717-468	292	0777727-294
T25	1100R20	483	0777717-484	300	0777727-300
T25	11R22.5	489	0777717-490	304	0777727-306
T25	11R24.5	470	0777717-468	292	0777727-294
T25	12R22.5	483	0777717-484	300	0777727-300
T25A	13R22.5	467	0777717-465	290	0777727-294
T5	825-20	537	0777717-539	334	0777727-333
T5	900-20	514	0777717-514	319	0777727-316
T77	1000.2	483	0777717-484	300	0777727-300
T77	900-20	514	0777717-514	319	0777727-316
Z33	11R22.5	500	0777717-500	311	0777727-311
Z33	1200R20	470	0777717-468	292	0777727-294
Z33	1200R24	440	0777717-441	273	None
Z33	13R22.5	470	0777717-468	292	0777727-294
Z35	1000R20	500	0777717-500	311	0777727-311



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Hankook (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Z35	1000R22	479	0777717-475	298	0777727-294
Z35	1100R20	483	0777717-484	300	0777727-300
Z35	11R22.5	500	0777717-500	311	0777727-311
Z35	11R24.5	479	0777717-475	298	0777727-294
Z35	12R22.5	483	0777717-484	300	0777727-300
Z35A	1000R20	500	0777717-500	311	0777727-311
Z35A	1000R22	475	0777717-475	295	0777727-294
Z35A	1100R20	483	0777717-484	300	0777727-300
Z35A	11R22.5	500	0777717-500	311	0777727-311
Z35A	11R24.5	475	0777717-475	295	0777727-294
Z35A	12R22.5	483	0777717-484	300	0777727-300
Z35A	285/75R24.5	489	0777717-490	304	0777727-306
Z35A	295/75R22.5	514	0777717-514	319	0777727-316
Z35A	295/80R22.5	500	0777717-500	311	0777727-311
Z35A	315/80R22.5	483	0777717-484	300	0777727-300
Z37	1000R20	500	0777717-500	311	0777727-311
Z37	1100R20	483	0777717-484	300	0777727-300
Z37	11R22.5	500	0777717-500	311	0777727-311
Z37	11R24.5	479	0777717-475	298	0777727-294
Z37	12R22.5	483	0777717-484	300	0777727-300
Z37	275/80R22.5	514	0777717-514	319	0777727-316
Z37	275/80R24.5	500	0777717-500	311	0777727-311
Z37	285/75R24.5	500	0777717-500	311	0777727-311
Z37	295/75R22.5	514	0777717-514	319	0777727-316
Z37	295/80R22.5	500	0777717-500	311	0777727-311
Z37	315/80R22.5	489	0777717-490	304	0777727-306
Z38	1000R20	500	0777717-500	311	0777727-311
Z38	1000R22	479	0777717-475	298	0777727-294
Z38	1100R20	489	0777717-490	304	0777727-306
Z38	11R22.5	500	0777717-500	311	0777727-311
Z38	11R24.5	479	0777717-475	298	0777727-294
Z38	12R22.5	489	0777717-490	304	0777727-306
Z40	15R22.5	489	0777717-490	304	0777727-306
Z40	385/65R22.5	489	0777717-490	304	0777727-306
Z40	425/65R22.5	470	0777717-468	292	0777727-294
Z43	1200R24	440	0777717-441	273	None
Z48	1000R20	500	0777717-500	311	0777727-311
Z48	1000R22	479	0777717-475	298	0777727-294
Z48	11R22.5	500	0777717-500	311	0777727-311
Z48	11R24.5	479	0777717-475	298	0777727-294
Z49	1000R20	489	0777717-490	304	0777727-306
Z49	1000R22	475	0777717-475	295	0777727-294
Z49	11R22.5	489	0777717-490	304	0777727-306
Z49	11R24.5	475	0777717-475	295	0777727-294
Z49	285/75R24.5	489	0777717-490	304	0777727-306

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Hankook (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Z49	295/75R22.5	514	0777717-514	319	0777727-316
Z59	1000R20	489	0777717-490	304	0777727-306
Z59	1000R22	475	0777717-475	295	0777727-294
Z59	1100R20	483	0777717-484	300	0777727-300
Z59	1100R22	460	0777717-465	286	0777727-294
Z59	11R22.5	489	0777717-490	304	0777727-306
Z59	11R24.5	475	0777717-475	295	0777727-294
Z59	12R22.5	483	0777717-484	300	0777727-300
Z59	285/75R24.5	489	0777717-490	304	0777727-306
Z59	295/75R22.5	505	0777717-510	314	0777727-316
Z59	295/80R22.5	489	0777717-490	304	0777727-306
Z59	315/80R22.5	483	0777717-484	300	0777727-300

Hercules

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
DDT	1000R20	500	0777717-500	311	0777727-311
DDT	1000R22	475	0777717-475	295	0777727-294
DDT	11R22.5	500	0777717-500	311	0777727-311
DDT	11R24.5	475	0777717-475	295	0777727-294
DDT	285/75R24.5	489	0777717-490	304	0777727-306
DDT	295/75R22.5	514	0777717-514	319	0777727-316
DDT	295/85R22.5	500	0777717-500	311	0777727-311
DDT	315/80R22.5	483	0777717-484	300	0777727-300
DML	1000R20	500	0777717-500	311	0777727-311
DML	1000R22	475	0777717-475	295	0777727-294
DML	1100R20	483	0777717-484	300	0777727-300
DML	11R22.5	500	0777717-500	311	0777727-311
DML	11R24.5	475	0777717-475	295	0777727-294
DML	12R22.5	483	0777717-484	300	0777727-300
DTL	1000R20	500	0777717-500	311	0777727-311
DTL	11R22.5	500	0777717-500	311	0777727-311
DTL	11R24.5	475	0777717-475	295	0777727-294
HAR	1000R20	500	0777717-500	311	0777727-311
HAR	11R22.5	500	0777717-500	311	0777727-311
HAR	11R24.5	479	0777717-475	298	0777727-294
HCR	1000R20	500	0777717-500	311	0777727-311
HCR	1100R20	483	0777717-484	300	0777727-300
HCR	1100R22	500	0777717-500	311	0777727-311
HCR	11R22.5	500	0777717-500	311	0777727-311
HCR	11R24.5	479	0777717-475	298	0777727-294
HCR	1200R20	470	0777717-468	292	0777727-294
HDTL	1000-20	489	0777717-490	304	0777727-306
HDTL	750-20	545	0777717-546	339	0777727-343
HDTL	825-20	520	0777717-520	323	0777727-326
HDTL	900-20	500	0777717-500	311	0777727-311



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Hercules (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Hercumile	235/85R16	686	0777717-686	426	0777727-424
Hercumile 11	1000-20	489	0777717-490	304	0777727-306
Hercumile 11	11-22.5	514	0777717-514	319	0777727-316
Hercumile 11	11-24.5	470	0777717-468	292	0777727-294
Hercumile 11	750-20	557	0777717-550	346	0777727-343
Hercumile 11	825-20	537	0777717-539	334	0777727-333
Hercumile 11	900-20	505	0777717-510	314	0777727-316
Hercumile 11	9-22.5	520	0777717-520	323	0777727-326
HiWay Rib 8218	1000-20	483	0777717-484	300	0777727-300
HiWay Rib 8218	1000-22	489	0777717-490	304	0777727-306
HiWay Rib 8218	825-20	518	0777717-520	322	0777727-326
HiWay Rib 8218	900-20	500	0777717-500	311	0777727-311
HLP	285/75R24.5	500	0777717-500	311	0777727-311
HLP	295/75R22.5	518	0777717-520	322	0777727-326
HLS	285/75R24.5	505	0777717-510	314	0777727-316
HLS	295/75R22.5	520	0777717-520	323	0777727-326
HMS	1000R20	500	0777717-500	311	0777727-311
HMS	1000R22	475	0777717-475	295	0777727-294
HMS	1100R20	483	0777717-484	300	0777727-300
HMS	11R22.5	500	0777717-500	311	0777727-311
HMS	11R24.5	475	0777717-475	295	0777727-294
HMS	12R22.5	483	0777717-484	300	0777727-300
HMS	900R20	518	0777717-520	322	0777727-326
STL Lug	1000-20	475	0777717-475	295	0777727-294
STL Lug	1000-22	460	0777717-465	286	0777727-294
STL Lug	825-20	505	0777717-510	314	0777727-316
STL Lug	900-20	489	0777717-490	304	0777727-306
Super Drive Lug	1000-20	489	0777717-490	304	0777727-306
Super Drive Lug	1000-22	467	0777717-465	290	0777727-294
Super Drive Lug	1100-20	475	0777717-475	295	0777727-294
Super Drive Lug	11-22.5	483	0777717-484	300	0777727-300
Super Drive Lug	11-24.5	460	0777717-465	286	0777727-294
Super Drive Lug	825-20	520	0777717-520	323	0777727-326
Super Drive Lug	900-20	500	0777717-500	311	0777727-311
Super Express 11	1000-20	489	0777717-490	304	0777727-306
Super Express 11	1000-22	470	0777717-468	292	0777727-294
Super Express 11	1100-20	483	0777717-484	300	0777727-300
Super Express 11	11-22.5	489	0777717-490	304	0777727-306
Super Express 11	11-24.5	475	0777717-475	295	0777727-294
Super Express 11	825-20	537	0777717-539	334	0777727-333
Super Express 11	900-20	505	0777717-510	314	0777727-316
Trailer Service	1000-20	489	0777717-490	304	0777727-306
Trailer Service	1000-22	470	0777717-468	292	0777727-294
Trailer Service	11-22.5	470	0777717-468	292	0777727-294
Trailer Service	11-24.5	470	0777717-468	292	0777727-294

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer.
If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Kelly

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
AD7	1000R20	500	0777717-500	311	0777727-311
AD7	1000R22	475	0777717-475	295	0777727-294
AD7	11R22.5	500	0777717-500	311	0777727-311
AD7	11R24.5	475	0777717-475	295	0777727-294
ADP	1000R20	489	0777717-490	304	0777727-306
ADP	1000R22	470	0777717-468	292	0777727-294
ADP	11R22.5	489	0777717-490	304	0777727-306
ADP	11R24.5	470	0777717-468	292	0777727-294
AH7	1000R15	571	0777717-572	355	0777727-359
AH7	1000R20	500	0777717-500	311	0777727-311
AH7	1000R22	479	0777717-475	298	0777727-294
AH7	11R22.5	500	0777717-500	311	0777727-311
AH7	11R24.5	479	0777717-475	298	0777727-294
AH7	825R15	618	0777717-612	384	0777727-381
AHP	1000R20	500	0777717-500	311	0777727-311
AHP	11R22.5	500	0777717-500	311	0777727-311
AHP	11R24.5	479	0777717-475	298	0777727-294
AHT	11R22.5	500	0777717-500	311	0777727-311
AHT	11R24.5	479	0777717-475	298	0777727-294
AHT	255/70R22.5	571	0777717-572	355	0777727-359
AHT	285/75R24.5	500	0777717-500	311	0777727-311
AHT	295/75R22.5	518	0777717-520	322	0777727-326
Custom Armor Trac	1000-20	500	0777717-500	311	0777727-311
Custom Armor Trac	1000-22	483	0777717-484	300	0777727-300
Custom Armor Trac	10-22.5	518	0777717-520	322	0777727-326
Custom Armor Trac	1100R20	489	0777717-490	304	0777727-306
Custom Armor Trac	11-22.5	500	0777717-500	311	0777727-311
Custom Armor Trac	11-24.5	479	0777717-475	298	0777727-294
Custom Armor Trac	750-20	566	0777717-572	352	0777727-350
Custom Armor Trac	825-20	540	0777717-539	336	0777727-333
Custom Armor Trac	900-20	518	0777717-520	322	0777727-326
Custom Armor Trac	9-22.5	540	0777717-539	336	0777727-333
H/D Explorer Trac	1000-20	489	0777717-490	304	0777727-306
H/D Explorer Trac	825-20	537	0777717-539	334	0777727-333
H/D Explorer Trac	900-20	514	0777717-514	319	0777727-316
HiWay Armor Trac	1000-20	505	0777717-510	314	0777727-316
HiWay Armor Trac	1000-22	479	0777717-475	298	0777727-294
HiWay Armor Trac	11-22.5	505	0777717-510	314	0777727-316
HiWay Armor Trac	11-24.5	479	0777717-475	298	0777727-294
HiWay Armor Trac	825-20	545	0777717-546	339	0777727-343
HiWay Armor Trac	900-20	520	0777717-520	323	0777727-326
HiWay Drive Trac	1000-20	500	0777717-500	311	0777727-311
HiWay Drive Trac	11-22.5	500	0777717-500	311	0777727-311
HiWay Drive Trac	11-24.5	479	0777717-475	298	0777727-294
HiWay Drive Trac	825-20	540	0777717-539	336	0777727-333



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Kelly (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
HiWay Drive Trac	900-20	518	0777717-520	322	0777727-326
KDA	11R22.5	489	0777717-490	304	0777727-306
KDA	11R24.5	470	0777717-468	292	0777727-294
KDA	285/75R24.5	500	0777717-500	311	0777727-311
KDA	295/75R22.5	518	0777717-520	322	0777727-326
KDM-1	1000R20	489	0777717-490	304	0777727-306
KDM-1	1000R22	470	0777717-468	292	0777727-294
KDM-1	11R22.5	489	0777717-490	304	0777727-306
KDM-1	11R24.5	470	0777717-468	292	0777727-294
KDM-LP	285/75R24.5	489	0777717-490	304	0777727-306
KDM-LP	295/75R22.5	505	0777717-510	314	0777727-316
KDS-11	1000R20	500	0777717-500	311	0777727-311
KDS-11	1000R22	475	0777717-475	295	0777727-294
KDS-11	11R22.5	500	0777717-500	311	0777727-311
KDS-11	11R24.5	475	0777717-475	295	0777727-294
KLH-1	1000R20	500	0777717-500	311	0777727-311
KLH-1	11R22.5	500	0777717-500	311	0777727-311
KLH-1	11R24.5	479	0777717-475	298	0777727-294
KLH-LP	285/75R24.5	500	0777717-500	311	0777727-311
KLH-LP	295/75R22.5	518	0777717-520	322	0777727-326
KLS-11	1000R15	571	0777717-572	355	0777727-359
KLS-11	1000R20	500	0777717-500	311	0777727-311
KLS-11	1000R22	479	0777717-475	298	0777727-294
KLS-11	11R22.5	500	0777717-500	311	0777727-311
KLS-11	11R24.5	479	0777717-475	298	0777727-294
KLS-11	825R15	618	0777717-612	384	0777727-381
KRM	1000R20	500	0777717-500	311	0777727-311
KRM	1000R22	475	0777717-475	295	0777727-294
KRM	1000R24	443	0777717-441	275	None
KRM	1100R20	467	0777717-465	290	0777727-294
KRM	11R22.5	500	0777717-500	311	0777727-311
KRM	11R24.5	475	0777717-475	295	0777727-294
KRM	12R22.5	483	0777717-484	300	0777727-300
KSA	1000R20	500	0777717-500	311	0777727-311
KSA	11R22.5	500	0777717-500	311	0777727-311
KSA	11R24.5	483	0777717-484	300	0777727-300
KSA	285/75R24.5	500	0777717-500	311	0777727-311
KSA	295/75R22.5	518	0777717-520	322	0777727-326
KTM	1100R22	479	0777717-475	298	0777727-294
KTM	11R22.5	489	0777717-490	304	0777727-306
KTM	1200R24	428	0777717-433	266	None
KTS	11R22.5	500	0777717-500	311	0777727-311
KTS	11R24.5	479	0777717-475	298	0777727-294
KTS	255/70R22.5	571	0777717-572	355	0777727-359
KTS	285/75R24.5	500	0777717-500	311	0777727-311



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Kelly (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
KTS	295/75R22.5	518	0777717-520	322	0777727-326
Registered Drive Trac	1000-20	489	0777717-490	304	0777727-306
Registered Drive Trac	1100-20	483	0777717-484	300	0777727-300
Registered Drive Trac	825-20	537	0777717-539	334	0777727-333
Registered Drive Trac	900-20	537	0777717-539	334	0777727-333
Road Rail Trailer	1000-20	505	0777717-510	314	0777727-316
Road Rail Trailer	11-22.5	505	0777717-510	314	0777727-316
Road Rail Trailer	11-24.5	483	0777717-484	300	0777727-300

Kumho

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
832	33x1250x16.5	642	0777717-637	399	0777727-400
833	33x1250x16.5	642	0777717-637	399	0777727-400
853	750R16	658	0777717-650	409	0777727-416
853	825R15TR	618	0777717-612	384	0777727-381
911	1200R20	470	0777717-468	292	0777727-294
911	1200R24	428	0777717-433	266	None
934	1000R20	489	0777717-490	304	0777727-306
934	1000R22	470	0777717-468	292	0777727-294
934	1100R20	479	0777717-475	298	0777727-294
934	11R22.5	489	0777717-490	304	0777727-306
934	11R24.5	470	0777717-468	292	0777727-294
934	12R22.5	479	0777717-475	298	0777727-294
936	1000R22	470	0777717-468	292	0777727-294
936	11R24.5	470	0777717-468	292	0777727-294
942	1000R20	500	0777717-500	311	0777727-311
942	1000R22	475	0777717-475	295	0777727-294
942	1100R20	483	0777717-484	300	0777727-300
942	11R22.5	500	0777717-500	311	0777727-311
942	11R24.5	475	0777717-475	295	0777727-294
942	12R22.5	483	0777717-484	300	0777727-300
943	1000R20	500	0777717-500	311	0777727-311
943	1000R22	479	0777717-475	298	0777727-294
943	1100R20	483	0777717-484	300	0777727-300
943	11R22.5	500	0777717-500	311	0777727-311
943	11R24.5	479	0777717-475	298	0777727-294
943	12R22.5	483	0777717-484	300	0777727-300
943	285/75R24.5	500	0777717-500	311	0777727-311
943	315/80R22.5	483	0777717-484	300	0777727-300
945	1000R20	500	0777717-500	311	0777727-311
945	1000R22	475	0777717-475	295	0777727-294
945	1100R20	483	0777717-484	300	0777727-300
945	11R22.5	500	0777717-500	311	0777727-311
945	11R24.5	475	0777717-475	295	0777727-294
945	12R22.5	483	0777717-484	300	0777727-300



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Kumho (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
945	285/75R24.5	489	0777717-490	304	0777727-306
945	295/75R22.5	514	0777717-514	319	0777727-316
945	315/80R22.5	483	0777717-484	300	0777727-300
948	11R22.5	500	0777717-500	311	0777727-311
948	11R24.5	475	0777717-475	295	0777727-294
948	285/75R24.5	500	0777717-500	311	0777727-311
948	295/75R22.5	514	0777717-514	319	0777727-316
955	1000R20	500	0777717-500	311	0777727-311
955	1000R22	479	0777717-475	298	0777727-294
955	1100R20	483	0777717-484	300	0777727-300
955	1100R22	467	0777717-465	290	0777727-294
955	11R22.5	500	0777717-500	311	0777727-311
955	11R24.5	479	0777717-475	298	0777727-294
955	12R22.5	483	0777717-484	300	0777727-300
955	900R20	518	0777717-520	322	0777727-326
956	1000R20	500	0777717-500	311	0777727-311
956	1000R22	479	0777717-475	298	0777727-294
956	10R22.5	518	0777717-520	322	0777727-326
956	1100R20	483	0777717-484	300	0777727-300
956	11R22.5	500	0777717-500	311	0777727-311
956	11R24.5	479	0777717-475	298	0777727-294
956	1200R20	470	0777717-468	292	0777727-294
956	1200R24	440	0777717-441	273	None
956	12R22.5	483	0777717-484	300	0777727-300
956	900R20	518	0777717-520	322	0777727-326
958	365/80R20	479	0777717-475	298	0777727-294
958	385/65R22.5	489	0777717-490	304	0777727-306
958	425/65R22.5	470	0777717-468	292	0777727-294
958	445/65R22.5	460	0777717-465	286	0777727-294
961	255/70R2.5	567	0777717-572	352	0777727-350
961	285/75R24.5	500	0777717-500	311	0777727-311
961	295/75R22.5	518	0777717-520	322	0777727-326
961	295/80R22.5	500	0777717-500	311	0777727-311
961	315/80R22.5	489	0777717-490	304	0777727-306
962	1000R20	500	0777717-500	311	0777727-311
962	1000R22	479	0777717-475	298	0777727-294
962	1100R20	483	0777717-484	300	0777727-300
962	11R22.5	500	0777717-500	311	0777727-311
962	11R24.5	479	0777717-475	298	0777727-294
962	12R22.5	483	0777717-484	300	0777727-300
962	285/75R24.5	500	0777717-500	311	0777727-311
962	295/75R22.5	518	0777717-520	322	0777727-326
970	1000R20	500	0777717-500	311	0777727-311
970	1000R22	479	0777717-475	298	0777727-294
970	10R22.5	518	0777717-520	322	0777727-326

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Kumho (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
970	1100R20	483	0777717-484	300	0777727-300
970	1100R22	467	0777717-465	290	0777727-294
970	11R22.5	500	0777717-500	311	0777727-311
970	11R24.5	479	0777717-475	298	0777727-294
970	1200R20	470	0777717-468	292	0777727-294
970	12R22.5	483	0777717-484	300	0777727-300
970	13R22.5	470	0777717-468	292	0777727-294
970	900R20	518	0777717-520	322	0777727-326
980	1000R20	500	0777717-500	311	0777727-311
980	1000R22	479	0777717-475	298	0777727-294
980	1100R20	500	0777717-500	311	0777727-311
980	11R22.5	500	0777717-500	311	0777727-311
980	11R24.5	479	0777717-475	298	0777727-294
981	285/75R24.5	500	0777717-500	311	0777727-311
981	295/75R22.5	658	0777717-650	409	0777727-416
982	1000R20	505	0777717-510	314	0777727-316
982	1000R22	483	0777717-484	300	0777727-300
982	11R22.5	505	0777717-510	314	0777727-316
982	11R24.5	483	0777717-484	300	0777727-300
982	285/75R24.5	505	0777717-510	314	0777727-316
982	295/75R22.5	518	0777717-520	322	0777727-326

Lee / Star

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Drive Radial 1	1000R20	500	0777717-500	311	0777727-311
Drive Radial 1	1000R22	475	0777717-475	295	0777727-294
Drive Radial 1	11R22.5	500	0777717-500	311	0777727-311
Drive Radial 1	11R24.5	475	0777717-475	295	0777727-294
HiWay Radial 1	1000R20	500	0777717-500	311	0777727-311
HiWay Radial 1	1000R22	479	0777717-475	298	0777727-294
HiWay Radial 1	11R22.5	500	0777717-500	311	0777727-311
HiWay Radial 1	11R24.5	479	0777717-475	298	0777727-294
Milemark Lug 11	1000-20	500	0777717-500	311	0777727-311
Milemark Lug 11	11-22.5	500	0777717-500	311	0777727-311
Milemark Lug 11	11-24.5	479	0777717-475	298	0777727-294
Milemark Lug 11	825-20	540	0777717-539	336	0777727-333
Milemark Lug 11	900-20	518	0777717-520	322	0777727-326
Milemark MST	1000-20	489	0777717-490	304	0777727-306
Milemark MST	825-20	537	0777717-539	334	0777727-333
Milemark MST	900-20	505	0777717-510	314	0777727-316
Milemark PBT	1000-20	505	0777717-510	314	0777727-316
Milemark PBT	11-22.5	505	0777717-510	314	0777727-316
Milemark PBT	11-24.5	483	0777717-484	300	0777727-300
Milemark PHL	1000-20	489	0777717-490	304	0777727-306
Milemark PHL	1000-22	470	0777717-468	292	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Lee / Star (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Milemark PHL	1100-20	483	0777717-484	300	0777727-300
Milemark PHL	825-20	537	0777717-539	334	0777727-333
Milemark PHL	900-20	505	0777717-510	314	0777727-316
Milemark PHR	1000-20	500	0777717-500	311	0777727-311
Milemark PHR	1000-22	479	0777717-475	298	0777727-294
Milemark PHR	10-22.5	518	0777717-520	322	0777727-326
Milemark PHR	1100-20	489	0777717-490	304	0777727-306
Milemark PHR	11-22.5	500	0777717-500	311	0777727-311
Milemark PHR	11-24.5	479	0777717-475	298	0777727-294
Milemark PHR	750-20	566	0777717-572	352	0777727-350
Milemark PHR	825-20	540	0777717-539	336	0777727-333
Milemark PHR	900-20	518	0777717-520	322	0777727-326
Milemark PHR	9-22.5	540	0777717-539	336	0777727-333
Milemark Rib 11	1000-20	505	0777717-510	314	0777727-316
Milemark Rib 11	1000-22	479	0777717-475	298	0777727-294
Milemark Rib 11	11-22.5	505	0777717-510	314	0777727-316
Milemark Rib 11	11-24.5	479	0777717-475	298	0777727-294
Milemark Rib 11	825-20	545	0777717-546	339	0777727-343
Milemark Rib 11	900-20	520	0777717-520	323	0777727-326

McCreary

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Silent Service	1000-20	483	0777717-484	300	0777727-300
Silent Service	1000-22	467	0777717-465	290	0777727-294
Silent Service	11-22.5	483	0777717-484	300	0777727-300
Silent Service	11-24.5	467	0777717-465	290	0777727-294
Super Miles	1000-20	489	0777717-490	304	0777727-306
Super Miles	1000-22	475	0777717-475	295	0777727-294
Super Miles	10-22.5	500	0777717-500	311	0777727-311
Super Miles	1100-20	483	0777717-484	300	0777727-300
Super Miles	11-22.5	489	0777717-490	304	0777727-306
Super Miles	11-24.5	475	0777717-475	295	0777727-294
Super Miles	12-22.5	483	0777717-484	300	0777727-300
Super Miles	825-20	537	0777717-539	334	0777727-333
Super Miles	900-20	500	0777717-500	311	0777727-311
Super Miles	9-22.5	537	0777717-539	334	0777727-333
Super Transport	1000-20	489	0777717-490	304	0777727-306
Super Transport	1000-22	475	0777717-475	295	0777727-294
Super Transport	1100-20	483	0777717-484	300	0777727-300
Super Transport	1100-22	467	0777717-465	290	0777727-294
Super Transport	11-22.5	489	0777717-490	304	0777727-306
Super Transport	11-24.5	475	0777717-475	295	0777727-294
Super Transport	1200-20	470	0777717-468	292	0777727-294
Super Transport	12-22.5	483	0777717-484	300	0777727-300
Super Transport	12-24.5	467	0777717-465	290	0777727-294

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

McCreary (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Super Transport	13-22.5	470	0777717-468	292	0777727-294
Super Transport	825-20	537	0777717-539	334	0777727-333
Super Transport	900-20	514	0777717-514	319	0777727-316
Super Transport	9-22.5	537	0777717-539	334	0777727-333
Super Traxion	10-22.5	500	0777717-500	311	0777727-311
Super Traxion	825-20	518	0777717-520	322	0777727-326
Super Traxion	900-20	500	0777717-500	311	0777727-311
Super Traxion	9-22.5	518	0777717-520	322	0777727-326
Superlug Express	1000-20	489	0777717-490	304	0777727-306
Superlug Express	1000-22	475	0777717-475	295	0777727-294
Superlug Express	10-22.5	500	0777717-500	311	0777727-311
Superlug Express	1100-20	483	0777717-484	300	0777727-300
Superlug Express	1100-22	457	0777717-450	284	0777727-294
Superlug Express	11-22.5	483	0777717-484	300	0777727-300
Superlug Express	11-24.5	467	0777717-465	290	0777727-294
Superlug Express	12-22.5	483	0777717-484	300	0777727-300
Superlug Express	12-24.5	457	0777717-450	284	0777727-294
Superlug Express	825-20	518	0777717-520	322	0777727-326
Superlug Express	900-20	500	0777717-500	311	0777727-311
Superlug Express	9-22.5	518	0777717-520	322	0777727-326

Michelin

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
LTX	235/75R16	621	0777717-624	386	0777727-381
LTX	235/85R16	655	0777717-650	407	0777727-400
LTX	245/75R16	680	0777717-676	423	0777727-424
LTX	LT235/75R16	621	0777717-624	386	0777727-381
LTX	LT235/85R16	655	0777717-650	407	0777727-400
LTX	LT245/75R16	680	0777717-676	423	0777727-424
LTX (A/S)	LT215/85R16	684	0777717-686	425	0777727-424
LTX (A/T)	LT215/85R16	686	0777717-686	426	0777727-424
LTX (M/S)	LT215/85R16	686	0777717-686	426	0777727-424
PMD1	275/80R22.5	505	0777717-510	314	0777727-316
PMD1	275/80R24.5	500	0777717-500	311	0777727-311
PXA	1000/90R20	518	0777717-520	322	0777727-326
PXCH4	225/75R16	621	0777717-624	386	0777727-381
PXCH4	235/85R16	655	0777717-650	407	0777727-400
PXCH4	245/75R16	686	0777717-686	426	0777727-424
PXD1	275/80R22.5	505	0777717-510	314	0777727-316
PXD1	275/80R24.5	489	0777717-490	304	0777727-306
PXDA	1000/90R20	514	0777717-514	319	0777727-316
PXDA	225/70R19.5	658	0777717-650	409	0777727-416
PXDA	305/75R24.5	483	0777717-484	300	0777727-300
PXDA +	225/70R19.5	658	0777717-650	409	0777727-416
PXDA +	255/70R22.5	566	0777717-572	352	0777727-350



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Michelin (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
PXDA +	275/80R22.5	514	0777717-514	319	0777727-316
PXDA +	275/80R24.5	500	0777717-500	311	0777727-311
PXDU	235/80R22.5	557	0777717-550	346	0777727-343
PXDU	255/80R22.5	540	0777717-539	336	0777727-333
PXDY	315/80R22.5	483	0777717-484	300	0777727-300
PXM+S4	275/80R22.5	514	0777717-514	319	0777727-316
PXM+S4	275/80R24.5	500	0777717-500	311	0777727-311
PXT1	275/80R22.5	520	0777717-520	323	0777727-326
PXT1	275/80R24.5	505	0777717-510	314	0777727-316
PXTA	275/80R22.5	520	0777717-520	323	0777727-326
PXTA	275/80R24.5	505	0777717-510	314	0777727-316
PXTA	285/70R19.5	590	0777717-588	367	0777727-366
PXZ	225/75R16	621	0777717-624	386	0777727-381
PXZA	225/70R19.5	642	0777717-637	399	0777727-400
PXZA	245/70R19.5	618	0777717-612	384	0777727-381
PXZA	255/70R22.5	567	0777717-572	352	0777727-350
PXZA	265/70R19.5	611	0777717-612	380	0777727-381
PXZA	275/70R22.5	545	0777717-546	339	0777727-343
PXZA	275/80R22.5	518	0777717-520	322	0777727-326
PXZA	285/70R19.5	590	0777717-588	367	0777727-366
PXZA	295/80R22.5	500	0777717-500	311	0777727-311
PXZA	305/75R24.5	489	0777717-490	304	0777727-306
PXZA	365/80R20	479	0777717-475	298	0777727-294
PXZA(1)	315/80R22.5	489	0777717-490	304	0777727-306
PXZA-1+	275/80R22.5	518	0777717-520	322	0777727-326
PXZA-1+	275/80R24.5	500	0777717-500	311	0777727-311
PXZT	225/70R19.5	642	0777717-637	399	0777727-400
PXZT	245/70R19.5	618	0777717-612	384	0777727-381
PXZT	265/70R19.5	607	0777717-612	377	0777727-381
PXZU	305/70R22.5	520	0777717-520	323	0777727-326
PXZU-4	225/70R19.5	642	0777717-637	399	0777727-400
PXZU-4	235/80R22.5	557	0777717-550	346	0777727-343
PXZU-4	245/70R19.5	618	0777717-612	384	0777727-381
PXZU-4	255/80R22.5	540	0777717-539	336	0777727-333
PXZU-4	275/80R22.5	518	0777717-520	322	0777727-326
PXZY	315/80R22.5	489	0777717-490	304	0777727-306
PXZY	385/65R22.5	489	0777717-490	304	0777727-306
X 4x4	750R16	658	0777717-650	409	0777727-416
XC-4	LT235/85R16	655	0777717-650	407	0777727-400
XCA	700R15	621	0777717-624	386	0777727-381
XCA	750R17	618	0777717-612	384	0777727-381
XCA	8R17.5	680	0777717-676	423	0777727-424
XD-1	11R22.5	489	0777717-490	304	0777727-306
XD-1	11R24.5	475	0777717-475	295	0777727-294
XD-1	275/80R22.5	505	0777717-510	314	0777727-316

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Michelin (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
XD-1	275/80R22.5	505	0777717-510	314	0777727-316
XD-1	275/80R24.5	489	0777717-490	304	0777727-306
XD-1	275/80R24.5	489	0777717-490	304	0777727-306
XDA	1000R20	500	0777717-500	311	0777727-311
XDA	1100R22	467	0777717-465	290	0777727-294
XDA	275/80R22.5	514	0777717-514	319	0777727-316
XDA+	11R22.5	500	0777717-500	311	0777727-311
XDA+	11R24.5	475	0777717-475	295	0777727-294
XDA-2	11R22.5	489	0777717-490	304	0777727-306
XDA-2	11R24.5	475	0777717-475	295	0777727-294
XDA-2	275/80R22.5	505	0777717-510	314	0777727-316
XDA-2	275/80R24.5	489	0777717-490	304	0777727-306
XDE	11R22.5	489	0777717-490	304	0777727-306
XDE	11R24.5	470	0777717-468	292	0777727-294
XDE	12R22.5	489	0777717-490	304	0777727-306
XDHT	11R22.5	489	0777717-490	304	0777727-306
XDHT	11R24.5	475	0777717-475	295	0777727-294
XDHT	275/80R22.5	505	0777717-510	314	0777727-316
XDHT	275/80R24.5	489	0777717-490	304	0777727-306
XDL	1000R20	489	0777717-490	304	0777727-306
XDL	11R22.5	489	0777717-490	304	0777727-306
XDL	11R24.5	467	0777717-465	290	0777727-294
XDL	1200R24	422	0777717-424	262	None
XDN	11R22.5	500	0777717-500	311	0777727-311
XDN	11R24.5	475	0777717-475	295	0777727-294
XDN	12R22.5	483	0777717-484	300	0777727-300
XDY	1000R20	489	0777717-490	304	0777727-306
XDY	1100R22	460	0777717-465	286	0777727-294
XDY(1)	11R22.5	489	0777717-490	304	0777727-306
XDY(1)	11R24.5	470	0777717-468	292	0777727-294
XL	1100R20	483	0777717-484	300	0777727-300
XL	1200R20	483	0777717-484	300	0777727-300
XL	14.5R20	483	0777717-484	300	0777727-300
XM+S4	1000R20	500	0777717-500	311	0777727-311
XM+S4	1000R22	479	0777717-475	298	0777727-294
XM+S4	10R22.5	518	0777717-520	322	0777727-326
XM+S4	1100R20	483	0777717-484	300	0777727-300
XM+S4	1100R22	467	0777717-465	290	0777727-294
XM+S4	11R22.5	500	0777717-500	311	0777727-311
XM+S4	11R24.5	475	0777717-475	295	0777727-294
XM+S4	1200R20	470	0777717-468	292	0777727-294
XM+S4	12R22.5	483	0777717-484	300	0777727-300
XM+S4	275/80R22.5	514	0777717-514	319	0777727-316
XM+S4	8R19.5	618	0777717-612	384	0777727-381
XM+S4	900R20	518	0777717-520	322	0777727-326



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Michelin (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
XM+S4	9R22.5	545	0777717-546	339	0777727-343
XMS	8R19.5	611	0777717-612	380	0777727-381
XPS	215/85R16	680	0777717-676	423	0777727-424
XPS	235/85R16	655	0777717-650	407	0777727-400
XPS	750R16	655	0777717-650	407	0777727-400
XPS	875R16.5	680	0777717-676	423	0777727-424
XPS	950R16.5	686	0777717-686	426	0777727-424
XPS	LT215/85R16	680	0777717-676	423	0777727-424
XPS	LT235/85R16	655	0777717-650	407	0777727-400
XS	1400R20	422	0777717-424	262	None
XT-1	11R22.5	505	0777717-510	314	0777727-316
XT-1	11R24.5	483	0777717-484	300	0777727-300
XT-1	275/80R22.5	520	0777717-520	323	0777727-326
XT-1	275/80R24.5	505	0777717-510	314	0777727-316
XTA	10R17.5	611	0777717-612	380	0777727-381
XTA	11R22.5	505	0777717-510	314	0777727-316
XTA	11R24.5	483	0777717-484	300	0777727-300
XTA	215/75R17.5	680	0777717-676	423	0777727-424
XTA	245/70R17.5	661	0777717-676	411	0777727-416
XTA	265/70R19.5	611	0777717-612	380	0777727-381
XTA	9R17.5	627	0777717-624	390	0777727-392
XY-1	18R22.5	467	0777717-465	290	0777727-294
XZ2	12R22.5	489	0777717-490	304	0777727-306
XZA	1000R20	500	0777717-500	311	0777727-311
XZA	1000R22	479	0777717-475	298	0777727-294
XZA	10R22.5	518	0777717-520	322	0777727-326
XZA	1100R20	489	0777717-490	304	0777727-306
XZA	1100R22	467	0777717-465	290	0777727-294
XZA	11R22.5	500	0777717-500	311	0777727-311
XZA	1200R20	470	0777717-468	292	0777727-294
XZA	12R22.5	489	0777717-490	304	0777727-306
XZA	1400R20	428	0777717-433	266	None
XZA	215/75R17.5	680	0777717-676	423	0777727-424
XZA	255/70R22.5	567	0777717-572	352	0777727-350
XZA	275/80R22.5	518	0777717-520	322	0777727-326
XZA	295/80R22.5	500	0777717-500	311	0777727-311
XZA	315/80R22.5	489	0777717-490	304	0777727-306
XZA	365/80R20	479	0777717-475	298	0777727-294
XZA	750R16	658	0777717-650	409	0777727-416
XZA	8.5R17.5	658	0777717-650	409	0777727-416
XZA	8R19.5	618	0777717-612	384	0777727-381
XZA	900R20	520	0777717-520	323	0777727-326
XZA	9R22.5	545	0777717-546	339	0777727-343
XZA(1)	11R24.5	479	0777717-475	298	0777727-294
XZA1	275/80R22.5	518	0777717-520	322	0777727-326

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Michelin (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
XZA1(+)	11R22.5	500	0777717-500	311	0777727-311
XZA1(+)	275/80R24.5	500	0777717-500	311	0777727-311
XZA1+	11R24.5	479	0777717-475	298	0777727-294
XZA-1+	11R22.5	500	0777717-500	311	0777727-311
XZA-1+	11R24.5	479	0777717-475	298	0777727-294
XZA-1+	275/80R24.5	500	0777717-500	311	0777727-311
XZA2	11R22.5	500	0777717-500	311	0777727-311
XZA2	11R24.5	479	0777717-475	298	0777727-294
XZA2	275/80R22.5	518	0777717-520	322	0777727-326
XZA2	275/80R24.5	500	0777717-500	311	0777727-311
XZA-2	11R22.5	500	0777717-500	311	0777727-311
XZA-2	11R24.5	479	0777717-475	298	0777727-294
XZA-2	275/80R22.5	518	0777717-520	322	0777727-326
XZA-2	275/80R24.5	500	0777717-500	311	0777727-311
XZA4	G20	428	0777717-433	266	None
XZA-4	1400R20	428	0777717-433	266	None
XZE	10 22.5	518	0777717-520	322	0777727-326
XZE	10R22.5	518	0777717-520	322	0777727-326
XZE	11R22.5	505	0777717-510	314	0777727-316
XZE	11R24.5	479	0777717-475	298	0777727-294
XZE	12R22.5	489	0777717-490	304	0777727-306
XZE	245/70R19.5	618	0777717-612	384	0777727-381
XZE	275/80R22.5	520	0777717-520	323	0777727-326
XZE	275/80R24.5	505	0777717-510	314	0777727-316
XZE	9R22.5	545	0777717-546	339	0777727-343
XZH	445/65R22.5	457	0777717-450	284	0777727-294
XZT	215/75R17.5	680	0777717-676	423	0777727-424
XZT	8.5R17.5	658	0777717-650	409	0777727-416
XZU	13/75R22.5	500	0777717-500	311	0777727-311
XZU2	11R22.5	500	0777717-500	311	0777727-311
XZU2	12R22.5	483	0777717-484	300	0777727-300
XZU2	275/70R22.5	545	0777717-546	339	0777727-343
XZU2	305/70R22.5	520	0777717-520	323	0777727-326
XZU-2	275/70R22.5	545	0777717-546	339	0777727-343
XZU4	10R22.5	518	0777717-520	322	0777727-326
XZU4	11R22.5	500	0777717-500	311	0777727-311
XZU4	255/80R22.5	540	0777717-539	336	0777727-333
XZU4	275/80R22.5	518	0777717-520	322	0777727-326
XZU4	9R22.5	540	0777717-539	336	0777727-333
XZU-4	235/80R22.5	557	0777717-550	346	0777727-343
XZU-4	255/80R22.5	540	0777717-539	336	0777727-333
XZU-4	275/80R22.5	518	0777717-520	322	0777727-326
XZY	1000R20	500	0777717-500	311	0777727-311
XZY	1000R22	479	0777717-475	298	0777727-294
XZY	10R22.5	518	0777717-520	322	0777727-326



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Michelin (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
XZY	1100R20	483	0777717-484	300	0777727-300
XZY	1100R22	467	0777717-465	290	0777727-294
XZY	1100R24	443	0777717-441	275	None
XZY	11R22.5	500	0777717-500	311	0777727-311
XZY	11R24.5	479	0777717-475	298	0777727-294
XZY	1200R20	467	0777717-465	290	0777727-294
XZY	1200R24	428	0777717-433	266	None
XZY	13R22.5	470	0777717-468	292	0777727-294
XZY	315/80R22.5	489	0777717-490	304	0777727-306
XZY	385/65R22.5	489	0777717-490	304	0777727-306
XZY	425/65R22.5	467	0777717-465	290	0777727-294
XZY	445/65R19.5	489	0777717-490	304	0777727-306
XZY	445/65R22.5	457	0777717-450	284	0777727-294
XZY	750R16	658	0777717-650	409	0777727-416
XZY	825R20	545	0777717-546	339	0777727-343
XZY	8R19.5	611	0777717-612	380	0777727-381
XZY	900R20	518	0777717-520	322	0777727-326
XZY1	315/80R22.5	489	0777717-490	304	0777727-306
XZY-1	11R22.5	500	0777717-500	311	0777727-311
XZY-1	11R24.5	475	0777717-475	295	0777727-294
XZY-1	12R22.5	489	0777717-490	304	0777727-306
XZY-1	12R24.5	467	0777717-465	290	0777727-294
XZYXX	445/65R22.5	457	0777717-450	284	0777727-294
XZZ	1300R20	443	0777717-441	275	None
XZZ	750R15	684	0777717-686	425	0777727-424
XZZ	825R15	627	0777717-624	390	0777727-392

Ohtsu

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
B1-807D	1000R20	489	0777717-490	304	0777727-306
B1-807D	1000R22	475	0777717-475	295	0777727-294
B1-807D	11R22.5	489	0777717-490	304	0777727-306
B1-807D	11R24.5	475	0777717-475	295	0777727-294
B1-807D	285/75R24.5	489	0777717-490	304	0777727-306
B1-807D	295/75R22.5	505	0777717-510	314	0777727-316
C1-627	1000R22	467	0777717-465	290	0777727-294
C1-627	11R24.5	467	0777717-465	290	0777727-294
G1-337	1000R20	500	0777717-500	311	0777727-311
G1-337	1000R22	475	0777717-475	295	0777727-294
G1-337	11R22.5	500	0777717-500	311	0777727-311
G1-337	11R24.5	475	0777717-475	295	0777727-294
L2000	1000R20	500	0777717-500	311	0777727-311
L2000	1000R22	479	0777717-475	298	0777727-294
L2000	1100R20	483	0777717-484	300	0777727-300
L2000	11R22.5	500	0777717-500	311	0777727-311

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Ohtsu (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
L2000	11R24.5	475	0777717-475	295	0777727-294
M5500	1000R20	500	0777717-500	311	0777727-311
M5500	1000R22	475	0777717-475	295	0777727-294
M5500	11R22.5	500	0777717-500	311	0777727-311
M5500	11R24.5	475	0777717-475	295	0777727-294
M5500	900R20	518	0777717-520	322	0777727-326
R100	1000-20	500	0777717-500	311	0777727-311
R100	1000-22	470	0777717-468	292	0777727-294
R100	1100-20	483	0777717-484	300	0777727-300
R100	11-22.5	489	0777717-490	304	0777727-306
R100	11-24.5	470	0777717-468	292	0777727-294
R1000	1000R20	500	0777717-500	311	0777727-311
R1000	1000R22	483	0777717-484	300	0777727-300
R1000	11R22.5	500	0777717-500	311	0777727-311
R1000	11R24.5	483	0777717-484	300	0777727-300
R1-117	255/70R22.5	571	0777717-572	355	0777727-359
R1-117	285/75R24.5	500	0777717-500	311	0777727-311
R1-117	295/75R22.5	518	0777717-520	322	0777727-326
R1-117	315/80R22.5	489	0777717-490	304	0777727-306
R1-117II	1000R20	500	0777717-500	311	0777727-311
R1-117II	11R22.5	500	0777717-500	311	0777727-311
R1-117II	11R24.5	479	0777717-475	298	0777727-294
R1-127	11R22.5	500	0777717-500	311	0777727-311
R1-127	11R24.5	479	0777717-475	298	0777727-294
R1-127	285/75R24.5	500	0777717-500	311	0777727-311
R1-127	295/75R22.5	518	0777717-520	322	0777727-326
R1200	1000R20	500	0777717-500	311	0777727-311
R1200	1000R22	479	0777717-475	298	0777727-294
R1200	1100R20	489	0777717-490	304	0777727-306
R1200	11R22.5	500	0777717-500	311	0777727-311
R1200	11R24.5	479	0777717-475	298	0777727-294
R1200	12R22.5	475	0777717-475	295	0777727-294
R1200	900R20	518	0777717-520	322	0777727-326
R150	1000-20	489	0777717-490	304	0777727-306
R150	1000-22	470	0777717-468	292	0777727-294
R150	1100-20	483	0777717-484	300	0777727-300
R150	11-22.5	489	0777717-490	304	0777727-306
R150	11-24.5	470	0777717-468	292	0777727-294
R150	1200-20	460	0777717-465	286	0777727-294
R150	900-20	505	0777717-510	314	0777727-316
R1800	285/75R24.5	500	0777717-500	311	0777727-311
R1800	295/75R22.5	518	0777717-520	322	0777727-326
R310	1000-20	489	0777717-490	304	0777727-306
R310	1000-22	467	0777717-465	290	0777727-294
R310	1100-20	483	0777717-484	300	0777727-300



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Ohtsu (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
R310	11-22.5	489	0777717-490	304	0777727-306
R310	11-24.5	470	0777717-468	292	0777727-294
R310	1200-20	460	0777717-465	286	0777727-294
R310	1200-24	428	0777717-433	266	None
R310	900-20	505	0777717-510	314	0777727-316
R3500	1000R20	500	0777717-500	311	0777727-311
R3500	1000R22	475	0777717-475	295	0777727-294
R3500	10R22.5	518	0777717-520	322	0777727-326
R3500	11R22.5	500	0777717-500	311	0777727-311
R3500	11R24.5	475	0777717-475	295	0777727-294
R3500	900R20	518	0777717-520	322	0777727-326
R62	825-20	537	0777717-539	334	0777727-333
RX117	295/75R22.5	518	0777717-520	322	0777727-326

Propar

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
C.E.T. Nylon	1000-20	483	0777717-484	300	0777727-300
C.E.T. Nylon	1000-22	467	0777717-465	290	0777727-294
C.E.T. Nylon	10-22.5	500	0777717-500	311	0777727-311
C.E.T. Nylon	11-22.5	483	0777717-484	300	0777727-300
C.E.T. Nylon	11-24.5	467	0777717-465	290	0777727-294
C.E.T. Nylon	900-20	500	0777717-500	311	0777727-311
Custom EDL	1000-20	483	0777717-484	300	0777727-300
Custom EDL	1000-22	467	0777717-465	290	0777727-294
Custom EDL	10-22.5	489	0777717-490	304	0777727-306
Custom EDL	11-22.5	483	0777717-484	300	0777727-300
Custom EDL	11-24.5	467	0777717-465	290	0777727-294
Custom EDL	900-20	489	0777717-490	304	0777727-306
Pro Steel 11 Rib	1000R15	571	0777717-572	355	0777727-359
Pro Steel 11 Rib	1000R20	489	0777717-490	304	0777727-306
Pro Steel 11 Rib	1000R22	475	0777717-475	295	0777727-294
Pro Steel 11 Rib	10R22.5	514	0777717-514	319	0777727-316
Pro Steel 11 Rib	1100R20	483	0777717-484	300	0777727-300
Pro Steel 11 Rib	11R17.5	571	0777717-572	355	0777727-359
Pro Steel 11 Rib	11R22.5	489	0777717-490	304	0777727-306
Pro Steel 11 Rib	11R24.5	475	0777717-475	295	0777727-294
Pro Steel 11 Rib	12R22.5	483	0777717-484	300	0777727-300
Pro Steel 11 Rib	825R15	618	0777717-612	384	0777727-381
Pro Steel 11 Rib	900R20	514	0777717-514	319	0777727-316
Pro Steel 11 Traction	1000R20	489	0777717-490	304	0777727-306
Pro Steel 11 Traction	1000R22	467	0777717-465	290	0777727-294
Pro Steel 11 Traction	10R22.5	514	0777717-514	319	0777727-316
Pro Steel 11 Traction	11R22.5	489	0777717-490	304	0777727-306
Pro Steel 11 Traction	11R24.5	467	0777717-465	290	0777727-294
Pro Steel 11 Traction	900R20	514	0777717-514	319	0777727-316

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Remington

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
680 Steel Radial	1000R20	489	0777717-490	304	0777727-306
680 Steel Radial	1000R22	475	0777717-475	295	0777727-294
680 Steel Radial	11R22.5	489	0777717-490	304	0777727-306
680 Steel Radial	11R24.5	475	0777717-475	295	0777727-294
Express Cargo	1000-22	457	0777717-450	284	0777727-294
Express Cargo	11-24.5	457	0777717-450	284	0777727-294
Express TRS	1000-20	483	0777717-484	300	0777727-300
Express TRS	11-22.5	483	0777717-484	300	0777727-300
Extra Traction	1000-20	483	0777717-484	300	0777727-300
Extra Traction	10-22.5	500	0777717-500	311	0777727-311
Extra Traction	11-22.5	483	0777717-484	300	0777727-300
Extra Traction	825-20	518	0777717-520	322	0777727-326
Extra Traction	900-20	500	0777717-500	311	0777727-311
Extra Traction	9-22.5	518	0777717-520	322	0777727-326
M90A Radial	1000R20	489	0777717-490	304	0777727-306
M90A Radial	1000R22	475	0777717-475	295	0777727-294
M90A Radial	10R22.5	514	0777717-514	319	0777727-316
M90A Radial	11R22.5	489	0777717-490	304	0777727-306
M90A Radial	11R24.5	475	0777717-475	295	0777727-294
M90A Radial	900R20	514	0777717-514	319	0777727-316
Plus Mileage Lug	1000-20	483	0777717-484	300	0777727-300
Plus Mileage Lug	1000-22	467	0777717-465	290	0777727-294
Plus Mileage Lug	10-22.5	500	0777717-500	311	0777727-311
Plus Mileage Lug	1100-20	470	0777717-468	292	0777727-294
Plus Mileage Lug	1100-22	443	0777717-441	275	None
Plus Mileage Lug	11-22.5	483	0777717-484	300	0777727-300
Plus Mileage Lug	11-24.5	467	0777717-465	290	0777727-294
Plus Mileage Lug	12-22.5	470	0777717-468	292	0777727-294
Plus Mileage Lug	12-24.5	443	0777717-441	275	None
Plus Mileage Lug	825-20	537	0777717-539	334	0777727-333
Plus Mileage Lug	900-20	500	0777717-500	311	0777727-311
Plus Mileage Lug	9-22.5	537	0777717-539	334	0777727-333
Plus Mileage Rib	1000-20	489	0777717-490	304	0777727-306
Plus Mileage Rib	1000-22	475	0777717-475	295	0777727-294
Plus Mileage Rib	10-22.5	514	0777717-514	319	0777727-316
Plus Mileage Rib	1100-20	470	0777717-468	292	0777727-294
Plus Mileage Rib	1100-22	467	0777717-465	290	0777727-294
Plus Mileage Rib	11-22.5	489	0777717-490	304	0777727-306
Plus Mileage Rib	11-24.5	467	0777717-465	290	0777727-294
Plus Mileage Rib	1200-20	470	0777717-468	292	0777727-294
Plus Mileage Rib	12-22.5	483	0777717-484	300	0777727-300
Plus Mileage Rib	12-24.5	467	0777717-465	290	0777727-294
Plus Mileage Rib	13-22.5	470	0777717-468	292	0777727-294
Plus Mileage Rib	825-20	537	0777717-539	334	0777727-333
Plus Mileage Rib	900-20	514	0777717-514	319	0777727-316



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Remington (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Plus Mileage Rib	9-22.5	537	0777717-539	334	0777727-333
R145	255/70R22.5	567	0777717-572	352	0777727-350
R315	285/75R24.5	500	0777717-500	311	0777727-311
R315	295/75R22.5	518	0777717-520	322	0777727-326
R345	285/75R24.5	500	0777717-500	311	0777727-311
R425	11R22.5	489	0777717-490	304	0777727-306
R425	11R24.5	475	0777717-475	295	0777727-294
R425	285/75R24.5	500	0777717-500	311	0777727-311
R425	295/75R22.5	505	0777717-510	314	0777727-316
R515	295/75R22.5	520	0777717-520	323	0777727-326
R775	1000R20	489	0777717-490	304	0777727-306
R775	1000R22	475	0777717-475	295	0777727-294
R775	11R22.5	489	0777717-490	304	0777727-306
R775	11R24.5	475	0777717-475	295	0777727-294
Radial LDT	1000R15	571	0777717-572	355	0777727-359
Radial LDT	11R17.5	571	0777717-572	355	0777727-359
Road Handler Century LP	285/75R24.5	500	0777717-500	311	0777727-311
Road Handler Century LP	295/75R22.5	518	0777717-520	322	0777727-326
Roadhandler Lug	1000R20	489	0777717-490	304	0777727-306
Roadhandler Lug	1000R22	475	0777717-475	295	0777727-294
Roadhandler Lug	11R22.5	489	0777717-490	304	0777727-306
Roadhandler Lug	11R24.5	475	0777717-475	295	0777727-294
Roadhandler Rib	1000R20	489	0777717-490	304	0777727-306
Roadhandler Rib	1000R22	475	0777717-475	295	0777727-294
Roadhandler Rib	11R22.5	489	0777717-490	304	0777727-306
Roadhandler Rib	11R24.5	475	0777717-475	295	0777727-294
Silent Trac	1000-20	483	0777717-484	300	0777727-300
Silent Trac	1000-22	467	0777717-465	290	0777727-294
Silent Trac	10-22.5	500	0777717-500	311	0777727-311
Silent Trac	11-22.5	483	0777717-484	300	0777727-300
Silent Trac	11-24.5	467	0777717-465	290	0777727-294
Silent Trac	825-20	537	0777717-539	334	0777727-333
Silent Trac	900-20	500	0777717-500	311	0777727-311
Silent Trac	9-22.5	537	0777717-539	334	0777727-333



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Sumitomo

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
SL717	750R16	658	0777717-650	409	0777727-416
ST200	11-22.5	489	0777717-490	304	0777727-306
ST200	11-24.5	470	0777717-468	292	0777727-294
ST201	1000-20	489	0777717-490	304	0777727-306
ST201	1000-22	467	0777717-465	290	0777727-294
ST202	1000-20	489	0777717-490	304	0777727-306
ST202	1000-22	467	0777717-465	290	0777727-294
ST202	1100-22	443	0777717-441	275	None
ST502	1000-20	489	0777717-490	304	0777727-306
ST502	1000-22	467	0777717-465	290	0777727-294
ST506	1200R24	440	0777717-441	273	None
ST508	1000R20	500	0777717-500	311	0777727-311
ST508	1000R22	479	0777717-475	298	0777727-294
ST508	10R22.5	518	0777717-520	322	0777727-326
ST508	1100R20	489	0777717-490	304	0777727-306
ST508	1100R22	467	0777717-465	290	0777727-294
ST508	11R22.5	500	0777717-500	311	0777727-311
ST508	11R24.5	479	0777717-475	298	0777727-294
ST508	1200R20	470	0777717-468	292	0777727-294
ST508	12R22.5	483	0777717-484	300	0777727-300
ST508	825R20	545	0777717-546	339	0777727-343
ST508	900R20	518	0777717-520	322	0777727-326
ST510	425/65R22.5	467	0777717-465	290	0777727-294
ST518	1000R20	500	0777717-500	311	0777727-311
ST518	1100R20	483	0777717-484	300	0777727-300
ST518	11R22.5	500	0777717-500	311	0777727-311
ST518	11R24.5	479	0777717-475	298	0777727-294
ST518	12R22.5	483	0777717-484	300	0777727-300
ST518	315/80R22.5	489	0777717-490	304	0777727-306
ST616	1000R20	500	0777717-500	311	0777727-311
ST616	1100R20	483	0777717-484	300	0777727-300
ST616	11R22.5	500	0777717-500	311	0777727-311
ST616	11R24.5	475	0777717-475	295	0777727-294
ST616	12R22.5	483	0777717-484	300	0777727-300
ST700	11R22.5	505	0777717-510	314	0777727-316
ST700	11R24.5	483	0777717-484	300	0777727-300
ST700	285/75R24.5	505	0777717-510	314	0777727-316
ST700	295/75R22.5	520	0777717-520	323	0777727-326
ST701	1000-20	489	0777717-490	304	0777727-306
ST701	1000-22	489	0777717-490	304	0777727-306
ST701	1100-22	467	0777717-465	290	0777727-294
ST701	11-22.5	489	0777717-490	304	0777727-306
ST701	11-24.5	467	0777717-465	290	0777727-294
ST701	825-20	537	0777717-539	334	0777727-333



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Sumitomo (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
ST701	900-20	505	0777717-510	314	0777727-316
ST704	1000-22	467	0777717-465	290	0777727-294
ST710	425/65R22.5	470	0777717-468	292	0777727-294
ST717	1000R15	571	0777717-572	355	0777727-359
ST717	11R17.5	571	0777717-572	355	0777727-359
ST717	13/80R20	500	0777717-500	311	0777727-311
ST717	14/80R20	483	0777717-484	300	0777727-300
ST717	9R17.5	618	0777717-612	384	0777727-381
ST718	245/70R19.5	618	0777717-612	384	0777727-381
ST718	245/75R22.5	561	0777717-572	349	0777727-350
ST718	265/75R22.5	540	0777717-539	336	0777727-333
ST718	285/75R24.5	500	0777717-500	311	0777727-311
ST718	295/75R22.5	518	0777717-520	322	0777727-326
ST718	315/80R22.5	489	0777717-490	304	0777727-306
ST718	8R19.5	611	0777717-612	380	0777727-381
ST720	385/65R22.5	489	0777717-490	304	0777727-306
ST720	425/65R22.5	470	0777717-468	292	0777727-294
ST720	445/65R22.5	460	0777717-465	286	0777727-294
ST727	1000R15	571	0777717-572	355	0777727-359
ST727	1000R20	500	0777717-500	311	0777727-311
ST727	1000R22	483	0777717-484	300	0777727-300
ST727	10R22.5	518	0777717-520	322	0777727-326
ST727	1100R20	489	0777717-490	304	0777727-306
ST727	11R22.5	500	0777717-500	311	0777727-311
ST727	11R24.5	479	0777717-475	298	0777727-294
ST727	1200R20	470	0777717-468	292	0777727-294
ST727	12R22.5	489	0777717-490	304	0777727-306
ST727	255/70R22.5	571	0777717-572	355	0777727-359
ST727	750R15	686	0777717-686	426	0777727-424
ST727	825R15	627	0777717-624	390	0777727-392
ST727	825R20	545	0777717-546	339	0777727-343
ST727	900R20	518	0777717-520	322	0777727-326
ST738	1000R20	500	0777717-500	311	0777727-311
ST738	1100R20	489	0777717-490	304	0777727-306
ST738	11R22.5	500	0777717-500	311	0777727-311
ST738	11R24.5	479	0777717-475	298	0777727-294
ST738	12R22.5	489	0777717-490	304	0777727-306
ST748	11R22.5	500	0777717-500	311	0777727-311
ST748	285/75R24.5	500	0777717-500	311	0777727-311
ST748A	11R22.5	500	0777717-500	311	0777727-311
ST748A	11R24.5	479	0777717-475	298	0777727-294
ST748A	285/75R24.5	500	0777717-500	311	0777727-311
ST748A	295/75R22.5	518	0777717-520	322	0777727-326
ST77	1000-20	489	0777717-490	304	0777727-306
ST77	1000-22	470	0777717-468	292	0777727-294

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Sumitomo (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
ST77	11-22.5	489	0777717-490	304	0777727-306
ST77	11-24.5	470	0777717-468	292	0777727-294
ST770	385/65R22.5	489	0777717-490	304	0777727-306
ST7LPT	1000-15	566	0777717-572	352	0777727-350
ST7LPT	750-15	658	0777717-650	409	0777727-416
ST7LPT	825-15	627	0777717-624	390	0777727-392
ST7LPT	900-15	590	0777717-588	367	0777727-366
ST806	1000-20	500	0777717-500	311	0777727-311
ST806	825-20	537	0777717-539	334	0777727-333
ST806	900-20	505	0777717-510	314	0777727-316
ST818	1000R20	489	0777717-490	304	0777727-306
ST818	1000R22	470	0777717-468	292	0777727-294
ST818	1100R20	483	0777717-484	300	0777727-300
ST818	11R22.5	500	0777717-500	311	0777727-311
ST818	11R24.5	475	0777717-475	295	0777727-294
ST818	12R22.5	483	0777717-484	300	0777727-300
ST838M	1000R20	500	0777717-500	311	0777727-311
ST838M	1000R22	475	0777717-475	295	0777727-294
ST838M	10R22.5	518	0777717-520	322	0777727-326
ST838M	1100R20	483	0777717-484	300	0777727-300
ST838M	11R22.5	500	0777717-500	311	0777727-311
ST838M	11R24.5	475	0777717-475	295	0777727-294
ST838M	12R22.5	483	0777717-484	300	0777727-300
ST838M	285/75R24.5	500	0777717-500	311	0777727-311
ST838M	295/75R22.5	514	0777717-514	319	0777727-316
ST838M	900R20	514	0777717-514	319	0777727-316
ST900	1000R20	489	0777717-490	304	0777727-306
ST900	1100R22	460	0777717-465	286	0777727-294
ST900	11R22.5	489	0777717-490	304	0777727-306
ST900	11R24.5	467	0777717-465	290	0777727-294
ST900	12R22.5	479	0777717-475	298	0777727-294
ST908	1000R20	500	0777717-500	311	0777727-311
ST908	11R22.5	489	0777717-490	304	0777727-306
ST908	11R24.5	475	0777717-475	295	0777727-294
ST908	12R22.5	483	0777717-484	300	0777727-300
ST908	285/75R24.5	489	0777717-490	304	0777727-306
ST908	295/75R22.5	505	0777717-510	314	0777727-316



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Super Tire

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
S/T All Purpose Rib	1000-20	483	0777717-484	300	0777727-300
S/T All Purpose Rib	1000-22	457	0777717-450	284	0777727-294
S/T All Purpose Rib	11-22.5	483	0777717-484	300	0777727-300
S/T All Purpose Rib	11-24.5	457	0777717-450	284	0777727-294
S/T Cross Rib QCR	1000-20	483	0777717-484	300	0777727-300
S/T Cross Rib QCR	1000-22	467	0777717-465	290	0777727-294
S/T Cross Rib QCR	11-22.5	483	0777717-484	300	0777727-300
S/T Cross Rib QCR	11-24.5	467	0777717-465	290	0777727-294
S/T Metal R Quadtrac	1000-20	489	0777717-490	304	0777727-306
S/T Metal R Quadtrac	1000-22	475	0777717-475	295	0777727-294
S/T Metal R Quadtrac	11-22.5	489	0777717-490	304	0777727-306
S/T Metal R Quadtrac	11-24.5	475	0777717-475	295	0777727-294
S/T Metal R Trimax	1000-20	489	0777717-490	304	0777727-306
S/T Metal R Trimax	1000-22	475	0777717-475	295	0777727-294
S/T Metal R Trimax	11-22.5	489	0777717-490	304	0777727-306
S/T Metal R Trimax	11-24.5	475	0777717-475	295	0777727-294
S/T Pr. Highway Rib	1000-20	489	0777717-490	304	0777727-306
S/T Pr. Highway Rib	1000-22	475	0777717-475	295	0777727-294
S/T Pr. Highway Rib	11-22.5	489	0777717-490	304	0777727-306
S/T Pr. Highway Rib	11-24.5	475	0777717-475	295	0777727-294
S/T Safety Rib	1000-20	489	0777717-490	304	0777727-306
S/T Safety Rib	1000-22	467	0777717-465	290	0777727-294
S/T Safety Rib	11-22.5	489	0777717-490	304	0777727-306
S/T Safety Rib	11-24.5	467	0777717-465	290	0777727-294
Super Traction SR3	1000-20	489	0777717-490	304	0777727-306
Super Traction SR3	1000-22	475	0777717-475	295	0777727-294
Super Traction SR3	11-22.5	489	0777717-490	304	0777727-306
Super Traction SR3	11-24.5	475	0777717-475	295	0777727-294

Taurus

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
RFT1	1000R20	500	0777717-500	311	0777727-311
RFT1	1100R20	489	0777717-490	304	0777727-306
RFT1	1200R20	470	0777717-468	292	0777727-294
RFT2	1000R20	500	0777717-500	311	0777727-311
RFT2	1000R22	479	0777717-475	298	0777727-294
RFT2	1100R20	489	0777717-490	304	0777727-306
RFT2	11R22.5	500	0777717-500	311	0777727-311
RFT2	11R24.5	479	0777717-475	298	0777727-294
RFT2	12R22.5	483	0777717-484	300	0777727-300
RT1	1000R20	500	0777717-500	311	0777727-311
RT1	1100R20	489	0777717-490	304	0777727-306
RT1	11R22.5	500	0777717-500	311	0777727-311
RT1	11R24.5	479	0777717-475	298	0777727-294

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Taurus (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
RT1	12R22.5	483	0777717-484	300	0777727-300
RV1	1000R20	500	0777717-500	311	0777727-311
RV1	1000R22	479	0777717-475	298	0777727-294
RV1	1100R20	489	0777717-490	304	0777727-306
RV1	11R24.5	479	0777717-475	298	0777727-294
RV1	1200R20	470	0777717-468	292	0777727-294
RV1	12R22.5	483	0777717-484	300	0777727-300
RV1	13R22.5	470	0777717-468	292	0777727-294
RV1	825R15	627	0777717-624	390	0777727-392
RV2	11R22.5	500	0777717-500	311	0777727-311
RV2	900R20	518	0777717-520	322	0777727-326
RV3	1000R20	500	0777717-500	311	0777727-311
RV3	1200R20	470	0777717-468	292	0777727-294
RV5	295/80R22.5	505	0777717-510	314	0777727-316
RVA	1000R20	500	0777717-500	311	0777727-311
RVA	1000R22	479	0777717-475	298	0777727-294
RVA	1100R20	489	0777717-490	304	0777727-306
RVA	11R22.5	500	0777717-500	311	0777727-311
RVA	11R24.5	479	0777717-475	298	0777727-294
RVA	1200R20	470	0777717-468	292	0777727-294
RVA	12R22.5	483	0777717-484	300	0777727-300
Top 300	12R22.5	483	0777717-484	300	0777727-300
Top 300	275/80R22.5	518	0777717-520	322	0777727-326
Top 300	285/75R24.5	500	0777717-500	311	0777727-311
Top 300	295/75R22.5	518	0777717-520	322	0777727-326
Top 300	295/80R22.5	505	0777717-510	314	0777727-316
Top 300	315/80R22.5	489	0777717-490	304	0777727-306
Top 400	275/80R22.5	518	0777717-520	322	0777727-326
Top 400	295/80R22.5	505	0777717-510	314	0777727-316
Top 400	315/80R22.5	489	0777717-490	304	0777727-306
Top 410	285/75R24.5	500	0777717-500	311	0777727-311

Toyo

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M101	1000R20	505	0777717-510	314	0777727-316
M101	1000R22	479	0777717-475	298	0777727-294
M101	11R22.5	505	0777717-510	314	0777727-316
M101	11R24.5	479	0777717-475	298	0777727-294
M101Z	11R24.5	479	0777717-475	298	0777727-294
M101Z	285/75R24.5	505	0777717-510	314	0777727-316
M101Z	295/75R22.5	520	0777717-520	323	0777727-326
M102Z	275/70R22.5	551	0777717-550	342	0777727-343
M103	1000R20	500	0777717-500	311	0777727-311
M103	1000R22	479	0777717-475	298	0777727-294
M103	11R22.5	500	0777717-500	311	0777727-311



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Toyo (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M103	11R24.5	479	0777717-475	298	0777727-294
M104	1000R20	500	0777717-500	311	0777727-311
M104	1000R22	479	0777717-475	298	0777727-294
M104	10R22.5	518	0777717-520	322	0777727-326
M104	11R22.5	500	0777717-500	311	0777727-311
M104	11R24.5	479	0777717-475	298	0777727-294
M104	900R20	518	0777717-520	322	0777727-326
M104Z	245/75R22.5	561	0777717-572	349	0777727-350
M104Z	265/75R22.5	540	0777717-539	336	0777727-333
M104Z	285/75R24.5	500	0777717-500	311	0777727-311
M104Z	295/75R22.5	518	0777717-520	322	0777727-326
M105Z	385/65R22.5	489	0777717-490	304	0777727-306
M109Z	215/75R17.5	686	0777717-686	426	0777727-424
M110Z	315/80R22.5	489	0777717-490	304	0777727-306
M111Z	1100R22	467	0777717-465	290	0777727-294
M111Z	12R22.5	489	0777717-490	304	0777727-306
M111Z	315/80R22.5	489	0777717-490	304	0777727-306
M114Z	11R22.5	500	0777717-500	311	0777727-311
M114Z	11R24.5	479	0777717-475	298	0777727-294
M114Z	285/75R24.5	500	0777717-500	311	0777727-311
M114Z	295/75R22.5	518	0777717-520	322	0777727-326
M120Z	10R22.5	518	0777717-520	322	0777727-326
M120Z	11R22.5	500	0777717-500	311	0777727-311
M120Z	11R24.5	479	0777717-475	298	0777727-294
M120Z	255/70R22.5	567	0777717-572	352	0777727-350
M124Z	1000R20	500	0777717-500	311	0777727-311
M124Z	11R22.5	500	0777717-500	311	0777727-311
M124Z	11R24.5	479	0777717-475	298	0777727-294
M124Z	285/75R24.5	500	0777717-500	311	0777727-311
M124Z	295/75R22.5	518	0777717-520	322	0777727-326
M314Z	385/65R22.5	489	0777717-490	304	0777727-306
M315Z	11R22.5	500	0777717-500	311	0777727-311
M315Z	11R24.5	475	0777717-475	295	0777727-294
M410	30x950R15	621	0777717-624	386	0777727-381
M410	31x1050R15	684	0777717-686	425	0777727-424
M503	11R22.5	489	0777717-490	304	0777727-306
M503Z	11R24.5	470	0777717-468	292	0777727-294
M506Z	11R22.5	500	0777717-500	311	0777727-311
M506Z	11R24.5	470	0777717-468	292	0777727-294
M508Z	11R24.5	467	0777717-465	290	0777727-294
M54	215/85R16	686	0777717-686	426	0777727-424
M54	235/85R16	658	0777717-650	409	0777727-416
M55	215/85R16	680	0777717-676	423	0777727-424
M55	225/75R16	621	0777717-624	386	0777727-381
M55	235/85R16	655	0777717-650	407	0777727-400

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Toyo (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M55	245/75R16	680	0777717-676	423	0777727-424
M56A	1000R20	489	0777717-490	304	0777727-306
M56A	1000R22	470	0777717-468	292	0777727-294
M56A	1100R20	479	0777717-475	298	0777727-294
M56A	11R22.5	489	0777717-490	304	0777727-306
M56A	11R24.5	470	0777717-468	292	0777727-294
M58ZF	11R22.5	500	0777717-500	311	0777727-311
M58ZF	11R24.5	475	0777717-475	295	0777727-294
M58ZF	12R22.5	483	0777717-484	300	0777727-300
M59	1000R20	500	0777717-500	311	0777727-311
M59	1000R22	475	0777717-475	295	0777727-294
M59	10R22.5	518	0777717-520	322	0777727-326
M59	1100R20	489	0777717-490	304	0777727-306
M59	1100R22	467	0777717-465	290	0777727-294
M59	11R22.5	500	0777717-500	311	0777727-311
M59	11R24.5	475	0777717-475	295	0777727-294
M59	900R20	518	0777717-520	322	0777727-326
M59Z	12R22.5	483	0777717-484	300	0777727-300
M60	9R22.5	540	0777717-539	336	0777727-333
M601Z	255/70R22.5	566	0777717-572	352	0777727-350
M604	1000R20	500	0777717-500	311	0777727-311
M604	1000R22	475	0777717-475	295	0777727-294
M604	11R22.5	500	0777717-500	311	0777727-311
M604	11R24.5	475	0777717-475	295	0777727-294
M605	1000R20	489	0777717-490	304	0777727-306
M605	1000R22	470	0777717-468	292	0777727-294
M605	11R22.5	489	0777717-490	304	0777727-306
M605	11R24.5	470	0777717-468	292	0777727-294
M605	12R22.5	479	0777717-475	298	0777727-294
M605Z	12R22.5	483	0777717-484	300	0777727-300
M605Z	295/75R22.5	505	0777717-510	314	0777727-316
M606	215/85R16	680	0777717-676	423	0777727-424
M606	225/75R16	621	0777717-624	386	0777727-381
M606	235/85R16	655	0777717-650	407	0777727-400
M606	245/75R16	680	0777717-676	423	0777727-424
M608Z	11R24.5	475	0777717-475	295	0777727-294
M608Z	215/75R17.5	680	0777717-676	423	0777727-424
M608Z	245/70R19.5	618	0777717-612	384	0777727-381
M608Z	285/75R24.5	500	0777717-500	311	0777727-311
M608Z	295/75R22.5	518	0777717-520	322	0777727-326
M61	1000R20	500	0777717-500	311	0777727-311
M61	1100R20	489	0777717-490	304	0777727-306
M61	1100R22	467	0777717-465	290	0777727-294
M61	11R22.5	500	0777717-500	311	0777727-311
M61	1200R20	470	0777717-468	292	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Toyo (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M61	12R22.5	483	0777717-484	300	0777727-300
M61	13R22.5	470	0777717-468	292	0777727-294
M61	900R20	518	0777717-520	322	0777727-326
M610Z	11R22.5	489	0777717-490	304	0777727-306
M610Z	11R24.5	470	0777717-468	292	0777727-294
M610Z	275/80R24.5	489	0777717-490	304	0777727-306
M610Z	285/75R24.5	489	0777717-490	304	0777727-306
M610Z	295/75R22.5	505	0777717-510	314	0777727-316
M610ZL	11R22.5	489	0777717-490	304	0777727-306
M610ZL	11R24.5	470	0777717-468	292	0777727-294
M610ZL	285/75R24.5	489	0777717-490	304	0777727-306
M610ZL	295/75R22.5	505	0777717-510	314	0777727-316
M61L	11R22.5	500	0777717-500	311	0777727-311
M61LA	1000R22	475	0777717-475	295	0777727-294
M61LA	11R24.5	475	0777717-475	295	0777727-294
M65	31x1050R16.5	680	0777717-676	423	0777727-424
M65	31x1150R15	680	0777717-676	423	0777727-424
M65	31x1150R15	680	0777717-676	423	0777727-424
M70	13/80R20	500	0777717-500	311	0777727-311
M70	14/80R20	483	0777717-484	300	0777727-300
M73Z	12R22.5	483	0777717-484	300	0777727-300
M74(T)	825R15	627	0777717-624	390	0777727-392
M75	255/75R22.5	567	0777717-572	352	0777727-350
M75	295/75R22.5	518	0777717-520	322	0777727-326
M75Z	245/70R19.5	627	0777717-624	390	0777727-392
M75Z	255/70R22.5	567	0777717-572	352	0777727-350
M75Z	265/70R19.5	607	0777717-612	377	0777727-381
M75Z	285/70R19.5	590	0777717-588	367	0777727-366
M76	285/75R24.5	500	0777717-500	311	0777727-311
M76	295/75R22.5	514	0777717-514	319	0777727-316
M82	875R16	621	0777717-624	386	0777727-381
M82	875R16.5	621	0777717-624	386	0777727-381
M82	950R16.5	686	0777717-686	426	0777727-424
M83	875R16.5	686	0777717-686	426	0777727-424
M83	950R16.5	680	0777717-676	423	0777727-424
M84LA	1000R20	500	0777717-500	311	0777727-311
M84LA	1000R22	479	0777717-475	298	0777727-294
M84LA	1100R20	489	0777717-490	304	0777727-306
M84LA	11R22.5	500	0777717-500	311	0777727-311
M84LA	11R24.5	479	0777717-475	298	0777727-294
M84LA	1200R20	470	0777717-468	292	0777727-294
M84LA	12R22.5	489	0777717-490	304	0777727-306
M87	10R22.5	518	0777717-520	322	0777727-326
M87	1100R20	483	0777717-484	300	0777727-300
M87	1100R22	467	0777717-465	290	0777727-294

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Toyo (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
M87	11R22.5	467	0777717-465	290	0777727-294
M87	1200R20	470	0777717-468	292	0777727-294
M87	12R22.5	483	0777717-484	300	0777727-300
M87	825R20	545	0777717-546	339	0777727-343
M87	900R20	518	0777717-520	322	0777727-326
M87	9R22.5	545	0777717-546	339	0777727-343
M87ZF	12R22.5	483	0777717-484	300	0777727-300
M91	10R22.5	518	0777717-520	322	0777727-326
M91	1100R20	518	0777717-520	322	0777727-326
M91	1100R22	467	0777717-465	290	0777727-294
M91	900R20	518	0777717-520	322	0777727-326
M93	750R16	655	0777717-650	407	0777727-400
M94	1000R20	500	0777717-500	311	0777727-311
M94	1000R22	475	0777717-475	295	0777727-294
M94	1100R20	489	0777717-490	304	0777727-306
M94	11R22.5	500	0777717-500	311	0777727-311
M94	11R24.5	475	0777717-475	295	0777727-294
M94	12R22.5	489	0777717-490	304	0777727-306
M94Z	12R22.5	489	0777717-490	304	0777727-306

Uniroyal Goodrich

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Euzkadi S/T	1100-22	467	0777717-465	290	0777727-294
Euzkadi S/T	12-24.5	467	0777717-465	290	0777727-294
Extra Miler XL 11	1000-20	489	0777717-490	304	0777727-306
Extra Miler XL 11	1000-22	475	0777717-475	295	0777727-294
Extra Miler XL 11	10-22.5	514	0777717-514	319	0777727-316
Extra Miler XL 11	1100-20	483	0777717-484	300	0777727-300
Extra Miler XL 11	1100-22	467	0777717-465	290	0777727-294
Extra Miler XL 11	11-22.5	489	0777717-490	304	0777727-306
Extra Miler XL 11	11-24.5	475	0777717-475	295	0777727-294
Extra Miler XL 11	1200-20	470	0777717-468	292	0777727-294
Extra Miler XL 11	12-22.5	483	0777717-484	300	0777727-300
Extra Miler XL 11	12-24.5	467	0777717-465	290	0777727-294
Extra Miler XL 11	13-22.5	470	0777717-468	292	0777727-294
Extra Miler XL 11	825-20	537	0777717-539	334	0777727-333
Extra Miler XL 11	900-20	514	0777717-514	319	0777727-316
Extra Miler XL 11	9-22.5	537	0777717-539	334	0777727-333
Extra Traction	1000-20	489	0777717-490	304	0777727-306
Extra Traction	1000-22	467	0777717-465	290	0777727-294
Extra Traction	10-22.5	489	0777717-490	304	0777727-306
Extra Traction	1100-20	470	0777717-468	292	0777727-294
Extra Traction	11-22.5	489	0777717-490	304	0777727-306
Extra Traction	11-24.5	467	0777717-465	290	0777727-294
Extra Traction	12-22.5	470	0777717-468	292	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Uniroyal Goodrich (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Extra Traction	825-20	518	0777717-520	322	0777727-326
Extra Traction	900-20	489	0777717-490	304	0777727-306
Extra Traction	9-22.5	518	0777717-520	322	0777727-326
FleetMaster Super Lug	1000-20	489	0777717-490	304	0777727-306
Fleetmaster Super Lug	1000-22	467	0777717-465	290	0777727-294
FleetMaster Super Lug	10-22.5	500	0777717-500	311	0777727-311
Fleetmaster Super Lug	1100-20	483	0777717-484	300	0777727-300
Fleetmaster Super Lug	11-22.5	489	0777717-490	304	0777727-306
Fleetmaster Super Lug	11-24.5	467	0777717-465	290	0777727-294
Fleetmaster Super Lug	12-22.5	483	0777717-484	300	0777727-300
Fleetmaster Super Lug	825-20	518	0777717-520	322	0777727-326
Fleetmaster Super Lug	900-20	500	0777717-500	311	0777727-311
Fleetmaster Super Lug	9-22.5	518	0777717-520	322	0777727-326
FleetMaster Triple Tread	1000-20	489	0777717-490	304	0777727-306
Fleetmaster Triple Tread	1000-22	475	0777717-475	295	0777727-294
FleetMaster Triple Tread	10-22.5	514	0777717-514	319	0777727-316
Fleetmaster Triple Tread	1100-20	483	0777717-484	300	0777727-300
Fleetmaster Triple Tread	11-22.5	489	0777717-490	304	0777727-306
Fleetmaster Triple Tread	11-24.5	475	0777717-475	295	0777727-294
Fleetmaster Triple Tread	12-22.5	489	0777717-490	304	0777727-306
Fleetmaster Triple Tread	825-20	537	0777717-539	334	0777727-333
Fleetmaster Triple Tread	900-20	514	0777717-514	319	0777727-316
Fleetmaster Triple Tread	9-22.5	537	0777717-539	334	0777727-333
HaulMaster Lug	1000-20	483	0777717-484	300	0777727-300
HaulMaster Lug	1000-22	467	0777717-465	290	0777727-294
HaulMaster Lug	10-22.5	500	0777717-500	311	0777727-311
HaulMaster Lug	1100-20	470	0777717-468	292	0777727-294
HaulMaster Lug	1100-22	457	0777717-450	284	0777727-294
HaulMaster Lug	11-22.5	483	0777717-484	300	0777727-300
HaulMaster Lug	11-24.5	467	0777717-465	290	0777727-294
HaulMaster Lug	12-22.5	470	0777717-468	292	0777727-294
HaulMaster Lug	12-24.5	457	0777717-450	284	0777727-294
HaulMaster Lug	825-20	518	0777717-520	322	0777727-326
HaulMaster Lug	900-20	500	0777717-500	311	0777727-311
HaulMaster Lug	9-22.5	518	0777717-520	322	0777727-326
HaulMaster Rib	1000-20	483	0777717-484	300	0777727-300
HaulMaster Rib	1000-22	467	0777717-465	290	0777727-294
HaulMaster Rib	10-22.5	500	0777717-500	311	0777727-311
HaulMaster Rib	1100-20	470	0777717-468	292	0777727-294
HaulMaster Rib	1100-22	443	0777717-441	275	None
HaulMaster Rib	11-22.5	483	0777717-484	300	0777727-300
HaulMaster Rib	11-24.5	467	0777717-465	290	0777727-294
HaulMaster Rib	12-22.5	470	0777717-468	292	0777727-294
HaulMaster Rib	12-24.5	443	0777717-441	275	None
HaulMaster Rib	900-20	500	0777717-500	311	0777727-311

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer.
If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Uniroyal Goodrich (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Heavy Duty Express	1000-20	514	0777717-514	319	0777727-316
Heavy Duty Express	1000-22	475	0777717-475	295	0777727-294
Heavy Duty Express	11-22.5	514	0777717-514	319	0777727-316
Heavy Duty Express	11-24.5	475	0777717-475	295	0777727-294
LineHaul Premium	1000-20	483	0777717-484	300	0777727-300
LineHaul Premium	1000-22	467	0777717-465	290	0777727-294
LineHaul Premium	10-22.5	500	0777717-500	311	0777727-311
LineHaul Premium	1100-20	470	0777717-468	292	0777727-294
LineHaul Premium	1100-22	457	0777717-450	284	0777727-294
LineHaul Premium	11-22.5	483	0777717-484	300	0777727-300
LineHaul Premium	11-24.5	467	0777717-465	290	0777727-294
LineHaul Premium	12-22.5	470	0777717-468	292	0777727-294
LineHaul Premium	12-24.5	457	0777717-450	284	0777727-294
LineHaul Premium	900-20	500	0777717-500	311	0777727-311
Milesaver HDB	1000R20	489	0777717-490	304	0777727-306
Milesaver HDB	1000R22	475	0777717-475	295	0777727-294
Milesaver HDB	10R22.5	514	0777717-514	319	0777727-316
Milesaver HDB	11R22.5	489	0777717-490	304	0777727-306
Milesaver HDB	11R24.5	475	0777717-475	295	0777727-294
Milesaver HDB	900R20	514	0777717-514	319	0777727-316
Milesaver HDR	1000R20	489	0777717-490	304	0777727-306
Milesaver HDR	1000R22	475	0777717-475	295	0777727-294
Milesaver HDR	10R22.5	514	0777717-514	319	0777727-316
Milesaver HDR	11R22.5	489	0777717-490	304	0777727-306
Milesaver HDR	11R24.5	475	0777717-475	295	0777727-294
Milesaver HDR	900R20	514	0777717-514	319	0777727-316
ND Super Traction	1000-20	489	0777717-490	304	0777727-306
ND Super Traction	10-22.5	500	0777717-500	311	0777727-311
ND Super Traction	1100-20	483	0777717-484	300	0777727-300
ND Super Traction	11-22.5	489	0777717-490	304	0777727-306
ND Super Traction	12-22.5	483	0777717-484	300	0777727-300
ND Super Traction	900-20	500	0777717-500	311	0777727-311
Power Express	1000-20	514	0777717-514	319	0777727-316
Power Express	1000-22	475	0777717-475	295	0777727-294
Power Express	10-22.5	514	0777717-514	319	0777727-316
Power Express	1100-20	470	0777717-468	292	0777727-294
Power Express	11-22.5	489	0777717-490	304	0777727-306
Power Express	11-24.5	475	0777717-475	295	0777727-294
Power Express	12-22.5	470	0777717-468	292	0777727-294
Power Express	825-20	537	0777717-539	334	0777727-333
Power Express	900-20	514	0777717-514	319	0777727-316
Power Express	9-22.5	537	0777717-539	334	0777727-333
Power Traction	1000-20	489	0777717-490	304	0777727-306
Power Traction	1000-22	475	0777717-475	295	0777727-294
Power Traction	10-22.5	514	0777717-514	319	0777727-316



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Uniroyal Goodrich (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Power Traction	11-22.5	489	0777717-490	304	0777727-306
Power Traction	11-24.5	475	0777717-475	295	0777727-294
Power Traction	900-20	514	0777717-514	319	0777727-316
Silver Town	7.5-16	655	0777717-650	407	0777727-400
Suburban Mileage	12-22.5	483	0777717-484	300	0777727-300
Traction Express	11-24.5	457	0777717-450	284	0777727-294
Traction Express Custom	1000-20	489	0777717-490	304	0777727-306
Traction Express Custom	1000-22	467	0777717-465	290	0777727-294
Traction Express Custom	10-22.5	500	0777717-500	311	0777727-311
Traction Express Custom	1100-20	470	0777717-468	292	0777727-294
Traction Express Custom	1100-22	457	0777717-450	284	0777727-294
Traction Express Custom	11-22.5	475	0777717-475	295	0777727-294
Traction Express Custom	11-24.5	457	0777717-450	284	0777727-294
Traction Express Custom	12-22.5	470	0777717-468	292	0777727-294
Traction Express Custom	12-24.5	457	0777717-450	284	0777727-294
Traction Express Custom	825-20	537	0777717-539	334	0777727-333
Traction Express Custom	900-20	500	0777717-500	311	0777727-311
Traction Express Custom	9-22.5	537	0777717-539	334	0777727-333
Traction Express X/Q	1000-20	483	0777717-484	300	0777727-300
Traction Express X/Q	1000-22	467	0777717-465	290	0777727-294
Traction Express X/Q	1100-22	457	0777717-450	284	0777727-294
Traction Express X/Q	11-22.5	483	0777717-484	300	0777727-300
Traction Express X/Q	11-24.5	467	0777717-465	290	0777727-294
Traction Express X/Q	12-24.5	457	0777717-450	284	0777727-294
Trans Cargo XL	1000-20	489	0777717-490	304	0777727-306
Trans Cargo XL	1000-22	475	0777717-475	295	0777727-294
Trans Cargo XL	10-22.5	514	0777717-514	319	0777727-316
Trans Cargo XL	11-22.5	514	0777717-514	319	0777727-316
Trans Cargo XL	11-24.5	475	0777717-475	295	0777727-294
Trans Cargo XL	900-20	514	0777717-514	319	0777727-316
XLA	1000-20	514	0777717-514	319	0777727-316
XLA	1000-22	475	0777717-475	295	0777727-294
XLA	10-22.5	514	0777717-514	319	0777727-316
XLA	1100-20	489	0777717-490	304	0777727-306
XLA	1100-22	475	0777717-475	295	0777727-294
XLA	11-22.5	514	0777717-514	319	0777727-316
XLA	11-24.5	475	0777717-475	295	0777727-294
XLA	12-22.5	489	0777717-490	304	0777727-306
XLA	12-24.5	475	0777717-475	295	0777727-294
XLA	825-20	537	0777717-539	334	0777727-333
XLA	900-20	514	0777717-514	319	0777727-316
XLA	9-22.5	537	0777717-539	334	0777727-333



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Yokohama

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
LY003	1000R20	489	0777717-490	304	0777727-306
LY003	900R20	518	0777717-520	322	0777727-326
LY053	1000R20	489	0777717-490	304	0777727-306
LY053	1000R22	470	0777717-468	292	0777727-294
LY053	1100R20	479	0777717-475	298	0777727-294
LY053	11R22.5	489	0777717-490	304	0777727-306
LY053	11R24.5	470	0777717-468	292	0777727-294
LY053	12R22.5	479	0777717-475	298	0777727-294
MY243	15R22.5	489	0777717-490	304	0777727-306
MY243	385/65R22.5	489	0777717-490	304	0777727-306
MY243	425/65R22.5	470	0777717-468	292	0777727-294
MY243	445/65R22.5	460	0777717-465	286	0777727-294
MY507	11R22.5	489	0777717-490	304	0777727-306
MY507	11R24.5	470	0777717-468	292	0777727-294
RY083	1000R20	500	0777717-500	311	0777727-311
RY083	1000R22	479	0777717-475	298	0777727-294
RY083A	11R22.5	500	0777717-500	311	0777727-311
RY083A	11R24.5	479	0777717-475	298	0777727-294
RY083A	285/75R24.5	500	0777717-500	311	0777727-311
RY083A	295/75R22.5	518	0777717-520	322	0777727-326
RY083C	11R24.5	479	0777717-475	298	0777727-294
RY083C	12R22.5	489	0777717-490	304	0777727-306
RY103	11/70R22.5	551	0777717-550	342	0777727-343
RY103	225/70R22.5	571	0777717-572	355	0777727-359
RY103	245/75R22.5	557	0777717-550	346	0777727-343
RY103	255/70R22.5	567	0777717-572	352	0777727-350
RY103	265/75R22.5	540	0777717-539	336	0777727-333
RY103	275/70R22.5	551	0777717-550	342	0777727-343
RY103	275/80R22.5	518	0777717-520	322	0777727-326
RY103	275/80R24.5	500	0777717-500	311	0777727-311
RY103	295/75R22.5	518	0777717-520	322	0777727-326
RY103	315/80R22.5	489	0777717-490	304	0777727-306
RY112	1000R20	505	0777717-510	314	0777727-316
RY112	1000R22	483	0777717-484	300	0777727-300
RY112	285/75R24.5	505	0777717-510	314	0777727-316
RY112A	11R22.5	505	0777717-510	314	0777727-316
RY112A	11R24.5	483	0777717-484	300	0777727-300
RY112A	285/75R24.5	505	0777717-510	314	0777727-316
RY112A	295/75R22.5	520	0777717-520	323	0777727-326
RY123	285/75R24.5	500	0777717-500	311	0777727-311
RY123	295/75R22.5	518	0777717-520	322	0777727-326
RY203	11R22.5	489	0777717-490	304	0777727-306
RY215	750R16	659	0777717-676	410	0777727-416
RY253	385/65R22.5	489	0777717-490	304	0777727-306
RY253	425/65R22.5	470	0777717-468	292	0777727-294



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Yokohama (continued)

Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
RY253	445/65R22.5	460	0777717-465	286	0777727-294
RY513	11R22.5	500	0777717-500	311	0777727-311
RY513	11R24.5	479	0777717-475	298	0777727-294
RY513	285/75R24.5	500	0777717-500	311	0777727-311
RY513	295/75R22.5	518	0777717-520	322	0777727-326
SuperDigger	235/85R16	655	0777717-650	407	0777727-400
SY055	11R22.5	500	0777717-500	311	0777727-311
SY055	11R24.5	475	0777717-475	295	0777727-294
SY055	12R22.5	483	0777717-484	300	0777727-300
TY025	750R16	655	0777717-650	407	0777727-400
TY033	1000R20	489	0777717-490	304	0777727-306
TY033	1000R22	475	0777717-475	295	0777727-294
TY033	11R22.5	489	0777717-490	304	0777727-306
TY033	11R24.5	475	0777717-475	295	0777727-294
TY033	285/75R24.5	489	0777717-490	304	0777727-306
TY033	295/75R22.5	514	0777717-514	319	0777727-316
TY063	11R24.5	470	0777717-468	292	0777727-294
TY063	12R22.5	479	0777717-475	298	0777727-294
TY133	285/75R24.5	489	0777717-490	304	0777727-306
TY133	295/75R22.5	514	0777717-514	319	0777727-316
TY143	275/80R22.5	518	0777717-520	322	0777727-326
TY203A	1000R20	489	0777717-490	304	0777727-306
TY203A	1000R22	475	0777717-475	295	0777727-294
TY203A	1100R20	483	0777717-484	300	0777727-300
TY203A	11R22.5	489	0777717-490	304	0777727-306
TY203A	11R24.5	475	0777717-475	295	0777727-294
TY203A	12R22.5	483	0777717-484	300	0777727-300
TY203A	285/75R24.5	489	0777717-490	304	0777727-306
TY203A	295/75R22.5	514	0777717-514	319	0777727-316
TY303C	11R22.5	489	0777717-490	304	0777727-306
TY303C	11R24.5	470	0777717-468	292	0777727-294
TY303C	285/75R24.5	489	0777717-490	304	0777727-306
TY303C	295/75R22.5	505	0777717-510	314	0777727-316
TY503	11R22.5	489	0777717-490	304	0777727-306
TY503	11R24.5	470	0777717-468	292	0777727-294
TY503	285/75R24.5	489	0777717-490	304	0777727-306
TY503	295/75R22.5	505	0777717-510	314	0777727-316
Y703B	1000R20	489	0777717-490	304	0777727-306
Y703B	11R22.5	489	0777717-490	304	0777727-306
Y710L	1100R22	467	0777717-465	290	0777727-294
Y710L	1100R22	440	0777717-441	273	None
Y710L	1200R24	440	0777717-441	273	None
Y713B	1000R20	500	0777717-500	311	0777727-311
Y713B	1000R22	475	0777717-475	295	0777727-294
Y713B	10R22.5	518	0777717-520	322	0777727-326

Electronic Hubodometer, Model RT1000-000 fits every tire size. Simply enter the selected tire's revolution per mile or kilometer. If using Series 7777 Mechanical Hubodometer, simply choose the appropriate listed model for the selected tire size.



VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Yokohama (continued)

Style Tire Size Revs per Mile Mile Part No. Revs per Kilometer Kilometer Part No.

Y713B	1100R20	483	0777717-484	300	0777727-300
Y713B	1100R22	467	0777717-465	290	0777727-294
Y713B	11R22.5	500	0777717-500	311	0777727-311
Y713B	11R24.5	475	0777717-475	295	0777727-294
Y713B	12R22.5	483	0777717-484	300	0777727-300
Y713B	825R20	540	0777717-539	336	0777727-333
Y713B	900R20	518	0777717-520	322	0777727-326
Y713B	9R22.5	540	0777717-539	336	0777727-333
Y742S	750R16	655	0777717-650	407	0777727-400
Y745B	950R16.5	680	0777717-676	423	0777727-424
Y773	1000R20	500	0777717-500	311	0777727-311
Y773	1000R22	479	0777717-475	298	0777727-294
Y773	10R22.5	518	0777717-520	322	0777727-326
Y773	1100R20	483	0777717-484	300	0777727-300
Y773	1100R22	467	0777717-465	290	0777727-294
Y773	11R22.5	500	0777717-500	311	0777727-311
Y773	11R24.5	479	0777717-475	298	0777727-294
Y773	1200R20	470	0777717-468	292	0777727-294
Y773	1200R24	440	0777717-441	273	None
Y773	12R22.5	483	0777717-484	300	0777727-300
Y773	13R22.5	470	0777717-468	292	0777727-294
Y773	13R22.5	470	0777717-468	292	0777727-294
Y773	900R20	518	0777717-520	322	0777727-326
Y780R	825R15	627	0777717-624	390	0777727-392
Y785R	1000R15	571	0777717-572	355	0777727-359
Y785R	1000R20	500	0777717-500	311	0777727-311
Y785R	1000R22	479	0777717-475	298	0777727-294
Y785R	10R17.5	611	0777717-612	380	0777727-381
Y785R	10R22.5	518	0777717-520	322	0777727-326
Y785R	1100R20	489	0777717-490	304	0777727-306
Y785R	11R17.5	571	0777717-572	355	0777727-359
Y785R	11R22.5	500	0777717-500	311	0777727-311
Y785R	11R24.5	479	0777717-475	298	0777727-294
Y785R	1200R20	470	0777717-468	292	0777727-294
Y785R	12R22.5	489	0777717-490	304	0777727-306
Y785R	13/80R20	500	0777717-500	311	0777727-311
Y785R	14/80R20	483	0777717-484	300	0777727-300
Y785R	365/80R20	483	0777717-484	300	0777727-300
Y785R	750R15	684	0777717-686	425	0777727-424
Y785R	825R15	627	0777717-624	390	0777727-392
Y785R	825R20	545	0777717-546	339	0777727-343
Y785R	900R20	518	0777717-520	322	0777727-326
Y785R	9R17.5	627	0777717-624	390	0777727-392
Y785R	9R22.5	545	0777717-546	339	0777727-343
Y788R	215/85R16	686	0777717-686	426	0777727-424




VEEDER-ROOT HUBODOMETER SELECTION GUIDE

Yokohama (continued)


Style	Tire Size	Revs per Mile	Mile Part No.	Revs per Kilometer	Kilometer Part No.
Y788R	235/85R16	658	0777717-650	409	0777727-416
Y788R	950R16.5	686	0777717-686	426	0777727-424
Y793R	1000R20	500	0777717-500	311	0777727-311
Y793R	1000R22	479	0777717-475	298	0777727-294
Y793R	10R22.5	518	0777717-520	322	0777727-326
Y793R	1100R20	489	0777717-490	304	0777727-306
Y793R	11R22.5	500	0777717-500	311	0777727-311
Y793R	11R24.5	479	0777717-475	298	0777727-294
Y793R	1200R20	470	0777717-468	292	0777727-294
Y793R	12R22.5	489	0777717-490	304	0777727-306
Y793R	825R20	540	0777717-539	336	0777727-333
Y793R	900R20	518	0777717-520	322	0777727-326

HUBODOMETER MOUNTING HUBCAPS




Bolt Circle (in.)	No. of Bolts	Dim. A (in.)	Dim. B (in.)	Dim. C (in.)	Dim. D (in.)	Hubcap and Gasket Kit Part No.
5-1/4	5/16 5	6-5/16	4-1/2	1-11/16	3-7/8	325886-209
5-1/2	5/16 6	6-5/16	4-1/2	1-11/16	3-7/8	325886-214
5-1/4	5/16 5	6-5/16	4-1/2	1-11/16	3-7/8	325886-250 (Grease Cap)
Threaded 6-14 x 8				1-9/16	4-1/8	325886-222
Threaded 6-14 x 8				1-9/16	4-1/8	325886-251 (Grease Cap)

HUBODOMETER MOUNTING BRACKETS



Bolt Circle Dia. (in.)	Stud Size (in.)	Part No.
Universal Bracket		325614-101
7	5/8	325614-107
7	3/4	325614-108
7-1/4	9/16	325614-109
Over Hubcap Bracket 5-1/2 x 3-1/2	5/16	325614-012

HUBODOMETER DIMENSIONS



HUBODOMETER INSTALLATION INSTRUCTIONS

A. MOUNTING. Hubodometers can be mounted on a Veeder-Root bracket or hub cap. Concentricity of the hubodometer to axle must be within 0.062" (1.6mm).

B. INSTALLATION. Install the hubodometer as follows:


1. Insert the hubodometer mounting stud into the mounting hole.
2. Install the washer over the stud and secure with the lock nut.
3. Torque the nut to 18 to 22 lb-ft. (24 to 30 N-m) maximum.
4. If installation is on a Veeder-Root bracket, install bracket per provided instructions.
5. Refer to instructions provided with hubodometer for additional procedures.
6. Consult Veeder-Root regarding any unusual application, installation, or possible modification of this basic design.

C. CLEANING. Use a mild detergent and water to clean the hubodometer's crystal front.

NOTE. To calculate the number of revolutions per mile of your tire.

1. Measure the distance from the center of the hub to the ground.
2. Double that number (X2) and then multiply the result by 3.1416. Divide this result by 12.
3. Divide the number 5280 by the result from step #2 (5280 ÷ #2 result). This will provide the number of revolutions your tire will make per mile.
4. For revolutions per kilometer multiply calculated revolutions per mile by 0.621.





VEEDER-ROOT

Hubodometers

- *Unsurpassed for performance, reliability and accuracy*
- *For tracking leasing or maintenance miles, Veeder-Root sets the standard*
- *Backed by long-term warranty*
- *American made since 1895*

Veeder-Root brand Hubodometers and Accessories are available from an authorized distributor near you. Our distributors receive constant training in the application, installation and operation of Hubodometer products. This means that they are readily available to assist you in the selection of the best product for your application. For additional information contact the authorized distributor listed below or Danaher Specialty Products.

Distributed by:

Performance when it counts!



Headquarters: 2100 W. Broad Street • Elizabethtown, NC 28337-8826 • USA
Phone: +1 800.390.6405 (toll free) or +1 910.862.2511 • Fax: +1 910.879.5486 • www.vr-hubodometer.com



hub0309